

# **SAFETY DATA SHEET**

Issue Date 01-Jan-2008 Revision Date 28-Aug-2015 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name Peel Away 1

Other Means of Identification

**SDS #** DCI-009

UN/ID No UN1823

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Paint remover.

#### **Details of the Supplier of the Safety Data Sheet**

Supplier Address Dumond Chemicals, Inc. 83 General Warren Blvd Suite 190 Malvern, PA 19355

**Emergency Telephone Number** 

Company Phone Number 1-609-655-7700

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

# Signal Word

Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage May cause respiratory irritation. May cause drowsiness or dizziness



Appearance White pastePhysical StatePasteOdorNone

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Chemical Family Alkaline.

Chemical Name	CAS No	Weight-%
Calcium hydroxide	1305-62-0	21
Magnesium hydroxide	1309-42-8	16
Sodium hydroxide	1310-73-2	9

#### 4. FIRST AID MEASURES

#### **First Aid Measures**

Inhalation Remove to fresh air. Immediate medical attention is required.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Call a physician immediately.

Ingestion If conscious, give water or milk. Do NOT induce vomiting. Get medical attention if

necessary.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated

clothing and shoes. Get medical attention if irritation occurs.

#### Most Important Symptoms and Effects, both Acute and Delayed

Symptoms May cause dermatitis or irritation in some individuals upon prolonged contact. May cause

severe chemical burns with reddening and pain. Causes eye irritation. Causes skin irritation. May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion may cause severe burns to mouth, throat or stomach.

#### Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at risk

from exposure.

#### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

At elevated temperatures, containers may rupture. Contents are corrosive and all personal contact must be avoided.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

### 6. ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** Do not allow into any sewer, on the ground or into any body of water.

#### Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Keep in suitable, closed containers for disposal. Wash spill area with plenty of water. Spills

and releases may have to be reported to Federal and/or local authorities. See section 15.

#### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands,

and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas.

#### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions**Store in a cool, well ventilated area away from acids and other incompatible substances.

Store locked up.

Incompatible Materials Acids. Organic halogen compounds. Nitromethane. Flammable liquid. Metals such as

aluminum, tin, and zinc.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

Calcium hydroxide 1305-62-0	TWA: 5 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ not in effect as a result of reconsideration	9
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³	IDLH: 10 mg/m³ Ceiling: 2 mg/m³

#### **Appropriate Engineering Controls**

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Use in a

Well-ventilated location (eg. local exhaust ventilation, fans). Shower (On site portable shower

is an acceptable method). Eye Wash Station.

#### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** Chemical safety goggles/faceshield.

**Skin and Body Protection**Wear suitable protective clothing. Rubber, neoprene, or other impervious gloves are

recommended to prevent skin contact. Selection of specific items such as face shield.

@ 20 C

boots, apron, or full body suit will depend on the task.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. For spray application, a NIOSH

approved dust respirator and eye protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on Basic Physical and Chemical Properties

Physical State Paste

Appearance White paste Odor None

Color White Odor threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 12

Melting point/freezing point

Not determined

> 100 °C / >212 °F

Flash point None

Evaporation rate Same as water Flammability (solid, gas) Not determined

Flammability limits in air

Upper flammability limitsNot applicableLower flammability limitNot applicable

Vapor pressure Same as water

Vapor density Same as water

Specific gravity 1.33

Water solubility Completely soluble
Solubility in other solvents Not determined
Partition coefficient Not determined

Autoignition temperature None

Decomposition temperature
Kinematic viscosity
Not determined

Other Information

VOC Content (%) 0%

VOC Content 0 lbs/gal

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

Acids. Organic halogen compounds. Nitromethane. Flammable liquid. Metals such as aluminum, tin, and zinc.

#### **Hazardous Decomposition Products**

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

# Information on Likely Routes of Exposure

#### **Product Information**

**Inhalation** Avoid breathing vapors or mists.

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Ingestion** Do not taste or swallow.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Calcium hydroxide 1305-62-0	= 7340 mg/kg (Rat)	-	-
Magnesium hydroxide 1309-42-8	= 8500 mg/kg (Rat)	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

# Information on Physical, Chemical and Toxicological Effects

Symptoms May cause dermatitis or irritation in some individuals upon prolonged contact. May cause

severe chemical burns with reddening and pain. May cause skin and eye irritation. May cause irritation to the mucous membranes and upper respiratory tract. May cause burns to

mouth and gastrointestinal corrosion.

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

STOT - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

#### **Numerical Measures of Toxicity- Product**

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 21097 mg/kg

 ATEmix (dermal)
 9445 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium hydroxide 1305-62-0		160: 96 h Gambusia affinis mg/L LC50 static		
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

#### Persistence and Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### **Mobility**

Not determined.

Other Adverse Effects Not determined

### 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Chemical Name	California Hazardous Waste Status
Calcium hydroxide 1305-62-0	Corrosive
Sodium hydroxide 1310-73-2	Toxic Corrosive

#### 14. TRANSPORT INFORMATION

Note Based on package size, product may be eligible for limited quantity exception

DOT

Revision Date 28-Aug-2015 DCI-009 - Peel Away 1

UN1823 **UN/ID No** 

**Proper Shipping Name** Sodium hydroxide, solid, mixture

**Hazard Class** 8 **Packing Group** Ш

IATA

**UN/ID No** UN1823

**Proper Shipping Name** Sodium hydroxide, solid, mixture

**Hazard Class Packing Group** Ш

**IMDG** 

UN/ID No UN1823

**Proper Shipping Name** Sodium hydroxide, solid, mixture

**Hazard Class** Ш **Packing Group** 

# 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

SARA 311/312 Hazard Categories

Chemical Name	CWA - Reportable Quantities	CWA - Toxi	Pollutants	CWA - Priority Po	llutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb					Х
Chemical Name	Hazardous Substa	ances RQs	CERC	LA/SARA RQ	Re	eportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb					RQ 1000 lb final RQ RQ 454 kg final RQ

#### **US State Regulations**

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium hydroxide 1305-62-0	X	X	Х
Sodium hydroxide 1310-73-2	X	X	Х

#### U.S. EPA Label Information

# **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial HazardsNot determinedNot determinedNot determinedNot determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection300Not determined

Issue Date01-Jan-2008Revision Date12-Dec-2012Revision NoteNew format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**