

# SAFETY DATA SHEET

Revision Date 01/30/2015

**REVISION NUMBER: 2** 

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

**PRS FIRE & CONTENT CLEANER** 

Other means of identification Product code UN/ID No. Synonyms

119053 3267 NONE

Recommended use of the che	emical and restrictions on use
Recommended Use	No information available.
Uses advised against	No information available

Details of the supplier of the safety data sheet Manufacturer Address Rochester Midland Corporation 155 Paragon Drive Rochester, New York 14624 USA

Emergency telephone number EMERGENCY TELEPHONE

INFOTRAC: 1-800-535-5053 OUTSIDE U.S.: +1-352-323-3500

# 2. HAZARDS IDENTIFICATION

# **Classification**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

#### Label elements

**Emergency Overview** 

# Hazard statements

DANGER

Causes severe skin burns and eye damage May be corrosive to metals



Appearance Yellow Straw color

Physical state Liquid

Odor MILD

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage

#### **Precautionary Statements - Storage**

Store locked up Store in corrosive resistant container

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)No information availableOther InformationUnknown Acute Toxicity9.88% of

9.88% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
Monoethanolamine	141-43-5	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

General advice	Immediately call a POISON CENTER or doctor/physician.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.	
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.	
Ingestion	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	

#### Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

#### Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use water spray to cool nearby containers and structures exposed to fire.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upDike to contain. Pick up with absorbant material. Put in suitable container for disposal.<br/>Keep out of drains, sewers, streams, or other bodies of water.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingAvoid contact with eyes, skin and clothing. Avoid contact with open wounds. Do not breathe<br/>mist or vapors. Wash thoroughly after handling. Do not contaminate water, food, or feed.<br/>Do not reuse container. Read and follow label instructions. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage ConditionsStore in a cool, dry location away from incompatible materials. Keep container closed when<br/>not in use. Keep from freezing. Keep/store only in original container.

Incompatible materials

Avoid contact with: Acids. Neutralizes active ingredients. Avoid contact with aluminum, zinc, other soft metals or galvanized metals.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

#### Exposure Guidelines

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
-----------------------------	-----------	----------	------------

Monoethanolamine		STEL: 6 ppm	(vacated) STEL: 6 ppm	30 ppm
141-43-5		TWA: 3 ppm	(vacated) STEL: 15 mg/m <sup>3</sup>	00 pp
			(vacated) TWA: 3 ppm	
			(vacated) TWA: 8 mg/m <sup>3</sup>	
			TWA: 3 ppm	
			TWA: 6 mg/m <sup>3</sup>	
Appropriate engineering controls				
ENGINEERING CONTROLS	General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Showers. Eyewash stations.			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Wear safety glasses or goggles to protect against exposure.			
Skin and body protection	Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.			
RESPIRATORY PROTECTION	None normally required. Use NIOSH approved organic vapor respirator as needed if spray mist or vapors exceed PEL or TLV.			
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.			
9. PHYSICAL AND CHEMICAL PROPERTIES				

# Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Yellow Straw color No information available	Odor Odor threshold	MILD No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient	Values   12.5   No information available   100 °C / 212 °F   -   No information available   No information available	Remarks • Method	
Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties Other Information Softening point VOC (EPA METH.24) (G/L):	No information available No information available No information available No information available No information available No information available 2.0 - 3.0		
Density Bulk density	No information available No information available		

# **10. STABILITY AND REACTIVITY**

# REACTIVITY

No data available

#### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

#### Incompatible materials

Avoid contact with:. Acids. Neutralizes active ingredients. Avoid contact with aluminum, zinc, other soft metals or galvanized metals.

#### **Hazardous Decomposition Products**

Oxides of Carbon. Oxides of Nitrogen.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information		Causes severe skin burns and eye damage
	Inhalation	Causes burns.
	Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
	Skin contact	Causes burns.
	Ingestion	Causes burns.

PRODUCT COMPOSITION CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg(Rabbit)	-

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

#### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity	9.88% of the mixture consists of ingredient(s) of unknown toxicity	
The following values are calculated based on chapter 3.1 of the GHS document		
ATEmix (oral)	45066 mg/kg	
ATEmix (dermal)	35922 mg/kg	
ATEmix (inhalation-dust/mist)	53.2 mg/l	

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### 11.14% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION CAS#	Algae/aquatic plants	Fish	Crustacea
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 3684: 96 h Brachydanio rerio mg/L LC50 static 227: 96 h Pimephales promelas mg/L LC50 flow-through 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

PRODUCT COMPOSITION CAS#	Partition coefficient
Monoethanolamine	-1.91
141-43-5	

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

# **14. TRANSPORT INFORMATION**

UN/ID No.	3267
Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Ethanolamine)
Hazard Class	8
Packing Group	III
Description	5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

# 15. REGULATORY INFORMATION

#### International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not Comply
ENCS	Does not Comply
IECSC	Complies
KECL	Does not Comply
PICCS	Does not Comply
AICS	Does not Comply

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	No
Sudden release of pressure hazard	No
REACTIVE HAZARD	YES

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
Monoethanolamine 141-43-5	Listed	Listed	Listed

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### **16. OTHER INFORMATION**

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and Chemical Properties -<u>HMIS</u> Health hazards 2 Flammability 0 Physical hazards 0 Personal protection B

Prepared By Revision Date Revision Note <u>Disclaimer</u> EH&S DEPARTMENT 01/30/2015

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\* END OF SDS \*\*\*