



SAFETY & INDUSTRIAL

BUYER'S GUIDE

OCCUPATIONAL TRAINING & SUPPLY



www.otssupply.com



630-655-3900



sales@otssafety.com



7233 Adams Street
Willowbrook, IL 60527




















Women's Business Enterprise

- PPE
- FALL PROTECTION & CONFINED SPACE
- RESPIRATORY PROTECTION
- DUST CONTROL
- TAPES & ADHESIVES
- CONSTRUCTION SIGNAGE
- NEGATIVE AIR
- HEPA VACUUMS
- TOOLS
- ELECTRICAL & JOBSITE LIGHTING
- LADDERS
- SPRAY FOAM INSULATION
- WASTE HANDLING
- FLOORING
- INDOOR AIR QUALITY
- ABATEMENT
- TRAINING INFORMATION

TABLE OF CONTENTS

ABOUT US

	PERSONAL PROTECTIVE EQUIPMENT	3 - 20
	HAND PROTECTION	3 - 8
	EYE PROTECTION	9 - 14
	HEAD PROTECTION	15
	HEARING PROTECTION	16
	PROTECTIVE CLOTHING	17 - 19
	FOOT PROTECTION	20
	FALL PROTECTION & CONFINED SPACE	21 - 24
	RESPIRATORY PROTECTION	25 - 28
	DUST CONTROL	29 - 31
	TAPES & ADHESIVES	32
	CONSTRUCTION SIGNAGE	33
	NEGATIVE AIR MACHINES	34 - 35
	HEPA VACUUMS	36 - 37
	TOOLS	38 - 39
	ELECTRICAL & JOBSITE LIGHTING	40
	LADDERS	41
	SPRAY FOAM INSULATION	42
	WASTE HANDLING	43
	FLOORING	44 - 50
	ONFLOOR - REMOVAL & SURFACE PREP	44 - 45
	STI - REMOVAL & SURFACE PREP	46 - 47
	EDCO - REMOVAL & SURFACE PREP	48
	BUFFERS & TILE HEATERS	49
	RIDE ON EQUIPMENT - FLOORING REMOVAL	50
	INDOOR AIR QUALITY	51 - 55
	ABATEMENT	56 - 66
	AIR & SURFACE SAMPLING	56
	GLOVE BAGS	57
	SHOWERS	58
	MASTIC REMOVERS	59
	PIPE WRAP & LOCKDOWNS	60
	ENCAPSULANTS	61
	LEAD BASED PAINT	62
	SIGNAGE	63
	ASBESTOS BAGS	64
	JOB SUPPLIES	65 - 66
	TRAINING INFORMATION	67

Occupational Training and Supply (OTS) is an established training company. We provide the technical training necessary to comply with current environmental, health, and safety regulations. Founded in 1990, we saw the need to provide a more hands-on type of training than was offered by other providers. As our reputation has grown, so have our facilities, scope of training and services.

In 1996, OTS further expanded its services to the industry by initiating a supply division. We offer a complete line of environmental, health and safety supplies and equipment. OTS can help you with all aspects of safety in your operations. Look to us as your complete safety resource.

We can provide you with all the tools you need to do the job right — from the proper training to the proper equipment and supplies! We offer a complete line of training, equipment and supplies in the fields of asbestos, lead, mold, hazardous materials, construction, restoration, confined space and OSHA safety compliance.


OTS is a Woman Business Enterprise (WBE), certified in the City of Chicago and State of Illinois.

WE DELIVER ANYWHERE IN THE USA

We ship directly from our warehouse to your jobsite

SAME DAY - LOCAL DELIVERY!

Use the map below to approximate shipping time from our headquarters in Willowbrook, IL to your location!



Shipping times are approximate. Map data provided by FedEx. Check www.fedex.com for updated shipping times.

We accept the following major credit cards:



Prices and product availability are subject to change without notice and are not guaranteed. OTS reserves the right to refuse orders or limit shipping quantities. OTS is not responsible for typographical errors and we make every effort to ensure the accuracy of the information published in our catalog and websites.

PALM COATED WORK GLOVES

**Cotton/Polyester
with Latex Dip**

GL0105

S - 2XL



ABRASION RESISTANCE	2
PUNCTURE RESISTANCE	1
CUT LEVEL	—
SHELL	Cotton/ Polyester
COATING	Natural Rubber Latex

- Cost and comfort combine to make this glove the economical palm coated glove choice
- Excellent grip in wet/dry conditions and offers abrasion resistance
- Comfortable and flexible
- Knit Wrist helps prevent dirt and debris from entering the glove
- Breathable back for comfort

**PosiGrip®**

GL0110

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	—
SHELL	Nylon
COATING	Polyurethane

- 13 Gauge Nylon Shell Knit
- Polyurethane coatings take on the surface properties of the glove liner providing a tactile grip in dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Knit Wrist
- Washable, resistant to chemicals, water, and ultraviolet light

**G-Tek®**

GL0115

S - 2XL



ABRASION RESISTANCE	2
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Polyester
COATING	Latex

- Latex crinkle coatings feature creases or wrinkles on the surface of the coating that are designed to channel fluids away allowing better contact on dry or wet surfaces – a natural rubber that is flexible, tough and durable due to its high degree of resistance to snagging, puncture, and abrasion

**G-Tek®**

GL0120

S - 2XL



ABRASION RESISTANCE	2
PUNCTURE RESISTANCE	2
CUT LEVEL	1
SHELL	Polyester
COATING	Latex

- Seamless polyester knit shell is comfortable and flexible
- Breathable glove shell
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Ergonomic shaped curved finger pattern

**NXG®**

GL0125

S - 2XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	4
CUT LEVEL	2
SHELL	Cotton/ Polyester
COATING	Latex

- 10 Gauge gray cotton and polyester shell
- Excellent comfort and fit
- Gray latex dip on the palm and fingertips
- High quality work gloves
- Improves grip

**PosiGrip®**

GL0130

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon
COATING	PVC

- Air-infused PVC palm coat for excellent wet and dry grip
- Economical alternative to nitrile palm coats for general light duty applications, ideal for work with adhesives
- Liner provides tactile sensitivity
- Knit Wrist helps prevent dirt/debris from entering the glove

COW
HIDECUT
RESIST.DEER
HIDEFLAME
RESIST.GOAT
HIDEHEAT
RESIST.

INSULATED



KEVLAR

OIL
RESIST.PIG
HIDEWATER
RESIST.

PALM COATED WORK GLOVES



Ninja® BNF

GL0140

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	2
CUT LEVEL	1
SHELL	Nylon/ Spandex
COATING	BNF w/ NFT® Coating

- 15 gauge nylon and spandex shell
- Coating on palm and fingertips (Breathable Nitrile Foam)
- Ergonomic design for minimum hand fatigue
- Excellent wet or dry grip
- Great dexterity, flexibility, and movement
- Treated with Actifresh®



Ninja® BNF Evolution

GL0145

S - 2XL



ABRASION RESISTANCE	-
PUNCTURE RESISTANCE	2
CUT LEVEL	-
SHELL	Ingenia™
COATING	NFT® Palm/ Fingertip

- Breathable and easy to wear; Great moisture wicking properties
- Coating significantly increases gripping power
- Reduces CO2 emission by 63% over the production of an equal amount of nylon
- Touchscreen friendly
- Treated with ActiFresh®
- For applications less than 284 degrees Fahrenheit. Contact Heat Only, Not Direct Flame.



Ninja® BNF

GL0150

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon/ Spandex
COATING	BNF w/ NFT® Coating

- 18 gauge nylon and spandex shell, Black Nitrile Foam Palm and Fingers
- Ergonomic design for minimum hand fatigue
- Excellent wet or dry gripping power
- Great dexterity, flexibility, and sense of touch
- Treated with Actifresh®
- For applications less than 284 degrees Fahrenheit. Contact Heat Only, Not Direct Flame.
- Touchscreen friendly



MaxiFlex® Ultimate™

GL0155

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon/ Elastane
COATING	Nitrile

- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves
- Form, Fit and Feel - Mimics the "hand at rest", reducing hand fatigue and increasing comfort
- Complies with FDA food handling requirements 21 CFR, Part 177



Ninja®

GL0133

S - 2XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon
COATING	Polyurethane

- 18 Gauge Athletic Grade Nylon Shell
- 30% Lighter for Greater Tactile Sensitivity
- Excellent dexterity
- Feather-light second skin feeling
- Latex Free
- PU Coated Palm and Fingertips



Ninja®


GL0135

S - 2XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon
COATING	Latex

- 15 Gauge red nylon shell
- Component materials comply with all relevant federal regulations for food contact
- Gray latex coated palm and fingertips
- Great comfort, fit and feel
- Latex coating provides outstanding gripping power



CUT RESISTANT GLOVES

**MCR Safety Cut Pro®**

GL0220

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	4
CUT LEVEL	A2
SHELL	13 Gauge HyperMax™
COATING	Polyurethane

- 13 Gauge HPPE (High Performance Polyethylene Fiber) / Synthetic Salt and Pepper Shell
- Black palm hides soiling
- Black Polyurethane (PU) coated Palm & Fingertips
- Good abrasion, cut, and puncture resistance
- Seamless shell is comfortable, cool, and easy to wear

**Barracuda®**

GL0225

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	2
CUT LEVEL	A2
SHELL	HPPE
COATING	Polyurethane

- Tactile grip in dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Washable, resistant to chemicals, water, and ultraviolet light

**MaxiFlex® Cut™**

GL0229

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	A2
SHELL	MicroFoam
COATING	Nitrile

- Touchscreen compatible
- Form, fit and feel - mimics the "hand at rest", reducing hand fatigue and increasing comfort.
- Latest knitting technology - utilized to produce smooth and rounded fingertips, improving fingertip sensitivity.
- Complies with FDA food handling requirements 21 CFR, Part 177

**MCR Safety Cut Pro® - 13 G**

GL0230

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	4
CUT LEVEL	A3
SHELL	13 Gauge HyperMax™
COATING	Polyurethane

- HyperMax™ engineered to protect against cuts and lacerations ranging from ANSI Cut Level A2 up to A9
- Excellent abrasion properties
- Outstanding grip & flexibility which limits hand fatigue on long, hardworking days
- Seamless gray HPPE / Synthetic shell that supplies cut, tear, and abrasion resistance

**MCR Safety Cut Pro® - 15 G**

GL0235

S - 2XL



ABRASION RESISTANCE	5
PUNCTURE RESISTANCE	4
CUT LEVEL	A3
SHELL	15 Gauge HyperMax™
COATING	Polyurethane

- 15 gauge blue Hypermax™ shell
- Black PU coated palm and fingertips
- Dark color hides dirt and grime
- Excellent cut, abrasion and puncture resistance
- Touch screen friendly

**MCR Safety Cut Pro® - 10 G**

GL0239

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	5
CUT LEVEL	A3
SHELL	Kevlar
COATING	Latex

- Coated with blue crinkle latex on palm and fingers
- Cut resistant, puncture resistant, and abrasion resistant gloves
- Excellent gripping power
- High comfort level
- Made with durable DuPont™ Kevlar®



CUT RESISTANT GLOVES



MCR Safety Cut Pro® - 13 G

GL0240

S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	5
CUT LEVEL	A4
SHELL	Hypermax™ Cut Resistant
COATING	Nitrile

- 13 gauge salt and pepper Hypermax™ shell
- 1st coating features a full gray flat nitrile dip
- 2nd coating features a black foam nitrile on the palm and fingers
- Cut, abrasion and puncture resistant
- Foam nitrile offers great wet and dry gripping power



MCR Safety Cut Pro® - 13 G

GL0260

S - 2XL



ABRASION RESISTANCE	5
PUNCTURE RESISTANCE	4
CUT LEVEL	A6
SHELL	HyperMax™
COATING	Polyurethane

- 13 gauge seamless Gray Hypermax™ shell
- Excellent cut and abrasion resistance
- Good dexterity and puncture resistance
- Gray Polyurethane (PU) coated Palm and Fingertips
- Seamless shell is comfortable, cool, and easy to wear



MCR Safety Cut Pro® - 13 G

GL0270

S - 2XL



ABRASION RESISTANCE	6
PUNCTURE RESISTANCE	5
CUT LEVEL	A7
SHELL	HyperMax™
COATING	Bi-Polymer Palm

- 13 gauge seamless Salt & Pepper Hypermax™ shell
- Black bi-polymer palm and fingers
- Comfortable and easy to wear
- Good dexterity
- Outstanding cut, puncture, and abrasion protection
- Touchscreen friendly glove



Boss® Xtreme With Arc Flash

GL1535

S - 3XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	2
CUT LEVEL	A4
SHELL	Para-Aramid Lining
COATING	Cowhide Leather

- ARC Rating: ATPV 43 cal/cm2; PPE 4 (HRC 4)
- Para-Aramid liner is inherently cut and heat resistant; Stitched with Kevlar®, adding strength and burn resistance
- Ideal for use in oil and gas applications and offers protection from arc flash
- Top Grain Cowhide leather provides durability, abrasion resistance, breathability

WELDING GLOVES



Ironcat® Metal Tamer™

GL1343

S - 2XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	2
CUT LEVEL	A3
SHELL	Modacrylic FR blended
COATING	FR silicone dotted

- ARC Rating: ATPV 6.9 cal/cm2; PPE 1 (HRC 1)
- Modacrylic FR blended fiber shell provides heat resistance and cut protection
- FR Silicone dotted coating provides great dexterity, comfort and heat protection
- Knit Wrist helps prevent dirt and debris from entering the glove
- Reinforcement between thumb/forefinger, improves cut resistance, extends glove life.



Single-Ply Kevlar® Sleeve with Thumb Hole

GL3050

12 - 18



ABRASION RESISTANCE	2
PUNCTURE RESISTANCE	2
CUT LEVEL	A3
SHELL	Kevlar
COATING	Seamless Knit

- Kevlar provides excellent cut protection and heat resistance for the wrists and arms
- Seamless knit for comfort and flexibility
- Integrated thumb hole allows protection all the way to the knuckle without sacrificing dexterity



LEATHER, COWHIDE, PIGSKIN, & DEERSKIN GLOVES

**Keystone Thumb Select
Grain Cowhide Driver**

GL1543

XS - 2X



*That's only \$5.44/pair

- Hi-vis orange at the fingertips. Keystone allows for the best flexibility. Shirred elastic wrist
- Gunn cut, cotton hem color coded for size
- General purpose for medium to heavy duty applications

**Premium Heavy-Duty
Grain Cowhide Palm**

PIP-86350

S - 3XL



Back is constructed of stretch fabric to provide snug fit for increased grip & finger control

- Hook & loop closure for easy on/off & secure fit
- Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Ideal for heavy/light construction, manufacturing, fabrication, landscaping
- Reinforced split leather palm increase durability and provides added protection at common wear points

**Heavy-Duty Grain
Deerskin Gloves**

GL1545

M - 2X



- Form fitting, comfortable, high dexterity
- Cut and abrasion resistant

**Premium Pigskin
Driver's Gloves**

GL1557

S - 3XL



- Durable protection for general work applications
- Select grain pigskin leather driver gloves, straight thumb, gunn cut, shirred elastic wrist, cotton hem size color coded

WELDING GLOVES



Ideal for welding and hot, heavy material handling.

**Ironcat® Premium Split
Cowhide Leather Welder's**

GL1321

M - 2XL

*That's only \$12.17/pair



- Split Cowhide leather provides durability, abrasion resistance, breathability
- Stitched with Kevlar® adding strength and burn resistance
- Reinforced thumb crotch for extended glove life, enhanced comfort, increased abrasion resistance and added durability in a high-wear area
- Cotton lining gives welders additional heat protection but still absorbs moisture

**Ironcat® Premium Top Grain
Kidskin Leather Tig Glove**

GL1345

S - 3XL



Ideal for Tig welding and automotive assembly.

- Top Grain Kidskin leather construction is lightweight and more supple compared to Goatskin
- Stitched with Kevlar® adding strength and burn resistance
- Split leather gauntlet cuff for added forearm protection and allows for easy on/off
- Straight thumb increases comfort in closed-fisted work
- Unlined palm for dexterity

COW
HIDECUT
RESIST.DEER
HIDEFLAME
RESIST.GOAT
HIDEHEAT
RESIST.

INSULATED



KEVLAR

OIL
RESIST.PIG
HIDEWATER
RESIST.

INSULATED GLOVES & COLD WEATHER PROTECTION



Ninja® Ice Insulated Work Gloves



CW1003



M - 2X



*That's only \$6.67/pair

- CE score 3232; CE/EN 511 cold hazard 02X
- Fully Coated 15-Gauge Orange Nylon with Acrylic Terry Inner liner for warmth
- Orange HPT repels liquids while providing strong wet or dry grip
- Fully coated for maximum protection coating remains soft in temperatures as low as -58°F



MCR Safety Ninja® Ice Insulated Work Gloves



CW1002



M - 2X



*That's only \$7.33/pair

- HPT Coating provides a 360 anti-wet treatment that keeps the liquids away from the glove
- Fully coated for maximum protection
- Coating remains soft in temperatures as low as -4° F



PIP PowerGrab Thermo Seamless Knit Nylon Glove



CW1031



S - 2XL

- Used in refrigerated areas, utilities, commercial fishing, construction, outdoor winter activities and recreation.
- Seamless construction for a comfortable fit
- Acrylic gloves provide economical cold weather protection
- Superior grip in dry and wet conditions by reacting like tiny suction cups



MCR Safety Cut Pro® 13-Gauge HyperMax®



CW1040



S - 2XL

- 13-gauge seamless gray HyperMax® shell
- Cut, abrasion, and puncture-resistant
- Dipped with black nitrile foam on palm and over the knuckle
- Excellent wet and dry gripping power
- Insulated glove with acrylic material for warmth



Radians Cut Level A2 Dipped Winter Gripper



CW1008



M - 2XL

- Full Waterproof Latex Coating
- 13 Ga Nylon Shell; 10 Ga Acrylic Liner
- Sandy Foam Latex Palm
- ANSI level A2 protection against cuts
- Acrylic/polyester liner to provide extra protection and warmth



Insulated Hi-Vis Cowhide Driver



CW1110



S - 2XL

- Hi-vis orange fingertips
- "Watch Your Hands" reminder in orange
- Select and standard grain options
- Positherm® lining



Heat Pax™ Hand Warmers

CW3001

- Warms up in 5 minutes
- Hand Warmers lasts 7-11 hours
- Safe, non-toxic, odorless
- 5 pairs/pack



Heat Pax™ Toe Warmers

CW3002

- Warms up in 5 minutes
- Toe warmers last 5 hours
- Safe, non-toxic, odorless
- 5 pairs/pack

8



COW
HIDE



CUT
RESIST.



DEER
HIDE



FLAME
RESIST.



GOAT
HIDE



HEAT
RESIST.



INSULATED



KEVLAR



OIL
RESIST.



PIG
HIDE



WATER
RESIST.

RADIANS SAFETY GLASSES

**Rad-Apocalypse™**

PPE3036

LENS SHADES:**FRAME COLORS:**

Sold by the each

- Radians Rad-Apocalypse™ safety glasses have a sleek, sporty, lightweight style. Comes with safety neck cord. New, improved soft rubber temples with flared ends
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Safety glasses meet ANSI Z87.1+ standards

**Thraxus™**

TXC1-201D

LENS SHADES:**FRAME COLORS:**

Sold by the each

- THRAXUS™ is the next generation of highly protective, ultra-comfortable and super stylish safety eyewear.
- Meets ANSI Z87.1 Standards
- Provides 99.9% UVA/UVB Protection

**Rock™**

RK6-70

LENS SHADES:**FRAME COLORS:**

Sold by the each

- Rubber temples wrap around for non-slip comfort
- Adjustable rubber nosepiece provides all day comfort
- Polycarbonate lens provides impact resistance
- Meets ANSI Z87.1 standards
- Provides 99.9% protection against harmful UV rays

**C2™ Bifocal**

PPE3140+1.5

LENS SHADES:**FRAME COLORS:**

Sold by the each

- Magnification diopter
- Stylish Translucent Frame
- Soft, rubber nosepiece
- Cushioned, non-slip rubber temple pads provide superior comfort
- Polycarbonate protective safety lens provides impact resistance
- Available in clear & smoke lens colors

RADIANS SAFETY GLASSES

Optima™ IQ

PPE3020

LENS SHADES:



FRAME COLORS:



Sold by the each

- IQuity™ Intelligent semi-permanent anti-fog and anti-scratch hydrophilic coating
- Dual Mold Rubber Temples provide a comfortable fit
- Adjustable Rubber Nosepiece has a customized, no-slip fit
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB Protection



Women's Crossfire Infinity Pink

22528

LENS SHADES:



FRAME COLORS:



Sold by the each

- Vented Rubber Nosepiece for breathability
- Dual Mold, Rubber Temple Grips for better stability
- Hard coat polycarbonate lens protects against scratches
- Provides 99.9% UVA and UVB protection
- Complies with ANSI Z87.1 standards



Crossfire Diamond Back Foam Lined

PPE3027-GAF

LENS SHADES:



FRAME COLORS:



Sold by the each

- EVA Foam-Lined Frame protects against dust and debris
- Soft Rubber Nosepiece for added comfort
- Hard coat polycarbonate lens protects against scratches
- Provides 99.9% UVA and UVB protection
- Complies with ANSI Z87.1 standards



Crossfire Infinity Premium

PPE3015

LENS SHADES:



FRAME COLORS:



Sold by the each

- Vented Rubber Nosepiece for breathability
- Dual Mold, Rubber Temple Grips for better stability
- Hard coat polycarbonate lens protects against scratches
- Provides 99.9% UVA and UVB protection
- Complies with ANSI Z87.1 standards



MCR SAFETY GLASSES

BearKat® BK1 Series

PPE3049

LENS SHADES:



Sold by the each

- Integral side shields for unobstructed view
- Non-Slip soft temple material
- Duramass® scratch resistant coating
- Polycarbonate lens filters 99.9% of harmful UV rays
- ANSI Z87+ standards

Checklite® CL1 Series

CL110

LENS SHADES:



FRAME COLORS:



Sold by the each

- Good for everyday use or a new visitor spec
- Smaller frame sized to fit smaller faces
- Duramass® scratch resistant coating
- Polycarbonate lens filters 99.9% of harmful UV rays
- Excellent Orbital Seal and Fit

CK1 Series

CK114

LENS SHADES:



FRAME COLORS:



Sold by the each

- Flexible Bayonet Temples
- Lightweight and flexible for fit and comfort
- Rugged polycarbonate lens filters 99.9% of harmful UV rays
- Flexible bayonet temples
- Lightweight frames (23.8 grams) are comfortable and easy to wear
- Polycarbonate lens provides near total orbital seal

Hulk® HK1 Series

HK112

LENS SHADES:



FRAME COLORS:



Sold by the each

- Soft, Secure TPR Nose Piece
- Non-Slip Soft Temple Inserts
- Generous lens provides excellent coverage for eye safety
- Excellent orbital seal for eye protection
- Meets ANSI Z87+
- Soft, secure TPR nose pad

MCR SAFETY GLASSES



Law® LW2 Series

LW218

Sold by the each

- Dielectric, no metal parts
- Single lens design with integral side shields
- Thermal Plastic Rubber (TPR) temple inserts and nose pads enhance grip and comfort
- Polycarbonate lens filters 99.9% of harmful UV rays

LENS SHADES:



FRAME COLORS:



Klondike® KD1 Series

KD112

Sold by the each

- Full orbital seal with dual lens design
- Matte blue or black frame finish
- Soft secure TPR nose pad
- Extendable spatula temples

LENS SHADES:



FRAME COLORS:



Swagger® UD1 Series

UD128B

Sold by the each

- Entire Series Meets Military Ballistic High Velocity Standard
- Fixed closed cell foam lined options available
- MAX3® or MAX6® lens coating options available
- Modern stylish design
- Sleek Co-Injected TPR over polycarbonate temples
- Available in several frame colors

LENS SHADES:



FRAME COLORS:



Dominator™ DM3 Series

DM1334PF

Sold by the each

- Co-injected wire core independently adjustable nose pads
- Italian fashion, sport focused design
- MAX3®, MAX6®, MAX36™ and mirrored lens options available
- Meets or Exceeds Z87+ and Military High Velocity
- Passes ANSI Z87.1 anti-fog test
- Premium MAX6® anti-fog lens coating

LENS SHADES:



FRAME COLORS:



HONEYWELL SAFETY GLASSES

*Economy Safety Glasses***Uvex® XV100 Series**

PPE3041

LENS SHADES:**FRAME COLORS:***Practical protection and simple styling that is perfect for your basic eyewear safety needs*

Sold by the each

- Molded, universal nosepiece for easy fit
- Lightweight design and thin, shaped temples for all-day comfort
- Anti-scratch Hardcoat lenses for maximum durability
- Meets ANSI Z87.1-2015 standards

Uvex® SVP 200 Series

SVP20_

LENS SHADES:**FRAME COLORS:**

Sold by the each

- Stylish, VERY lightweight, 10-base wraparound frame
- Flexible tips
- Molded Nosepiece
- ANSI & CSA Z94.3 2015 certified

Uvex Hypershock™

S2961HS

LENS SHADES:**FRAME COLORS:**

*Priced as each, Sold 10/box

- PC lens: Photochromic: Hydrosshield AF: Uvextreme Plus AF
- Soft: molded nosepiece. Temple inserts
- Ideal for indoor/outdoor use: 100% dielectric
- ANSI Z87.1+2015

Uvex® Protégé

PPE3117

LENS SHADES:**FRAME COLORS:**

*Priced as each, Sold 10/box

- Soft temple tips and nose "fingers" reduce slippage
- Secure wraparound brow - Lifetime frame guarantee
- Meets military ballistic test for impact
- ANSI Z87.1+ 2015 standards CSA Z94.3 2015 certified

HONEYWELL SAFETY GLASSES

Uvex Genesis®

LENS SHADES:



FRAME COLORS:



PPE3108

Sold by the each

- Uvex Genesis is engineered to deliver on the best all-day comfort, protection and style
- Has Hydroshield anti-fog technology built into the lens
- Frames have a lifetime guarantee
- ANSI Z87.1+ - 2015 standards, CSA Z94.3 2015 Certified



Uvex Avatar™ OTG

LENS SHADES:



FRAME COLORS:



PPE3104

*Priced as each, Sold 10/box

- Stylish ultra-light design; incorporates a unique Weight Distribution Technology, making it comfortable and stylish
- Adjustable temples, flexible/adjustable nose
- ANSI Z87.1-2015 & Z94.3 - 2015 standards
- Gray lens is only available in red



Uvex Stealth® OTG

LENS SHADES:



FRAME COLORS:



PPE3205

*Priced as each, Sold 10/box

- Fits comfortably over most prescription eyewear
- Has Dura-streme AF/HC, MMT elastomer body, and an easy and economical lens replacement system
- Quick-adjust, latex-free headband, in Neoprene
- ANSI Z87.1+ 2015 standards, CSA Z94.3 2015 Certified



Uvex Livewire®

LENS SHADES:



FRAME COLORS:



S2602HS

*Priced as each, Sold 10/box

- Sealed eyewear engineered to offer extreme protection in extreme conditions
- Uvex Livewire has Hydroshield AF, top and side ventilation channels, and flexible design
- Foam subframe, padded temple, ratcheting temples, adjustable headband
- ANSI Z87.1+ 2015 standards



HARD HATS & ACCESSORIES

Radians Hard Hat With Ratchet Suspension

PPE2363 Cap Style
PPE2363FB Full Brim Style

- 4 Point Pinlock Suspension
- Pillowed Brow Pad
- Vertical Height Adjustment
- High Density Polyethylene Construction
- Universal Accessory Slots
- Meet ANSI Z89.1-2014 Type 1- Class G & E Standards



MSA V-Guard Hard Hat With Ratchet Suspension

PPE2003 Slotted Cap
PPE2020 Full Brim Style

- The V-Guard hard hats by MSA are protective head gear that meets and/or exceeds all of the applicable requirements for a Type I helmet for top impact. There is a four point webbed suspension that is used for comfort along with a large knob for easy adjustment.



PIP Dynamic Rocky™

PPE2110 Cap Style

- Ultra lightweight shell made with Polycarbonate/ABS material provides superior protection
- 4-point nylon webbing suspension
- Universal accessory slots accept virtually any competitors' accessories
- Meets CSA Z94.1-15 & ANSI Z89.1-2014 Type II, Class E requirements



JSP® EVO® VISTAshield™

PPE2075 Vented Helmet

- Fully retractable integrated eye protector. ANSI Z87+ Impact Resistant
- Pivot arms allow VISTAShield to be retracted and deployed seamlessly
- 6-Point polyester textile suspension system
- Meets ANSI/ISEA Z89.1, Type I, Class C requirements
- Universal accessory slots accepts virtually any competitors' accessories



High-Performance Face Shield

PPE3311-R Clear
PPE3311-RS Smoke (Outdoor Sun Use)
PPE3314 Shade 3
PPE3312 Shade 5*
PPE3313 Shade 8*

- Plastic and metal, cap and hat models, can be used with slotted or non-slotted helmets. Clear meets both ANSI and CSA standards. Shade models only meet ANSI standards.



*Shade 5 - Torching/Cutting
 *Shade 8 - Plasma Cutting

Aluminum Visor Suspension

PPE3306 Cap Style
PPE3309 Full Brim

- Bracket is used to attach a face shield to a hard hat



Illumagear Halo™ SL Lighting System

PPE2210 Halo SL

- NEW 50-foot spotlight and powerful flood task lighting
- Lightweight and cord-free, water resistant
- 360° visibility for a quarter-mile
- Compatible with any standard hard hat
- NEW Battery life indicator
- Charger included



USB Rechargeable Hard Hat Headlamp

2111-21 Clear

- 475 Lumens of TRUEVIEW™ High Definition Output
- IP54 Rated: Water and Dust Resistant
- Flood, Spot and Spot/Flood Beam Pattern Options
- Get 50% of a Charge in Under 30 Minutes, 80% in Under 1 Hour, and a Full Charge of the REDLITHIUM® USB Battery in 2 Hours



EARPLUGS & EARMUFFS

Verishield™ 100

Noise reduction rating 27

- 1035110-VS** Over-The-Head Hi-Vis
- 1035121-VS** Hard Hat
- PPE4058** Neckband

- **Over-the-Head:** Traditional-style earmuffs with an adjustable cushioned headband. Available in Low, Mid and High attenuation (NRR) levels and folding and high visibility options
- **Hard Hat:** Designed to be worn when also wearing a hard hat. Can be attached to a Honeywell hard hat in just 7 minutes. Available in Low, Mid and High attenuation (NRR) levels and a high visibility version
- **Neckband:** Fitting around the neck from behind. Available in Low, Mid and High attenuation (NRR) levels

Over-The-Head

Hard Hat

Neckband



**All above items sold in increments of 10 only*

Howard Leight Laser Lite® Earplugs

- PPE4001** Cordless 200/Box
- PPE4002** Corded 100/Box

- Extremely soft foam seals without pressure. Smooth surface repels dirt.
- Meets ANSI S3.19 requirements
- Noise reduction rating 32



Howard Leight Airsoft®

- PPE4011** Cordless 200/Box
- PPE4011C** Corded 100/Box

- Noise reduction rating 27
- Less pressure with a better seal



Radians Resistor® 32 Disposable Foam Earplug

- PPE4002RC** Cordless 200/Box
- PPE4002R** Corded 100/Box

- Tested according to ANSI specs S3.19-1974, feature soft, slow-recovery foam for extreme comfort. They expand slowly for a low-pressure fit in virtually any size ear canal.
- Noise reduction rating 32 dB



Radians Deviator® 33 Disposable Foam Earplugs

- PPE4013** Cordless 200/Box
- PPE4014** Corded 100/Box


- Noise reduction rating 33



Radians Radband 2 Banded Earplugs

- PPE4007** Earplugs
- PPE4008** Replacement Pods

- Noise reduction rating 25
- Reusable
- Dielectric



Radians Cap Mount 26 Earmuff

- PPE4026**

- Noise reduction rating 26



HI-VIS WORKWEAR

Economy Type R Class 2 Mesh Safety Vest

SV2GM S-5X
SV2OM S-5X

- Offers compliant protection at an economical price
- Closure: Hook & loop
- 2" silver tape reflective material. 1 horizontal stripe
- Pockets: 1 upper chest and 1 lower inside
- 3rd Party Certified
- Meets ANSI/ISEA 107-2015 Standards



Surveyor Type R Class 2 Safety Vest

PPE6021-G S/M-4/5X
PPE6021-O S/M-4/5X

- Zipper closure with 2" silver reflective tape
- 7 pockets, 4 outside & 3 inside
- Meets ANSI/ISEA 107-2015 Standards



Standard Type R Class 2 Mesh Safety Vest

SV8GM M-5X
SV8OM M-5X

- Two horizontal stripes for enhanced night time visibility.
- 2" silver tape reflective material. 2 horizontal stripes.
- 6 Pockets: 2 each upper outside and 4 inside
- Zipper closure
- Meets ANSI/ISEA 107-2015 Standards



Premium Mesh Modacrylic FR Class 2 Vest

SV97-2VGMFR M-5X

- These offer the flame resistant properties required by ANSI 107-2015, but also certified reflective material
- Hook & Loop Closure w/ 2 pockets
- Meets ASTM F1506
- ARC Rating 5.1 Cal/CM2



Type R Class 3 Multipurpose Surveyor Vest

SV272-3ZGM M-5X
SV272-3ZOM M-5X

- Zipper Closure
- 2" Silver Reflective Tape
- Pockets: 3 outside, 1 inside tablet pocket
- Materials: 100% polyester mesh
- Meets ANSI/ISEA 107-2015 Standards



Two Tone Surveyor Type R Class 2 Solid/Mesh Vest

SV6G S - 5X
PPE6006 S - 5X

- Available in all mesh, solid front and mesh back
- Closure: Zipper
- 2" silver tape reflective material
- Pockets: 4 outside & 2 deep inside
- Meets ANSI/ISEA 107-2015 Standards



Surveyor Type R Class 2 Safety Vest

SV7B-2ZGM S/M-4X/5X
SV7B-2ZOM S/M-4X/5X

- Zipper front closure
- 2" silver tape reflective material
- Pockets: 4 front & 1 back plan pocket
- Materials: 100% polyester mesh with solid pockets
- Meets ANSI/ISEA 107-2015 Standards



Class 3 Hi-Vis Weatherproof Bomber Jacket

SJ11QB-3ZGS S-5X
SJ11QB-3ZOS S-5X

- Class 3 weather proof with a quilted liner
- Color blocked bottom
- PU coated weather proof 300D oxford polyester shell
- Concealed attached hood
- 3D flap covered cell phone / radio chest pocket
- Two lower zipper closure lined pockets



DISPOSABLE CLOTHING

Polypropylene Suit

DC100_ White 25/Case

DC160_ Blue 25/Case

SIZES: XL-5X

- Spunbond polypropylene offers minimal protection but is a cost-effective dry particulate barrier.



SafeGard® SMMS Global Pattern Coveralls

DC2102 25/Case

SIZES: XL-5X

- Respirator fit hood, Protective storm flap over zipper, Elastic wrist, Elastic back, Non-skid boots
- Comfortable, highly breathable fabric
- Excellent particle filtration efficiency
- Anti-Stat (EN1149-1)



Lakeland Micromax® NS Coverall

DC250_ 25/Case

SIZES: L-5X

- Lakeland MicroMAX® NS coverall, zipper, attached boots, elastic wrists. This line of general-purpose protective clothing can be used in any non-hazardous environment where dirt, grime, splashes and spills are present.
- Also available in Flame Retardant Pyrolon (DC530_)



Tyvek® Coverall

DC310_ 25/Case

SIZES: XL-5X

- Tyvek® coverall, zipper, attached hood, attached boots, elastic wrist, set-in sleeve. This coverall meets or exceeds ANSI 101-1996 sizing requirements and are required to pass dynamic fit tests to minimize rips and tears.



Lakeland Chemmax™ 1 Yellow Coverall

DC370_ 25/Case

SIZES: XL-5X

- ChemMAX™1 is useful in protecting against hazardous chemicals and contaminants found in the workplace. Made with a polyethylene film and continuous filament polypropylene nonwoven.



Tychem® SL Coverall

DC490_ 12/Case

SIZES: XL-5X

- Tychem® SL offers effective protection against a broad range of chemicals. This fabric is lightweight and offers economical protection against a broad range of chemicals. These garments feature bound seam construction and storm flaps over zippers.
- Coverall, zipper with storm flap, attached hood, boots, elastic wrists. Bound seam construction.



FLAME RESISTANT


MCR Safety Flame Resistant Coveralls - 7 Oz
CCMG Gray

SIZES: S - 5X
Available in Tan, Navy, and Gray

- NFPA 2112 UL Certified; ASTM 1930 Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard/Risk Cat HRC2 / 8.7 cal/cm2
- Max Comfort™ 7 oz. 100% Cotton FR twill fabric
- Triple needle reinforced stitched with Nomex® thread on major seams for durability


MCR Safety Summit Breeze Coverall - 7 Oz Cotton Material
SBC2011 36 - 66 Regular
SBC2011T 36 - 66 Tall

SIZES: XL - 5X
Available in Gray, Navy, Tan, Red, and Royal Blue

- NFPA 2112 UL Certified, NFPA 70E; ASTM 1930 Tested, Certified
- ASTM F1506 Electric Arc Protection, ATPV 8.7 cal/cm2, CAT2
- Triple needle stitched in high wear areas
- 1 Inch FR silver reflective stripes on arms and legs


MCR Safety Summit Breeze Flame Resistant Shirt - 7 Oz
SBS2003 Regular
SBS2003T Tall

SIZES: S - 5X
Available in Gray, Navy, Medium Blue and Tan

- NFPA 2112 UL Certified, NFPA 70E
- ASTM F1506 Electric Arc Protection, ATPV 8.7 cal/cm2, CAT2
- ASTM 1930 Tested, Certified
- Double needle reinforced with Nomex® thread throughout the garment for durability


3-Piece Rain Suit
CL300_ Yellow

SIZES: S - 6X

- This 3-piece rain suit is constructed from .35 mm PVC on polyester
- For light to medium applications
- Vented cape back
- Adjustable snap closures on wrist and ankles allows for a great fit and wide range of motion


3-Piece Rain Suit
CL302_ Yellow

SIZES: S - 5X

- Yellow Webtex PVC .65, heavy-duty use
- Includes: jacket, bib overall, and hood
- Snap closure with storm flap
- Elastic cuffs, sealed seams


Radians Class 3 Hi-Vis Rain Gear
CL3519 Jacket
CL3520 Pants

SIZES: M - 5X

- General purpose rain jacket with Reflectivz® weatherproof and high visibility technology
- The 300 Denier PU coated, high visibility oxford material provides excellent protection
- The vented back cape will keep you cool and comfortable, while the D-Ring pass through will keep you protected in tough environments

COVERS & BOOTS

Poly Shoe Cover

CL1305 White Covers
CL1307 Blue Non-Skid

- Standard weight Spunbond Polypropylene shoe covers offer lightweight protection against dry particulates
- Used to keep dirt off from tracking on the shoe
- 100 pairs/Case



Blue Plastic Shoe Cover

CL1311

- Protect your shoes and floors from damage with slip-on plastic shoe covers
- Easy to use, lightweight, and waterproof
- 100 pairs/Case



Micromax Shoe Covers With Elastic Ankles

CL1314 White Covers
CL1316 Gray Non-Skid

- MicroMax NS provides the protection you need from dirt, grease, grime, and light chemical splash
- 200 pairs/Case



Micromax 17" Boot Covers With Elastic Tops

CL1318 White Covers
CL1319 Gray Non-Skid

- MicroMax NS provides the protection you need from dirt, grease, grime, and light chemical splash
- 200 pairs/Case



Latex Nuke Boot

CL1302 XL
CL1303 2XL

- The Nuke boot is 100% waterproof cost-effective liquid and chemical barrier
- Designed to wear over shoes or boots protecting your investment



Yellow Slush Boot

CL100_ 9 - 18

- The slush boot provides 100% waterproof protection designed to fit easily over shoes or boots
- Light to heavy-duty applications



PVC Steel Toe Boot

CL120_ 4 - 14

- Reinforced steel toe and steel shank from arch to heel, this heavy duty 16" PVC Boot provides excellent barrier
- protection from liquids and chemicals. Known as "Cement" boots worn over sock.



Honeywell Work Boot

CL1284 6 - 15
(Women select one size below)

- Slip-resistant to help prevent worker slips and falls and heat-resistant to temperatures up to 572° F
- Meets ASTM F2413-11 M I/75 C/75 SD
- Men's full sizes: 6-15/half sizes 7.5-11.5



COLD/HEAT STRESS & FIRST AID

First Aid Kit

PPE1001 25 Person

- First Aid Kit for 25 people with essential first aid items per 2021 ANSI Class A requirements
- Contents are organized for fast access and labeled with clear directions by injury type



Single & Double Bottle Eye Wash Station

PPE3403 32 oz Single
PPE3404 32 oz Double
PPE3410 32 oz Refill Bottles

- Provides immediate flushing until the injured person can get to a primary emergency eyewash device
- Highly visible and readily available for emergency flushing and decontamination





HARNESS/LANYARD COMBO

Frenchcreek 631-KIT Full Body Harness

FP5002 M - XL

- Lightweight full body harness with mating buckles
- 6' shock absorbing web lanyard with pack made of heavy duty 1 3/4" synthetic webbing, with #74N locking snaps on each end
- Drawstring bag



Frenchcreek 631 Full Body Harness

FP1132 M - XL

- Great all-around, lightweight series
- Sliding back D-ring (keeps fallen worker vertical in suspension)
- 3-point adjustment (chest and leg straps)
- Pass-through leg and chest buckles
- Lightweight, high strength synthetic webbing
- Model 631B also includes hip-positioning D-rings



550 Full Body Harness

FP1103 Large
**Available in XS-3X*

- 6-Point adjustment full body harness with permanently attached waist belt
- EZ-Slide back D-ring provides easy, safe connection and keeps fallen worker vertical after any fall
- Perfect-fit chest strap with easy to use pass-through buckle, sewn in place to prevent user maladjustment
- Additional rear lumbar straps provide security against rear worker release
- Spring-loaded friction buckles on shoulder straps for quick and easy adjustment that stays in place
- Tongue buckle leg straps for fast and easy donning, brass grommets that won't rust



850AB Full Body Harness

FP1156 Large
**Available in XS-3X*

- Extremely durable and comfortable. With an extensive range and a suitable model for nearly every job application, it is a long-time favorite in the construction industry.
- Adjustable shoulder, chest, waist, and leg straps
- Sliding back D-ring
- 6" wide comfort waist pad/removable heavy-duty tool belt
- Lightweight, high strength synthetic webbing
- One of the most popular models, provides all day comfort in the harshest environments



SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

LANYARDS

6' Shock Absorbing Lanyard 450A

FP2225

- 6' shock absorbing web lanyard with pack
- Constructed of rugged, durable, high quality 1" synthetic webbing
- Shock absorbing device comes in the form of a pack
- #74 Locking snaps on each end



6' Shock Absorbing Lanyard 450AS

FP2227

- This tubular-elastic web lanyard with shock absorbing pack limits fall arrest forces to 900 lbs. when tested to OSHA and ANSI standards.
- 1-3/16" synthetic webbing with shock pack
- Stretches to minimize tripping and snagging hazards
- Standard 6' length relaxes to approximately 4.5' when not stretched
- Additional snaphook options available



6' Shock Absorbing Lanyard 490A

FP2230

- This web lanyard with pack style shock absorber limits fall arrest forces to 900 lbs. when tested to OSHA and ANSI standards.
- 1-3/4" synthetic webbing with shock pack
- Standard length 6', additional lengths available
- Additional snaphook options available



Shock Absorbing Web Pack Lanyard 454AS

454AS


- 1-3/16" synthetic webbing with shock pack
- Stretches to minimize tripping and snagging hazards
- Standard length 6', additional lengths available
- Standard 6' length relaxes to approximately 4.5' when not stretched
- Additional snaphook options available



446AW Shock Absorbing Lanyard

446AW

- This synthetic web lanyard with shock absorbing pack can be used as a "tie-back" anchor, and limits fall arrest forces to 900 lbs. when tested to OSHA and ANSI standards
- 1-3/8" tubular synthetic webbing
- Standard length 6', additional lengths available
- Color coded wear indicator
- Additional snaphook options available



Dual Leg Shock Absorbing 100% Tie Off Lanyard 444A

FP2246

- Dual leg web pack style, 100% tie off
- 1" synthetic webbing with shock pack
- 6' length
- Locking snap hooks one end, 2 1/2" gate hooks on the other ends



6' Dual Leg Shock Absorbing Lanyard 440AS

FP2248

- Shock absorbing pack limits fall arrest forces to 900 lbs. when tested to OSHA and ANSI standards.
- 1-3/16" synthetic webbing with shock pack
- Stretches to minimize tripping and snagging hazards
- Standard length 6', additional lengths available
- Standard 6' length relaxes to 4.5' when not stretched



Dual Leg Shock Absorbing 100% Tie Off Lanyard 444AS

FP2250

- Dual leg elastic pack style, 100% tie off
- 13/16" synthetic webbing
- Stretches to minimize tripping and snagging
- 6' length, 4 1/2' when relaxed
- Locking snap hooks one end, 2 1/2" gate hooks on the other ends





ANCHORS/LANYARDS

Double D Ring

- FP4003** 2' Tie Off Strap Anchor
- FP4004** 3' Tie Off Strap Anchor
- FP4005** 4' Tie Off Strap Anchor
- FP4007** 6' Tie Off Strap Anchor

- FCP Tie-off strap anchors wrap around I-beams and other structures to form a secure attachment point for lanyards or other connecting devices
- Double D-ring tie-off strap

FP4003



FP4004



FP4005



FP4007



1769 Steel Anchor

FC1769


- FCP's steel anchorage connectors are removable/reusable
- Made to be mounted on solid steel structures and/or steel I-beams
- Spring action Girder Anchor offers one-handed operation for a variety of applications
- Fits 3/4" - 1" hole diameter, maximum 1" thick material



1770 Concrete Anchor

FP5116


- Portable and reusable concrete hole anchor
- Rated to 5,000 lbs.
- Can be used for vertical and overhead concrete applications
- Fits 3/4" hole



1785 Door Jamb Anchor

FP4090

- The FCP Door Jamb Anchor is designed to be used as a temporary anchor that mounts in door or window openings from 24" to 43" wide
- Applications include construction, roof tops with door entrances, elevator shafts, wall openings, emergency and rescue situations, and more
- Features one fixed leg and one adjustable leg (with multiple pin sets & adjustable mounting pad), the unit can be sized and secured without the use of tools
- The FCP Door Jamb Anchor meets or exceeds all OSHA requirements



SELF RETRACTING LIFELINES/TRIPODS

8' Rogue Lightweight SRL

FP3024

- The swiveling attachment eliminates twisting lines
- Extremely lightweight, weighing in at just under 2 lbs.
- The impact indicator allows for easier visual inspections
- Will stop a fall within inches
- Can accommodate up to 400 lbs. total weight capacity (Worker and tools)



8' Web Self-Retracting Lifeline

FP3025

- This 8 ft. self-retracting lifeline is engineered to provide extreme durability, reliability, and performance
- Features extended range of movement and zero slack
- Centrifugal braking system that will engage at even the slightest of falls
- Features a work load capacity of 310 lbs.



13' Renegade SRL

FP3046

- 13 ft working capacity
- Arrests falls in inches
- 400 lbs. Capacity
- No annual recertification
- Visual impact indicator



8' Dual Rogue Lightweight SRL

FP3023

- 100% tie-off allowing a worker to move freely and transition from anchor point to anchor point safely
- Perfect for all day use, and the 8' length gives your workers the freedom of movement.

Standard features include:

- 8' working length
- Capacity of 400 lbs.
- Sub -compact design
- Short fall arrest Class "A" SRL



25' Self Retracting Lifeline

FP3101

- Features cast aluminum housing, so it is strong and dependable
- Provides up to 25 ft. of extended movement and zero slack
- Dual internal braking system designed to lock up within 24"
- Each lifeline has a work load capacity of 310 lbs.
- Galvanized steel wire cable



50' Self-Retracting Lifeline

FP3105

- Provides up to 50 ft. of extended movement and zero slack
- Dual internal braking system designed to lock up within 24"
- Internal deceleration braking system
- Each lifeline has a work load capacity of 310 lbs.
- Galvanized steel wire cable



50' SRL 3-Way Retrieval Unit

FP5103

- Raise and lower a worker for rescue or retrieval
- Friction brake prevents crank handle from free-wheeling while under load
- Split pulley and carabiner for attaching the lifeline
- Meets or exceeds OSHA requirements for confined space rescue
- 50' galvanized steel cable



Confined Space Tripod

FP5101-KIT

- Designed to withstand 5,000 lbs. of vertical load
- Features include adjustable/locking aluminum legs, safety chain, non-slip rubber safety shoes, and two attachment points on the steel head
- 7' length aluminum confined space tripod
- Hard bottom winch carry bag



RESPIRATORY EQUIPMENT

Honeywell
NORTH

RESPIRATORY
PROTECTION



HONEYWELL MASKS & FILTERS

Honeywell North® HM500 Series Half Mask

RE3011/12 S-L

- Lightweight, durable with easy operation features
- Filters and cartridges are quick and easy to attach
- Lighter than other masks on the market
- Soft material – better touch and seal
- Easy assembly and disassembly
- Effective seal all shift long



RE3001-3 Industry standard for comfort, fit & reliability

Honeywell North® 7700 Series

RE3001-3 S-L

- Industry standard for comfort, fit & reliability
- Low “dead air” space
- Variable thickness in sealing area
- Wide, contoured sealing area
- Head straps have dual elasticity
- ‘Parking’ feature
- No chance of latex allergens



Honeywell North® 5400 Series

RE3102-3 S-M/L

- Best value you can find in a full facepiece
- Economically priced elastomeric mask with many standard features
- Can be adapted to PAPR or Supplied Air
- Latex Free
- All parts replaceable (many interchangeable with 7600)
- Polycarbonate lens meets ANSI high impact requirements



Honeywell North® 7600 Series

RE3100-1 S-M/L

- The 7600 series silicone full facepiece features the same craftsmanship and design details that make the 7700 half mask with a wide 200° field of vision. Latex Free!
- Can be adapted to PAPR or Supplied Air
- Five strap head harness
- All parts replaceable
- Polycarbonate lens meets ANSI high impact requirements



Honeywell North® Ru6500

RE3120-2 S-L

- Silicone seal provides excellent seal/barrier against contaminants
- Silicone nose cup is soft and comfortable for all day wear
- Polycarbonate lens meets ANSI Z 87 for high impact
- Wide viewing area provides distortion free visibility
- 5-point strap option
- Can be adapted to side mount CF-SAR, front mount



P100 Particulate Filter

RF3001 2/pack

- Model # 7580P100
- 99.97% minimum filter efficiency for all particles



Organic Vapor Cartridge

RF3003 2/pack

- Model # N75001L
- Organic vapors only



Defender™ Multi-Purpose Cartridge With P100 Filter

RF3009 2/pack

- Model # 75SCP100L
- Covers: organic vapor, ammonia, methylamine, formaldehyde, and acid gas (chlorine, hydrogen, chloride, sulfur dioxide, hydrogen sulfide, chlorine dioxide) with a P100 particulate filter (99.97% minimum filter efficiency) for all particles





HONEYWELL MASKS & FILTERS

Honeywell North® Face-Mounted PAPR

RE5008-10 S-L

- Front mount capability provides an alternate option for users who may prefer the comfort of not having the PAPR blower on their belt
- Allows users the flexibility of converting from APR to PAPR in three different mask sizes
- Ideal for users who need only High Efficiency Particulate (HEPA) protection
- Lightweight unit will not slow worker efficiency
- Water-resistant battery pack is contoured for better fit
- Assembly includes: RU6500 Facepiece with 5-point head strap, battery, blower, battery charge



Honeywell North® Primair® 700 Series PAPR

RE3150 PAPR With Belt

- Includes: Blower, Battery, Charger, Comfort Pad, Nylon Belt, and Bonus Starter Kit (PA100 filter and optional filter cover)
- Mask Size: Universal
- Headgear Included: No
- PAPR Mount: Belt-Mounted
- For Use With: 700 Series Powered Air Purifying Respirator
- Cartridges Included: P100
- Intrinsically Safe: No
- Item: PAPR System
- Battery Type: Lithium Ion



PAPR P100 Filter

RF5008 1/pack

- Model # 108044
- High efficiency (HE) filter



P100 HEPA Cartridge

RF3150 1/pack

- For PA700 Series PAPR
- *Minimum order quantity = 4 boxes of 5 filters



OV/HEPA Cartridge

RF3151 1/pack

- For PA700 Series PAPR
- *Minimum order quantity = 4 boxes of 5 filters



3M MASKS & FILTERS

3M™ 6000 Series Elastomer Half Mask

RE1101-3 S-L

- The 3M™ 6000 series offers reliable and convenient respiratory protection and is suitable for many situations. Featuring a low-profile design for better visibility, this facepiece allows the user to also wear safety glasses.
- Compatible and convenient respiratory protection
- Half facepiece reusable respirator
- Made with thermoplastic elastomer (TPE)



3M™ 6800/6900 Series Full Facepiece

RE1301-3 S-L

- Large lens for wide field of view and excellent visibility
- Silicone face seal for greater comfort and durability
- Unique center adapter to direct exhaled breath and moisture downward, helps reduce debris from depositing in the valve, and allows for quick and easy cleaning
- 3M™ Cool Flow™ Valve for cooler, drier comfort



3M™ 7500 Series Silicone Half Mask

RE1204-6 S-L

- Half facepiece ultimate reusable respirator
- Advanced silicone material for increased comfort and durability
- 3M™ Cool Flow Valve for cool, dry comfort
- Dual-mode head harness for standard or drop-down mode



P100 Filter

RF1202 2/pack

- Model # 3M 7093
- NIOSH approved for particulates



P100 Filter

RF1001 2/pack

- Model # 3M 2091
- NIOSH approved for particulates



P100 Filter With Nuisance Level Organic Vapor Relief

RF1003 2/pack

- Model # 3M 2097
- NIOSH approved for nuisance level organic vapor and particulates



OV/AG/P100 Filter

RF1228 2/pack

- Model # 3M 60923
- Organic vapor/acid gas/P100
- Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide, hydrogen sulfide or hydrogen fluoride and particulates



RESPIRATORY EQUIPMENT

DISPOSABLE MASKS

Honeywell North® N95 Dust Mask With/Without Exhalation Valve

RE6150	Without Valve	20/Box
RE6151	With Valve	10/Box

- The ONE-Fit Molded Cup disposable N95 respirators are universal, one size respirators designed to fit most face sizes and shapes
- Molded Cup N95 Particulate Respirator with Exhalation Valve

WITHOUT VALVE



WITH VALVE



3M N95 Dust Mask With/Without Exhalation Valve

RE1002	Without Valve #8210	20/Box
RE1003	With Valve #8511	10/Box

- NIOSH approved for at least 95% filtration efficiency against certain non-oil based particles
- Two-strap design with welded dual point attachment helps provide a secure seal
- Adjustable nose clip helps provide a custom fit and secure seal
- 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator

WITHOUT VALVE



WITH VALVE



Tub Of Respirator Wipes

RE8003	220/tub
---------------	---------

- Easy to use 6" x 7 1/2" wipes for respirator and other personal safety equipment



Respirator Wipes In Dispenser Boxes

- | | |
|---------------|-------------------|
| RE8001 | 100-Alcohol Free |
| RE8002 | 100-Alcohol Based |
- Wipes to clean respirator and other personal protective equipment
 - 100 towelettes per dispenser, 10 dispensers per case



*Wearing a respirator requires annual fit testing
Register for a fit test at:
www.otssafety.com/respirator-fit-test

Airflow Test Kit

RE8103

- Non-corrosive smoke is safe for use in isolation room testing, ventilation ducts, and other environments
- Ready to use, no mixing or equipment required
- 6 non-corrosive smoke tubes included



Replacement Smoke Tubes

RE8101	6/box
---------------	-------

- Smoke tubes for qualitative fit tests



VeriFit® Qualitative Fit Test Kit

RE8100	6/pack
---------------	--------

- Ready to use, irritant smoke for qualitative fit test



DUST CONTROL



**TOUGHER
THAN THE
JOBSITE.™**

DUST CONTROL




SURFACE SHIELDS

Protection Film

JS7052 24" x 200'
JS7058 36" x 200'

- Self-adhering protective film
- Special blend of polyethylene is highly resistant to tears or punctures
- Reverse wound for easy application
- Protection during remodeling, painting, moving, model home tours and parties



Builder Board™

JS7090 38" x 100'

- The most durable paper board on the market!
- Builder Board replaces the need for large, bulky sheets of masonite and it rolls out fast and flat
- With the new Liquid Shield™ technology, Builder Board is now spill proof



Step N Peel™ Clean Mat

JS7025 24" x 36" White (Case of 4)
JS7023 36" x 36" White (Case of 4)

With Optional Platform:

JS7029 25.5" x 31.5" (w/ 30 sheets)
JS7033 25.5" x 31.5" Refills (Case of 4)

- Polyethylene film mat with a tacky surface that removes dirt and dust from footwear
- Contains 30 tabbed layers of film on a reusable base
- Available in white; logo imprint for an additional charge


JS7029



Dust Containment Kit

P09041-KIT 12'

- Makes constructing temporary poly walls quick, simple, and affordable
- Great for contractors, remodelers, painters, window installers, masons, abatement crews, etc.
- Kit contains:
 - Four 12' Dust Shield Pro Adjustable Poles
 - Two 1.5" x 7' Zip n Close Zippers
 - One Heavy Duty Canvas Bag*
 - *Custom printed bags available with minimum order



ZIPWALL

Zipwall 4-Pack Plus Kit

P09009 12' 4-Pack Plus Kit
P09010-KIT 10' Pole Kit

- Create a dust barrier up to 30' long in minutes. Poles extend from 4' 7" to 12'.
- The perfect starter barrier kit includes: Four 12' aluminum spring loaded poles, 4 heads, 4 plates, 4 tethers, 4 Grip Disks™, 2 ZipWall standard zippers and 1 heavy-duty carry bag



Zipwall® SLP 2-Pack Poles

P09008 12' Poles

- Two 12' spring-loaded poles. Includes two sets of parts (head, plate, tether, and GripDisk™)



Zipwall® SLP 6-Pack Poles

P09008-6 12' Poles

- Six spring-loaded poles and six individual bags of parts (head, plate, tether and GripDisk™). Can be snapped onto poles for individual display.



Kit 20 2-Pack Poles

P09011 20' Poles

- Two poles that extend from 6'9" to approximately 20'. Includes two jacks and two sets of parts (head, plate, tether, GripDisk™).



Zipwall® Heavy Duty Zippers

P09007 2 Pack
P09007-12 12 Pack

- Includes two self-adhesive zippers, two cords for tying up a plastic flap, and the innovative ZipWall® Zipper Knife®.



Replacement Parts

P09006 Standard Zippers (2 Pack)
P09012 Foam Rails (2 Pack)
P09017 Head & Plate Pack





PLASTIC SHEETING

Clear Poly Sheeting

P01009 20' x 200' 1.5 mil
P01013 12' x 200' 2 mil
P02999 4' x 100' 4 mil
P03006 10' x 100' 4 mil
P03003 12' x 100' 4 mil
P03011 20' x 100' 4 mil
P04001 10' x 100' 6 mil
P04003 12' x 100' 6 mil
P04011 20' x 100' 6 mil


- Protection from dust, dirt, moisture and contaminants
- Ideal for covering equipment, floor protection, and construction area enclosures
- Great for use as a leak diverter and splash guard



Black Poly Sheeting

P03002 12' x 100' 4 mil
P03010 20' x 100' 4 mil
P04002 12' x 100' 6 mil
P04010 20' x 100' 6 mil

- Ideal for equipment cover, vapor barrier, insulation, paint protection or moisture barrier



White Poly Sheeting

P03007W 10' x 100' 4 mil
P03008W 14' x 100' 4 mil
P03011W 20' x 100' 4 mil

- Generally used for exterior removal projects. White poly sheeting reflects the sun away from landscaping underneath, providing better protection of plants, shrubs, and turf.



Flame Retardant

P04005 12' x 100' 6 mil
P04013 20' x 100' 6 mil

- Meets requirements for fire rated plastic. Flame retardant means it will not spread a flame if it were to catch fire.



POLYETHYLENE (POLY) SHEETING

- Folded for fast mobilization
- Accurate mil thickness and size
- Lubricated properly for maximum tape adhesion

POLY HANGERS

- Save labor, Faster installation
- No glue or tape damage
- Poly won't fall down
- Professional look

Reinforced

P04012 20' x 100' 6 mil

- Superior Heavy-Duty, Tear resistant



Woven

P04018 20' x 100' 6 mil

- Puncture and Tear Resistant



Anti-Static/Flame Retardant

P04015 20' x 100' 6 mil


- Keeps dust out! Printed with Anti-Static/Fire Retardant. Fire retardant passes NFPA 701-2015 Test 1. Great for hospitals and schools. Reinforced also available P04017



Griffolyn®

P04040 20' x 100'


- Type-55 ASFR is a 3-ply laminate combining two layers of antistatic fire retardant, linear low-density polyethylene film and a high strength cord grid



Polyhanger #1

P09001

- Hanger slips behind wall moulding



Polyhanger #2

P09002

- Hanger clips over horizontal leg of ceiling wall moulding



Polyhanger #3

P09003

- Hanger supports poly from ceiling grid



Polyhanger #4

P09004

- Hanger includes 10" cable tie to support poly from different components





TAPES & ADHESIVES

Red Poly Tape

TA3102 2" - 24/case
TA3103 3" - 16/case

- Polyethylene film, low-residue aggressive adhesive
- Bonds well to most surfaces over a wide temperature range
- Excellent for hanging poly sheeting

**Sold by case or roll
That's only \$6.03/roll



14 Day Blue Masking Tape

TA5002S 2" - 24/case
TA5005 3" - 16/case

- Ideal for long term masking projects on painted surfaces
- Removes clean and easy for up to 14 days
- Can be used in direct sunlight

**Sold by the case
That's only \$5.32/roll




14 Day Blue Masking Tape With Paint Block Technology

TA5001 2" - 24/case

- Blue fine crepe paper masking tape with a specially formulated pressure-sensitive synthetic rubber adhesive designed for exposure to sunlight up to fourteen days
- Protective, compatible on lacquer or polyurethane-coated surfaces, unfinished wood, wallpaper, or new, unpainted, or freshly painted wallboard.

**Sold by the case
That's only \$7.91/roll



Masking Tape

TA4103 3" - 16/case

- Designed for paint masking, splicing, bundling and packaging
- Ideal for masking projects on glass, metal, vinyl and wood surfaces
- Removes clean and easy for up to 7 days

**Sold by the case
That's only \$9.36/roll



White Poly Tape

TA3102-W 2" - 24/case
TA3103-W 3" - 16/case

- Polyethylene film, low-residue aggressive adhesive
- Bonds well to most surfaces over a wide temperature range
- Excellent for hanging poly sheeting

**Sold by case or roll
That's only \$6.03/roll



Economy Grade Duct Tape

TA3075 2" - 24/case

- An economical solution for general repair needs
- Good adhesion for basic jobs
- Ideal for everyday repairs, wrapping, sealing and general use

**Sold by the case
That's only \$4.99/roll




Industrial Grade Duct Tape (Nashua 398)

TA3003 3" - 16/case

- High quality, premium maintenance tape for a variety of environments
- Sealing insulation, bundling, patching, mending, etc.
- HVAC industry for duct and equipment applications; asbestos removal and manufacturing industry

**Sold by the case
That's only \$14.37/roll



Spray Adhesive

CH3001 12/case

- Fast tacking aerosol adhesive spray, excellent for hanging poly sheeting
- Designed to bond urethane foams, foam rubber, leather, paper, cardboard, cloth, masonry, and certain plastics

**Sold by the case*



Work Zone Barriers

Barricade Tape

- SI4011** 3" x 1000' Red Danger
- SI4001** 3" x 1000' Yellow Caution
- SI4013** 3" x 500' Reinforced Red Danger
- SI4014** 3" x 500' Reinforced Yellow Caution

- Tape is a lightweight, economical, reusable polyethylene, with a continuous repeat of message or warning. Can be tied, stapled or nailed in place.
- Meets OSHA 1910.144 for marking physical hazards.



Safety Cones

SI9917

- 28" Orange Traffic Cones
- Reflective collars
- 4" & 6" collars
- Heavy-duty for high traffic areas
- Built for extreme temperatures



OSHA Safety Pennant Flags

SI9911

- 12" x 18" pennants made of 4-mil polyethylene plastic
- Mounted and double-stitched on durable plastic-covered ropes
- Choice of colors
- 100' length contains 20 flags




Available in any combination of:
Black, Blue, Green, Orange, Red, White, Yellow

Retractable Cone Bar

SI9925

- Retracts from 5' to 9'
- Use with any and all PVC Traffic Cones
- Extremely versatile for road and utility work sites
- Perfect for parking lots and pedestrian crossways
- Convenient and fast unique barrier system





NEGATIVE AIR

Husqvarna A600

NA4050

- Individually tested and certified hospital HEPA filter: 99.99% at 0.3 microns
- 8" Air exhaust
- Collapsible handle: to accommodate stacking
- Disposable 12"x12"x1" Pleated polyester pre-filter
- 2-Speed, 25HP motor: 300/600 CFM
- Double warning lights: Yellow for clogged filter, red for filter leaks
- Daisy chaining feature



MicroTrap 600 CFM Negative Air

NA4100AS

- The Micro Trap Negative Air machine is constructed of lightweight .063 aircraft grade aluminum. For portability, each unit is equipped with four handles and four rolling casters. The two speed motor is thermally protected and powers the three stage filtration process. The units are independently tested and backed by a one year limited warranty.



Novair 1000 Portable Air Filtration

NA4120

- For use in abatement, hospitals, air scrubbing, or anywhere dust is a concern
- True 1000 cubic feet per minute air movement with all filters in place
- Powerful 1.00 Hp motor; 2 speed motor; 110v 60Hz or 220v 50/60Hz
- Utilizes standard 16 x 16 x 11.5 HEPA filters or nuisance dust filters
- Polyethylene shell is seamless and dent proof
- "Hand truck" configuration featuring no marring skids and wheels
- Small footprint-perfect for tighter areas
- Lightweight and virtually indestructible



Accessories

- NA4051** 12" x 12" HEPA Filter
- NA2070** 12" x 12" x 1" Pleated Filter
- NA1088** 12" x 12" Carbon Pleated
- NA6000** 8" x 25' Flex Duct

NA4051



Accessories

- NA1022** 16" x 16" x 6" HEPA Filter
- NA2011** 16" x 16" Pre-Filter
- NA3013** 16" x 16" Ring Panel Filter
- NA1079** 16" x 16" x 2" Carbon Pleat
- NA6002** 12" x 25' Flex Duct
- NA1091** 16" x 16" x 1" Carbon Pleat

NA1079



Accessories

- NA2011** 16" x 16" Pre-Filter
- NA3013** 16" x 16" Ring Panel
- NA2055** 16" x 16" x 2" Pleated Filter
- NA1079** 16" x 16" x 2" Carbon Pleat
- NA1021** 16" x 16" x 11.5" HEPA Filter
- NA6001** 10" x 25' Flex Duct



NA2055



NA6001

NEGATIVE AIR

NEGATIVE AIR



Novair 2000 1000 CFM Negative Air

NA5001-NOV

- The Novair 2000 Portable Air Filtration for use in abatement, hospitals, air scrubbing, or anywhere dust is a concern. Available in a variety of power sources (110v-220v 50/60Hz) and filter configurations.
- Dent proof, leak proof polyethylene; Light weight and virtually indestructible
- Longer filter life; Motor pulls more particulate deeper in the filter
- True 2000 cubic feet per minute with filters in place
- Powerful 2 HP motor, (the most powerful in its class)
- Light and compact; Fits through standard doorways
- Utilizes HEPA filters or Nuisance dust filters
- Polyethylene shell is seamless and dent proof
- Filters for hazardous material or nuisance dust
- Move the same air with fewer machines
- Replacement filters readily available
- Integrated molded carrying handles; Integrated rib for strapping; Caster nest for stacking
- Easy to decontaminate or clean
- 2 speed configuration



Accessories

NA2040	24" x 24" Pad Pre-Filter
NA3030	24" x 24" Ring Panel Filter
NA2050	24" x 24" x 2" Pleated Filter
NA1082	24" x 24" x 2" Carbon Pleat Filter
NA1063	24" x 24" x 12" HEPA 2000 CFM

MicroTrap 2000 1950/1300 CFM Negative Air

NA5001-AS

- Available in .063 Aircraft Grade Aluminum or 20 Guage Galvanized
- Stackable Design and Locking Casters Make for Easy Delivery to Job Site
- Standard Mini-Helic Gauge and Pressure Switch
- Independently Lab Tested with a 2 Speed Motor and a 1 Year Limited Warranty
- Dimensions 25 x 26.25 x 31
- CFM Rating (High) 1950 CFM (w/ high cap filter)
- CFM Rating (Low) 1000 CFM (w/ high cap filter)
- HEPA Filter Size 24 x 24 x 11.5
- Pre Filter Size 24 x 24
- Exhaust Diameter 12
- 1 HP, 2 speed motor
- 1625 RPM 115 Volt
- Single Phase 60HZ
- Thermally Protected
- 5 Running Amps
- Capacitator Start



Accessories

NA2040	24" x 24" Pad Pre-Filter
NA3030	24" x 24" Ring Panel Filter
NA2050	24" x 24" x 2" Pleated Filter
NA1082	24" x 24" x 2" Carbon Pleat Filter
NA1063	24" x 24" x 12" HEPA 2000 CFM

Flex Duct

NA6000	8" x 25' Flex Duct
NA6001	10" x 25' Flex Duct
NA6002	12" x 25' Flex Duct

- Flex source reusable duct
- Heavy duty
- For use with negative air machines



Lay Flat Duct

NA6009	12" x 500' Clear Tubing
---------------	-------------------------

- Disposable ducting
- Customize your own length up to 500'



Euroclean/Nilfisk GD930 Canister HEPA Vacuum

VA7001 GD930 Vacuum

- The Euroclean/Nilfisk GD 930 is a canister vacuum cleaner designed for solid performance for demanding applications, such as mold or asbestos remediation.
- A multi-stage filtration system features a paper bag, foam filter and an upstream HEPA filter, helping to ensure indoor air quality. The HEPA filter is capable of filtering 99.97% of particles, down to and including 0.3 microns
- Quiet operation
- Large wheels, caster, low profile and convenient carrying handle make it exceptionally easy to use
- Rugged construction enables it to withstand heavy duty use
- Sturdy steel container, 4 gallon capacity
- Quick and simple access to internal parts for easy servicing



Accessories

VA7003 10/pack Collection Bags



Husqvarna S11 Wet/Dry HEPA Vacuum With Power Tool Outlet

VA6400 S11 Wet/Dry HEPA

- Husqvarna S 11 is a compact and portable H-classified wet and dry industrial vacuum cleaner for general cleaning and handheld tools. It is equipped with HEPA-filters and offers automatic filter cleaning by shaking the filter during operation for a continuous air-flow. This vacuum unit is very easy to transport and handle thanks to its compact design, low weight and convenient carry handle.


**Does NOT include tool kit*



Accessories

VA6403 Collection Bags

VA6401 S11 Tool Kit



Husqvarna DE 110

VA6601 DE 110 HEPA Vacuum

VA6506 Longopac Bags 4-70'

- This versatile H-class dust extractor is compact and easy to transport, yet powerful. It is equipped with a user friendly HMI that monitors performance and an e-flow function that automatically adjusts the air flow, enabling stable air flow and extending intervals between filter-cleanings. Its high water protection allows fast and efficient decontamination. It also features embedded connectivity allowing you to swiftly monitor location, run-time, service and filter status along with other valuable usage data.
- Continuous high performance
- High safety standards
- Operate more sustainably with e-flow
- Easy to clean and maintain
- Improved longopac® attachment system
- Optimized accessory range



VA6506



HEPA VACUUMS

Husqvarna DE 120

VA6701 DE 120 HEPA Vacuum

- This versatile h-class dust extractor is compact and easy to transport, yet powerful. It is designed for use with larger hand-held power-tools, floor and hand grinders, shotblasters, scarifiers and more. Its performance and sturdiness make the de 120 ideal for demanding, heavy-duty applications. It features a user-friendly hmi and an e-flow function that automatically adjusts air flow while securing high runtime from the batteries. Its high water protection enables fast and efficient decontamination. It also features embedded connectivity allowing you to swiftly monitor location, service and filter status along with other valuable usage data.
- Continuous high performance
- High safety standards
- Easy to transport
- Operate more sustainably with e-flow
- Easy to clean and maintain
- Improved longopac® attachment system
- Optimized accessory range



Accessories

VA6506 Longopac Bags 4-70'



Prep/Master 3003AR Dust Collector

VAST001

- The Prep/Master® 3003AR is a particularly strong filtering unit with fully automatic cleaning of the filter cartridges. Three turbines, each generating 1,000 Watts of drive power, provide the basis for the 3003AR exceptional performance. Suitable to small to mid-sized machines.
- Uses Longopac disposal system for safe collection of toxic waste and dust
- Fully automatic self-cleaning filter cartridges
- 300 CFM (510 m3/h)
- HEPA filter, OSHA-compliant



Demo Tools

15 Amp Super Sawzall® Reciprocating Saw

PTM6538-21

- 15.0 Amp Motor - highest overload protection in the industry; prevents motor burn up/failure
- Patented Gear Protecting Clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Constant Power Technology™ - maintains constant speed under load for unmatched cutting performance



THE AX™

PTM48-01-7021 6"

PTM48-01-7026 9"

- The Ax™ Sawzall® blades with NAIL GUARD™ and FANG TIP™ have been engineered to deliver the fastest cuts, longest life, greatest tooth durability and quickest plunge cuts of any wood demolition blade on the market.



M18 Fuel™ Super Sawzall® Reciprocating Saw

PTM2722-20

- Superior performance: Delivers the fastest cutting speed in its class, increased power and the durability of corded saws
- POWERSTATE™ Brushless Motor: constant power for faster cuts
- REDLINK PLUS™ Intelligence: optimized performance and overload protection
- REDLITHIUM™ XC 12.0 Battery Pack: Provides superior pack construction, more work per charge and more work over the life of the pack than competitive batteries



THE TORCH™

PTM48-01-7782 6"

PTM48-01-7787 9"

PTM48-01-7789 12"

- The Torch™ Sawzall® blades deliver exceptional durability and straighter cuts in pipe, conduit, strut and other metal materials.



Grinders & Dust Shrouds

Ermator Dust Bug 90/180

PT1790 0-3" - 90
PT1791 3-6" - 180

- For all types of drills
- Suction holds in place, NO clamps needed!
- For dry or wet applications
- Universal fit for all vacuums



Ermator Dust Hood

PT1536 4-5"
PT1535 7-9"

- For cutting with an angle grinder
- Aerodynamic, ergonomic shape allows full visibility when cutting
- Easy to remove cover to change blades
- Brush end to control "blow by"
- Made for tuck pointing, crack chasing and joint cutting



Ermator Dust Boot

PT1799

- For drills and hammers
- Flexible tip allows you to get close to work area
- Universal fit for all vacuums



Sawbuddie™

PT1011 18" Hose

- Clear flexible rubber shroud
- Velcro strap installation
- Fits with a variety of reciprocating saws
- 2 1/2" long bristles with line-of-site gap



Universal Surface Grinding Dust Shroud

PTM49-40-6100 4-5"
PTM49-40-6105 7"
PTM49-40-6190 18"

- 18" Hose Adapter
- Quick attachment from shroud to most industrial type vacuums
- Dual swivel ends: allows for fluid movement and helps prevent hose bind up



11 Amp Corded 4 1/2" Small Angle Grinder With Lock-On Paddle Switch

PTM6142-30

- Compact, lightweight design
- Multi-port exhaust reduces motor burn-up
- Tool free, burst resistant guard



15 Amp 7"/9" Large Angle Grinder (Lock-On)

PTM6088-30

- Delivers performance and durability for most difficult grinding jobs
- 4.2 HP motor; 6,000 RPM
- Soft grip main handle
- Tool free, burst resistant guard
- 7" and 9" Type 27 guard included



Bitbuddie™

PT1796 3/8"
PT1797 1" - 4"
PT1798 4" to 8"

- 3 sizes for a variety of applications
- Suction holds it in place-no clamps
- Captures dust and slurry
- Save time and money on clean up





ELECTRICAL & LIGHTING

Extension Cords

EL1002 GFCI

EL1220 50'

EL1207 100'

- Hospital grade
- Both ends of cords have indicator lights

EL1002



EL1220



EL1207



LED String Lights

EL1301 100' Plastic

EL1303 100' Metal

- Heavy duty for extreme conditions
- 100' cords with lights
- Available in metal or plastic
- 10 lights per 100'



Tbox Temporary Power Box U-Ground T-Slot

EL1026



- (ALL OUTLET PROTECTION)
- 6- 20 Amp outlets Circuit Breaker protected
- 30 Amp 250V receptacle Circuit Breaker protected
- 50 Amp inlet and outlet - Recessed for safety
- Circuit breaker protection on all outlets
- Weatherproof covers on all outlets, inlets, circuit breaker panel

M18 Rover Flood Light

PTM2361-20 18V



- Lumens = 1500/780
- Low and high settings
- 3.1 lbs, 8.8" long
- Battery and charger sold separately
- Light Only

M18 Radius Compact Site Light

PTM2145-20 18V

- 4400, 2100, 1000 Lumens
- Low, medium, and high
- Powered by battery or cord
- 10.6 lbs
- Daisy chain compactible
- Light Only



Wobblelight 36" 400W Metal Halide Work

EL3175 400W Wobblelight

- Self-righting design
- Floating shock system and strong lens
- Convection/fan vented - exterior cool to touch
- Polycarbonate dome resists impact
- 360° of lighting
- No set up required - just plug in



M18 Radius Site Light With One-Key™

PTM2150-20 18V

- 9000, 4800, 2500 Lumens
- Low, medium, and high settings
- Stands 29.5" high
- 27.1 lbs
- Battery and charger sold separately
- Light Only



LADDERS



METALTECH



6' Louisville Fiberglass Step Ladder

EQ5006
EQ5008

- Molded top with handyman's tool slots
- Slip-resistant boot
- Inside spreader braces
- Heavy-duty gusset bracing
- Wide back braces
- ANSI Type 1A - 300 lbs.

OTHER AVAILABLE SIZES: 4', 8', 10', AND 12'



6' Louisville Fiberglass Step Ladder

FS1506

- Raptor boot with slip-resistant non-marring bonded tread
- Multifunctional raptor top with multiple tool slots and magnet
- Shox Impact Absorption System
- Inside spreader braces
- Double-rivet step construction
- Wide back braces
- ANSI Type 1A - 300 lbs.

OTHER AVAILABLE SIZES: 2', 3', 4', 5', 7', 8', 10', AND 12'



17' Louisville Aluminum Multipurpose Ladder

L-2098-17

- Changes into 4 different positions
- Easy operation with lightweight aluminum design
- Advanced heavy-duty polymer spring loaded l-locks
- Easy-to-use flip and lock hinges
- Slip-resistant rubber feet
- ANSI Type 1A - 300 lbs.


OTHER AVAILABLE SIZES: 13' AND 22'



6' Metaltech Baker™ Utility Scaffold

I-CISCDW

- Quick and easy height adjustment from 27" to 73"
- Reach: 12 ft/stackable up to 3 units high for 24 ft reach
- Meets: ANSI, CSA AND OSHA standards
- 6" Heavy-duty casters
- Thermoplastic rubber (TPR) rolling surface
- Shock-absorbing and superior impact resistance
- Non-marking smooth and quiet rolling operation
- Big 6" wheel easy rolls over debris and uneven surfaces
- Load capacity: 1,250 lb. Combined weight of user + materials
- Designed for use in the most demanding environments
- Resistant to chemicals, acids, bases, alcohols, salts and steam



SPRAY FOAM INSULATION

System 15 Closed Cell

WZ1202
WZ1202- FR

- This two-part system produces 198 square feet of cured foam at a 1" thickness, or 16.5 cubic feet.
- Versi-Foam® Standard Density (1.75 pcf) Systems are the most commonly utilized in the Versi-Foam® product line. All are available in a standard formula and Class I* flame-retardant formula. System 15: Yields 200 ft² at 1" or 16.5 ft³
- 198 sq ft 1.75 lbs/cubic ft



System 50 Closed Cell

WZ1301
WZ1301-FR

- This two-part system produces 600 square feet of cured foam at a 1" thickness, or 50 cubic feet.
- Versi-Foam® Standard Density (1.75 pcf) Systems are the most commonly utilized in the Versi-Foam® product line. All are available in a standard formula and Class I* flame-retardant formula. System 15: Yields 600 ft² at 1" or 50 ft³
- 600 sq ft 1.75 lbs/cubic ft



System 100 Open Cell

WZ1303

- Portable, disposable, open-cell spray foam kit. It offers a cost-effective means to insulate, control air movement and reduce sound transmission between rooms within the building. This system yields 1200 square feet of cured foam at a 1" thickness, or 100 cubic feet.
- 1200 sq ft - 0.75 lbs/cubic ft



Versi-Foam® One Component Sealant

WZ1003 24 oz Window & Door
WZ1005 Metal Dispensing Gun
WZ1006 16 oz Cleaning Solvent
WZ1004 16 lbs. Cylinder Versi-Tite®

- Versi-Tite® is a one component polyurethane foam used to seal small gaps and crevices. It dispenses from the can in a 3/8" caulking bead for easy use in sealing around doors, windows, pipes, outlets or any other penetrations.
- *Hose & Applicator Not Included



WASTE HANDLING



Unprinted Contractor Bags

BA2004	33" x 50" Black Bags 75/roll
BA2005	33" x 50" Clear Bags 75/roll
BA3004	36" x 60" Black Bags 50/roll
BA3005	36" x 60" Clear Bags 50/roll
BA4053	38" x 60" Black Full Weight 50/roll
BA4051	38" x 60" Clear Full Weight 50/roll
BA5002	38" x 63" Black Bags 50/roll



Contractor Bags

BA6003

- Black poly
- 3 mil thick
- Heavy duty 42 gallon size
- 20/box, easy pullout roll



Industrial Push Broom Unassembled

JS1005	Multi-purpose Head Only
JS1006	Rough Surface Head Only
JS1007	Broom Handle Brace
JS1009	Plastic Coated Steel Handle
JS1008	Fiberglass Broom Handle

- Heavy duty



1/2 Cubic Yard Tilt Truck

JS6016

- 27.76" W x 59.2" L x 34.86" H
- 90 lbs
- 800 lbs capacity
- 10" Wheels
- Industrial strength casters with integrated brakes
- Hooks for holding utility bin underneath handle
- Durable MDPE construction
- Steel frame
- *Lids available upon request



Poly Woven Bags

BA7003

- Light and strong
- Puncture resistant
- Great for bulky items
- 30" x 40" Bags



Plastic Grain Shovel

TL9004

- Versatile, general purpose, year round tool
- Well suited for a variety of lawn and garden uses as well as farm and agricultural ones
- It is primarily used to lift and transfer a variety of materials, including stone, soil, and grain



Industrial Push Broom Assembled

JS1012

- Heavy duty
- Fully assembled
- Multi-Surface



1 Cubic Yard Tilt Truck

JS6021

- 33.87" W x 70" L x 43.84" H
- 140 lbs
- 1,300 lbs capacity
- 12" Wheels
- Industrial strength casters with integrated brakes
- Hooks for holding utility bin underneath handle
- Durable MDPE construction
- Steel Frame
- *Lids available upon request



On Floor Multi-Surface 16" Machine

SP0102 Multi-Surface

Optional:

SP0105 20 lb. Weights

SP0110 7" Quicktool Receiver Plate

The Onfloor OF16S-H is a multi-surface planetary concrete floor grinder, concrete floor polisher equipped with Onfloor's patented triple-belt planetary technology. The OF16S-H operates on 110-120V and is powerful enough for professional users yet simple enough for almost anyone to operate and maintain. The high tool speed (1000 rpm) of the OF16S-H makes it an ideal concrete floor grinder capable of achieving production rates as high as 300 square feet per hour. The OF16S-H also incorporates Onfloor's patented tool attachment system known for being the fastest tool change in the industry.

- 16" Cutting Path: More production in less time
- High-Speed Grinding: Grind Concrete, Stone, Terrazzo and more
- Lightweight High Speed: Faster operation and easy mobilization
- Up To 180 lbs. Grinding Pressure: Increases productivity with more grinding pressure
- Patented Triple Belt Planetary: Creates more torque with less power
- Patented Flexible Tool Plates: Follows the contour of the floor for faster production
- Removable Handle: Reduces overall height for mobilization
- Self-Maintenance Platform: Replace belts and bearings in minutes not hours
- Wet/Dry Operation: The machine operates dry with a dust collector or wets with water



OPTIONAL ACCESSORIES

SP0105



SP0110



TOOLING PACKAGES ARE AVAILABLE FOR A MULTITUDE OF APPLICATIONS, INCLUDING:


Concrete Surface Preparation
Epoxy Removal
Mastic/Glue Removal

Onfloor - Removal & Surface Prep

Carbide Cutter Replacement Blade

SP0116

- Scrapes mastic,glues,thin sets, and coatings
- Best on Medium / Hard concrete
- Approx. 10,000 Life/Square Feet




For Mastic & Carpet Glue Removal




8-Way Carbide Blade & Holder

SP0115




For Mastic & Carpet Glue Removal




25 Grit Riptip 2 Diamond Blade

SP0121

- For mastic and glues removal
- Best used on Hard concrete
- Approx. 4000 Life/Square Feet




For Mastic & Carpet Glue Removal




16 Grit Single Segment Diamond Blade

SP0131

- Use for removing light coatings
- Use as a concrete prep for coatings
- Best on Medium/Hard concrete
- Approx. 5000 Life/Square Feet



For Thinsets, Fillers, & Epoxy Coatings




25 Grit Single Round Diamond Blade

SP0126

- For Thin Sets and thicker mastic removal
- Grinds high spots on concrete
- Best on Medium/Hard concrete
- Approx. 5000 Life/Square Feet

For Epoxy & Other Thicker Coatings



30 Grit XT5-Seg Blade

SP0141

- Use as a concrete prep for coatings
- Best on soft concrete
- Approx. 12,000 Life/Square Feet



For Thin Coatings, Grinds, & Preps



STI - Removal & Surface Prep

Prep/Master® 2420 Floor Grinding Machine

SPS106

- Ideal for polishing projects up to 5,000 SF (500 M2); 978 lbs.
- Motor: 20 HP- 3 phase
- Working width: 24"
- 20 HP (14.7kW)
- 1 or 3 phase; Available in 230V or 480V
- 4 tool plates (included); Uses 12 tools

PRODUCTION RATES

Mastic Removal:
475 SF (45 m2) per hour

Thin Set Removal:
525 SF (50 m2) per hour

+/-25 Mil Coatings:
325 SF (30 m2) per hour

Concrete Polishing:
925 SF (90 m2) per hour



Prep/Master® 3030 Floor Grinding Machine

SPS104

- Ideal for polishing projects up to 10,000 SF (1,000 M2); 1,338 lbs.
- Motor: 30 HP - 3 phase (22kW)
- Working width: 30"
- 30 HP (22kW)
- 1 or 3 phase; Available in 230V or 480V
- 4 tool plates (included); Uses 12 tools
- Power source: 220/230 VAC 1 or 3 Phase, 60Hz or 380/480 VAC 3 Phase, 50-60Hz

PRODUCTION RATES

Mastic Removal:
600 SF (60 m2) per hour

Thin Set Removal:
600 SF (60 m2) per hour

+/-25 Mil Coatings:
425 SF (40 m2) per hour

Concrete Polishing:
1,200 SF (120 m2) per hour



Prep/Master® Jr. Floor Grinding Machine

SPS102

- 7.5 HP, 220/240 Volt, Single Phase, 40 AMP
- Heavy head pressure for a better grind and polish - 60% of its weight is on the head!
- Magnetic LED Light to illuminate front of machine or behind machine on the cutting path
- Easy disassembly of machine into two sections for easier transportation
- (Grinding head = 260 lbs. / Handle = 130 lbs. / Two Pocket Weights = 30 lbs. each)
- Screw-in Carrying Poles for two-three person lifting
- 8-gallon (30 liters) water tank

PRODUCTION RATES

Mastic Removal:
200 SF (20 m2) per hour

Thin Set Removal:
200 SF (20 m2) per hour

+/-25 Mil Coatings:
200 SF (20 m2) per hour

Concrete Polishing:
300 SF (30 m2) per hour



STI - Removal & Surface Prep

18 Grit Prep Tool

SPS135

- 18 Grit, medium bond. Aggressive, fast cutting 2 segment metal bond tooling used to remove black mastic, epoxy, adhesives, and thin-set.



25 Grit Prep Tool

SPS136-M

- 25 Grit, medium bond. Aggressive, fast cutting 2 segment metal bond tooling used to remove black mastic, epoxy, adhesives, and thin-set.



25 Grit Prep Tool Black

SPS136

- 25 Grit, hard bond. Aggressive, fast cutting 2 segment metal bond tooling used to remove black mastic, epoxy, adhesives, and thin-set.



16 Grit/10 Segment Diamond

SPS130-S

- A little thinner than the SPS130, but gives up none of the performance making this tooling a great economical choice.



16 Grit/10 Segment Diamond

SPS130

- Recommended for light or medium coating removals and/or prepping concrete for new coatings



#0 Prep Tool 3"

SPS134

- The #0's are a triple segment, high productive metal bond tooling used to remove black mastic, epoxy, adhesives, and thin-set. Leaves a smooth profile



#00 Double PCD/Diamond Sweep

SPS132

SPS133

- The #00's are fast cutting, aggressive metal bond tooling. Leaves a rough profile. 2 PCDs for very aggressive removal with a single segment sweep behind it. Excellent tool for removal of adhesives, thin-sets, surface inequalities of +/-4mm and epoxy coatings with thickness of less than 4mm




000 Syntec (PCD/3 Segment)

SPS129-LS

SPS129-RS

- Syntec provides you an economical solution without giving up performance on their #000 tooling. When faced with hard to remove surfaces. The #000 is the blade for the job. Will leave a very rough profile.




000 STI (PCD/3 Segment)

SPS129-L

SPS129-R

- The #000's are the most aggressive removal tooling on the market today. When faced with hard to remove surfaces. The #000 is the blade for the job. Will leave a very rough profile.



SPS129-R



SPS129-L

Edco Magna-Trap® Dual-Disc Floor Grinder

SPE001 Magna-Trap®

Optional:

SPE005 40 lb. Weights

- 22" working width
- 400-500 sq. ft per hour
- 2" Vacuum port and water port
- Counter-rotating discs prevent machine from pulling side to side and give operator greater control
- Gas, Electric, and Propane power options

Ideal for: Production grinding and floor cleaning on large or small surface areas such as airports, warehouses, parking decks, manufacturing plants, malls and sports arenas; Light grinding or cleaning of concrete surfaces; Leveling uneven joints; Removing mastics, thin-set, high spots, epoxies and urethanes; Lightly texturing slippery concrete surfaces.



Edco Magna-Trap® Blades

Strip Sert Toolbox

SPE003-KIT

- For Mastic & Carpet Glue Removal
- Includes: 3 right hand and 3 left hand blade holders with blades, tools, and toolbox



18 Grit Dyma Segs

SPE050

- For Thin Coatings, Grinds, & Preps



Replacement Blades

SPE004


- For Mastic & Carpet Glue Removal
- 6 Pack



Double PCD with Pad Segment

SPE041

- For Aggressive Coatings Removal



FLOORING

Buffers & Tile Heaters

17" Hawk HD Floor Machine

FLH101

- Power: 1.5 HP, 66 frame, dual capacitor AC motor, 115V, 60 Hz Power., 50 ft. (14-3) STO industrial power cord with molded plug
- Drive System: Triple-planetary HD 10:1 helical-cut industrial gears drive brushes and pads at 175 RPM
- Variable position positive handle lock
- 1" x 5" non-marking ball bearing wheels



Accessories

Black Buffer Pads

- PD1004 17"
PD1003 18"
PD1001 20"

PD1004



FL3095



Scrape Away Wheel

- FL3095 15"

Novatek NovaStrip N1026 Vat Stripper

FL4001

- NovaStrip N1026 VAT strippers utilize "Infrared radiant heat" to safely heat tiles, thus breaking the adhesive bond. This allows you to lift "Intact" tiles in a dustless environment. These machines also cut labor costs by requiring only one operator.



Accessories

Tile Lifter Bar And Blades

- FL2001 63" Tile Lifter Bar
FL2026 3" Tile Bar Blade
FL2027 6" Tile Bar Blade

- Used with our extra sharp, heat treated steel blades, the TILE POPPER provides fast and easy removal of a variety of materials
- Including: Vinyl & Asphalt Tile, Linoleum, Concrete Spurs, Adhesives & Mastics, Roofing Materials, Glued Down Carpeting, Sheet Goods, Parquet Flooring, Plant Roots

FL2001



FL2026



FL2027



17" Hawk Brute Deluxe Severe Duty Floor Machine

FLH201

- Power: 1.5 HP, 180 frame, TEFC dual capacitor AC motor
- 50 ft. 12-3 SJTOW industrial power cord with molded plug
- Drive System: Triple-planetary XHD 11:1 helical-cut industrial gears, casehardened with steel coupler
- All steel construction with welded, powder-coated frame
- One-piece chrome, heavy-duty steel handle with variable position handle lock and vinyl grips
- 1" x 5" non-marking ball bearing wheels
- Safety Features: Quiet 66 dB operation. Meets GS42 standard



Accessories

Wire Stripping Brush

- FL3124 15"
FL3125 16"
FL3127 17"
FL3128 18"

FL3124



Novatek EcoStrip N100

FL4320

- Lightweight, portable infrared heat tile machine. Weighing only 18 lbs and utilizing a 15 AMP, 100-volt grounded outlet.
- Perfect for steps, closets and compact areas
- Twenty-minute motion switch automatically shuts down power if the machine is left unattended
- Adjustable/removable handle eliminates bending and operator fatigue



Accessories

Air Spade

- FL1000 5' Air Spade
FL1001 Air Spade Blade Holder
FL1012 4" Tile Blade
FL1004 8" Tile Blade
FL1002 4" Chisel Blade

- Air powered tile removal system is a lightweight, efficient alternative to hand-held scrapers and electric chippers. Its 4", 8" or 12" wide blade and 5 ft reach effectively clears large areas quickly and easily. It is capable of stripping even the most unyielding floor tiles. Its low air requirements, 3-4 CFM allow it to function with a standard 110-volt electric compressor.

FL1001



FL1000



FL1012



FL1002



FL1004



Ride On Equipment - Flooring Removal

Workhorse 1000

FL5300

- Rotating blade holder maintains better floor contact
- Blade holder rotates 180° to eliminate the need to sharpen blade
- 24 HP Honda engine with catalytic exhaust converter
- 30 inches wide, 49 inches long, and 1000 lbs. (weights & blade holder removed)
- Will travel through standard doorways and fit in small elevators
- Propane fuel tanks use standard gas grill tank for easy refills
- Comes with 720 lbs. of removable weights
- 480 lbs. of additional weights can be added for those tough projects
- Non-marking traction tires



Bronco Floor Stripper

FL5002 Hybrid Optimum

FL5001 Propane Power

- No emissions
- Full work day battery service
- Charges 50% Faster
- Twice the battery life
- Easy to operate
- Removes VAT Tile, Ceramic Tile and Carpet
- 300-400 surface ft/min.
- *Propane power options also available



Carpet Removal Blades

FL4936 12"x3" Double Edge

FL4937 6"x4" Side Cut



Ceramic Tile Removal Blades

FL4941 4"x4"x0.125 Thick

FL4946 1"x4"x0.250 Thick



Heavy Duty Tile Removal Blades 0.125 Thick

FL4922 8"x4" Heavy Duty

FL4923 10"x4" Heavy Duty


FL4924 12"x4" Heavy Duty

FL4920 4"x4" Dynalloy

FL4922-T 8"x4" Dynalloy

FL4923-T 10"x4" Dynalloy

FL4924-T 12"x4" Dynalloy



Benefect Botanical Decon 30

M01402 1 Gal.

- Light Scent
- Kills over 99.99% of bacteria in 30 seconds!
- Pleasant Aromatherapeutic Vapors
- No Synthetic Fragrances, Dyes or Bleach
- Uses the same Botanical Active Ingredient Benefect is known for, Thymol



Benefect Disinfectant Wipes

M01401

- Decontaminate & Disinfect in One Easy Step
- Simple & Convenient
- Kills Over 99.99% of Germs
- 250/tub Wipes



Fiberlock® Shockwave™

M01005 1 Gal.

- All-in-one disinfectant, sanitizer, fungicide, virucide, bactericide and cleaner
- Also effective in hard water
- Makes up to 60 gallons of product
- * Also comes in Ready to Use 1 gallon or 5 gallon



Enviro Care® Neutral Disinfectant

M01310 1 Gal.

- Non-toxic, biodegradable, neutral PH and hospital type disinfectant
- EPA registered
- Highly concentrated
- Low end use cost, broad efficacy
- Effective against E. Coli, CA-MRSA, VRE and many other pathogens



Fiberlock® Instant Mold Stain Remover

M01015 1 Gal.

- Aggressive stain remover cleans stains within minutes of application
- Targets deeply embedded mold stains, saving time and money
- Works on wood and concrete substrates
- Ready to Use



Fiberlock® Advanced Peroxide Cleaner (APC)

M01001 2.5 Gal.

- High active foaming cleaner that aggressively removes stains and odors caused by mold, mildew, bacteria and other microbial growth
- Ready to Use



PRS Preclean

M01301 1 Gal.

- Water Damage
- Non-toxic biological based initial treatment for digesting of soils and odors from category 2/3 water damage scenarios including fecal matter and urine
- Apply as soon as possible
- Xactimate code: WTR GRMBIO



PRS Post Clean

M01303 1 Gal.

- Non-toxic biological based preventative product to minimize potential of future growth or odors after the fact
- Continues to penetrate porous materials throughout the wet stages of drying
- Xactimate code: WTR GRMBIO



Odor Control

Sentinel Formula 522

CH4073

- Smoke and Odor Cleaner and Destroyer is used to eliminate odors on hard surfaces and soft goods
- Clean fresh scent
- Ready to use or as a concentrate making up to 32 gallons of product



PRS Odor Control

M01305

- Biologically digest odor from protein fires, post mortem, trauma, skunk, and urine
- Apply with a wet ULV fog (Do Not Thermal Fog) or sprayer application



Fresh Aire Neutralizer

M01305-FA

- Liquid neutralizer for chemical and malodors in schools, public buildings, restrooms, hospitals, institutions, nursing homes and more



PRS Ultra HD Fire & Content Cleaner

M01307

- Heavy duty, biobased content cleaner for hard surfaces
- Safer and more effective than many conventional cleaners



Fiberlock Recon Smoke/Odor Sealer

- EN2121** Ready to Use-Clear
- EN2122** Ready to Use-White

- RECON Smoke Odor Sealer is a solvent free, water based, low VOC, low odor and non-flammable smoke odor sealant that encapsulates smoke odors on multiple surfaces
- 5 Gallons



Sentinel Formula 538

- EN2106** 538 Ready to Use-White
- EN2107** 538 Ready to Use-Clear

- Smoke and Odor Encapsulant used to seal and trap odors commonly found on restoration projects like smoke and other odors
- 5 Gallons



INDOOR AIR QUALITY

Cleaners & Degreasers

Sentinel™ 317 Afterwash Cleaner & Degreaser Concentrate

CH4071 1 Gal.
CH4072 5 Gal.

- Powerful, biodegradable, alkaline, water-soluble cleaner & degreaser designed for a wide range of cleaning applications.
- Excellent for all types of abatement, remediation, and restoration cleaning such as fire, water, odor, and trauma.
- Highly concentrated, it can be diluted for simple soils and used up to full strength for the toughest Carbon & Soot build up, Greases, Oils, and trauma scene Organic Matter.



Sentinel™ 805 Envirowash

CH4007

- Concentrated cleaning solution (1:20) used for lead dust and mercury clean-up and for final surface prep of sub floors following mastic removal on asbestos abatement jobs
- 5 Gallon



Sentinel™ ET-90 TSP Envirotowels

CH4010

- Designed for pre-cleaning prior to removal or encasement of lead and for final clean-up following lead abatement
- Towels fit on Swiffer mop
- 90 - 8" x 12"



Aerosol Citrus Degreaser

CH4001

- Pleasant orange scent
- Heavy duty
- 12 cans per case



Proxi Spray & Walk Away

M01309

- For organic stains such as wine, coffee, blood, urine and vomit
- Use on carpets and cloth surfaces
- Simply spray and walkaway! Always test for color fastness



PRS Fuel Oil Cleaner

M01306

- Degrades and removes soils and odors from fuel oil and other mid-weight hydrocarbon stains
- 1 Gallon



Mold Resistant & Fungicidal Coatings

Sentinel™ 24-7 CC Mold & Mildew Resistant Construction Coating

MO1147

- This economically-priced, high-performance coating inhibits the growth of bacteria, mold and mildew that causes stains and odors on the dried coating surface. A high-quality, acrylic-based product, it can be applied by brush, roller, or sprayer and dries clear. 10 years of testing has been conducted on this product via ASTM D5590 and G21 protocol. It has a 10-year limited warranty. It meets LEED® IEQ Credit 4.2 low-emission materials for paints and coatings.
- 5 Gal. Clear



COVERAGE:
300 ft²/gal
(smooth surfaces)
85-125 ft²/gal
(porous surfaces)

Sentinel™ 24-7 Interior Mold & Mildew Resistant Coating

MO1146

- Sentinel 24-7 ZERO is a high quality interior grade coating that contains no Volatile Organic Compounds (VOCs), is free of Hazardous Air Pollutants (HAPs), and offers virtually no odor. Sentinel 24-7 ZERO is an environmentally friendly coating that can be used on most interior building materials. Sentinel 24-7 ZERO is a self-priming coating providing a durable, scrubbable surface. Sentinel 24-7 ZERO with antimicrobial product protection is designed to inhibit the growth of stain and odor causing mold, mildew and other microorganisms on cured coating surfaces.
- 5 Gal. White



COVERAGE:
300 ft²/gal
(smooth surfaces)
85-125 ft²/gal
(porous surfaces)

Fiberlock® Aftershock™

MO1030

- Antimicrobial coating designed to kill residual mold and mildew remaining after pre-cleaning contaminated surfaces
- Used for interior wall surfaces such as plaster, wallboard, drywall, concrete, masonry block, wood, primed metal and galvanized metal
- Not for use in HVAC systems
- 5 Gal. White



COVERAGE:
250-400 ft²/gal
(smooth surfaces)
150-300 ft²/gal
(porous surfaces)

Sentinel™ 24-7 Zero High-Build Mold & Mildew Resistant Coating

MO1148

- 24-7 ZERO is a high quality interior grade coating that contains no Volatile Organic Compounds (VOCs), is free of Hazardous Air Pollutants (HAPs), and offers virtually no odor.
- Environmentally friendly coating that can be used on most interior building materials.
- Self-priming coating providing a durable, scrubbable surface. Antimicrobial product protection is designed to inhibit the growth of stain and odor causing mold, mildew and other microorganisms on cured coating surfaces.
- 5 Gal. White



COVERAGE:
350-450 ft²/gal
(smooth surfaces)
100-200 ft²/gal
(porous surfaces)

Fiberlock® IAQ™ 6000 White

MO1020

White is tintable

- Tested by independent laboratories for mold resistance: ASTM G-21 and ASTM D-3273
- Mold resistant*
- Tintable formula
- 100% acrylic
- *Resistant to mold growth on the dry coating surface only
- 5 Gal.



COVERAGE:
250-400 ft²/gal
(smooth surfaces)
150-300 ft²/gal
(porous surfaces)

Fiberlock® IAQ™ 6100 Clear

MO1022

- Clear mold resistant* coating for professional use, that contains a fungistatic agent to resist mold growth on the dry coating surface. IAQ 6100 is a durable, flexible, and permeable 100% acrylic water-based coating. IAQ 6100 is recommended for use on wood, plaster, wallboard, sheetrock, concrete, masonry block, primed metal, and galvanized metal. Tested by independent laboratories for mold resistance: ASTM G-21 and ASTM D-3273
- *Resistant to mold growth on the dry coating surface only



COVERAGE:
350-600 ft²/gal
(smooth surfaces)
250-300 ft²/gal
(porous surfaces)

Standard Series

Allergy Machine™

AP802_

AP8020



AP8024



Who should consider the Allergy Machine®?

- Those exposed to biologics such as viruses and bacteria
- Individuals living in damp environments
- Asthmatic Children

Why is the Allergy Machine® the best choice for me?

- Designed for immediate filtration of allergens
- Medical Grade HEPA effectively removes 95% of airborne viruses that are 0.1 microns and larger
- HEGA carbon cloth also removes viruses, bacteria, chemicals and gases from the air
- High capacity filtration for the removal of allergens from the air
- Designed for relief of sneezing, coughing and stuffy noses caused by every day or seasonal allergies.

HealthMate+™

AP804_

AP8040



AP8044



Who should consider the HealthMate Plus®?

- Dentists looking to remove aerosolized viruses larger than 0.1 microns, and other contaminants from the environment
- Anyone needing an efficient way of removing wood burning smoke, formaldehyde and other dangerous VOCs
- Individuals suffering from Multiple Chemical Sensitivity (MCS)
- Those with pre-existing health concerns
- Individuals in high particle and gas contaminated areas

Why is the HealthMate Plus® the best choice for me?

- Medical Grade HEPA effectively removes 99% of airborne viruses that are 0.1 microns and larger
- Designed for highly contaminated indoor air conditions
- Extremely effective at removing particles in the air including formaldehyde, elements of smoke, dust and pollens
- Exceptional capacity for removing Volatile Organic Compounds (VOCs); Filters bacteria

HealthMate™

AP800_

AP8001



AP8005



Who should consider the HealthMate®?

- Those looking for protection against contaminants such as viruses and bacteria
- Individuals with indoor air quality concerns
- Those with slight sensitivities to airborne particles, chemicals and gases
- Families looking for protection from every day indoor air pollutants

Why is the HealthMate® the best choice for me?

- Medical Grade HEPA effectively removes 99% of airborne viruses that are 0.1 microns and larger.
- Efficiently removes a wide range of airborne pollutants and allergens, including dust, pollen, chemicals and gases
- Filters bacteria

Bedroom Machine™

AP806_

AP8060



AP8064



Who should consider The Bedroom Machine® by Austin Air?

- Those looking for protection against contaminants such as viruses and bacteria.
- Those who have difficulty sleeping or have poor quality sleep
- Individuals that suffer from COPD, allergy and asthma attacks at night
- Anyone looking to improve their overall health and wellbeing

Why is The Bedroom Machine® by Austin Air the best choice for me?

- Medical Grade HEPA effectively removes 99% of airborne viruses that are 0.1 microns and larger.
- Our most comprehensive air purifier with a 5th stage of HEGA filtration, for the removal of viruses, bacteria, chemicals and gases
- Carbon blend that filters gases, odors and VOCs
- Developed to improve sleep
- Keeps your bedroom fresh and clean

FEATURES OF ALL UNITS:

- Solid Steel Construction
- Powder-coated paint
- Energy saving PSC motor
- Engineered airflow creating the clean air pocket

WARRANTY:

- 5-year warranty on all parts and labor**
- 5-year pro-rated filter guarantee**
- **See owners guide

HEALTH BENEFITS:

- Reduces the viral load to minimize risk of infection or severity of disease
- Lessens night-time allergies and asthma attacks
- Strengthens the immune system
- Eases coughing, wheezing and sneezing
- Reduces dry mouth and runny nose
- Sounder sleep
- Reduced snoring

*Covid-19 is a new strain of virus that as yet, remains untested. However, the Medical Grade HEPA technology used in our filters is proven to remove up to 99% of all airborne contaminants as small as 0.1 microns.

Sensidyne Gilian BDX II Low-Volume Sampling Pump

AS2001

- Personal sampling pump designed for use with asbestos and lead sampling
- Meets NIOSH 7400, 7082, 7105 and 7300 specifications
- Recommended Cassette/Pump: AS1001, AS1003



25mm Asbestos PCM Cassettes

AS1001

- Pre-loaded, ready to use cassettes with 0.8um MCE Filter
- Meets all applicable NIOSH, OSHA, and EPA standards
- Recommended Cassette/Pump: AS2501 (High), AS2001 (Low)
- 50/Box



37mm Lead Cassettes

AS1003

- 2-piece, pre-loaded, leak-free, ready to use cassettes with 0.8um MCE Filter
- Meets all applicable NIOSH, OSHA, and EPA standards
- Recommended Cassette/Pump: AS2501 (High), AS2001 (Low)
- 50/Box



Coring Sleeve & Vial

AS5001

- Refill aluminum cutter sleeves for the Asbestos Bulk Sampling System
- Label and ship asbestos samples in the original cutter container
- Special write-on plastic and tight cap eliminate the need for labels, film canisters, etc.
- 100/box



Zefon Hi-Volume Diaphragm Sampling Pump

AS2501 Sampling Pump

AS2507 Pump Stand

- Area sampling pump complete with locking flow control valve, hose barb, 10' tubing and on/off switch
- Recommended Cassette/Pump: AS1001, AS1002, AS1003, AS1008



25mm Asbestos TEM Cassette

AS1002

- Pre-loaded, ready to use cassettes with 0.45um MCE Filter
- Meets all applicable NIOSH, OSHA, and EPA standards
- Recommended Cassette/Pump: AS2501 (High)
- 50/Box



Air-O-Cell Mold Sampling Cassettes

AS1008

- Designed for sampling viable and non-viable airborne aerosols including mold spores, pollen, insect parts, skin cell fragments, fibers (e.g. asbestos, fiberglass, cellulose, clothing fibers, etc.) and inorganic particulate e.g. ceramic, fly ash, copy toner, etc.)
- Recommended Cassette/Pump: AS2501 (High)
- 50/box



Whirl Pak Bags

AS5101 4 oz. - (3" x 7.25")

AS5102 2 oz. - (3" x 5")

- Nasco Whirl-Pak® sample collection bags provide an easy to use leakproof closure for collection of a wide variety of sample materials
- 2.25 mil
- 500/box



Lead Wipes


AS5009

- Lead wipes are used for the collection and sampling of lead in settled dust
- Meets ASTM E1792-96 requirements for lead dust sampling wipes
- The formulation does not contain lanolin, aloe, or other interfering oils which may alter lab test results
- 100/Box



Glove Bag Systems

- Exclusive, patented features and durable 6 mil poly construction along with a wide variety of sizes and styles make it a favorite for abatement projects
- Glove bags feature fitted collars for easy attachment, entry ports, glove sleeves, latex work gloves and a handy tool pouch




Hi-temperature and glove bag sheets available on request

SIZE	DESCRIPTION	PIPE DIAMETER	PACKAGED	ITEM #
22" x 60"	M6 Glove Bag	Up to 6"	40/Case	GB7002-G
44" x 60"	Horizontal Single Glove Bags	Up to 8"	25/Case	GB1001
44" x 60"	Extended-Run Horizontal	Up to 8"	25/Roll	GB1002
54" x 60"	Extended-Run Horizontal	Up to 10"	25/Roll	GB2001
60" x 60"	Horizontal Single Glove Bags	Up to 10"	25/Case	GB3001
60" x 72"	Extended-Run Horizontal	Up to 14"	20/Roll	GB4002
66" x 84"	Extended-Run Horizontal	Up to 18"	15/Roll	GB5002-G
72" x 120"	Extended-Run Horizontal	Up to 30"	10/Roll	GB6001


Additional Glove Bags

SIZE	DESCRIPTION	PIPE DIAMETER	PACKAGED	ITEM #
42" to 90'	QT-10 Horizontal Glove Bag	Up to 10"	20/Roll	GB8001-G
48" to 75'	QT-14 Horizontal Glove Bag	Up to 10-14"	15/Roll	GB8002
54" to 55'	QT-18 Horizontal Glove Bag	Up to 14-18"	10/Roll	GB8003-G

GB7002




GB8002



GB8003



GB1002



GB1001



GB2001



GB3001



GB8001





Showers & Accessories

ABATEMENT

Disposable D-Con

SH1001 D-con 3/Box

SH1002 12 Pole Set

- Economical 3-room system with clean, shower, and equipment room; poles and shower nozzle sold separately
- 3/box

SH1001



SH1002



Portable Pop-Up Aluminum Shower

SH1020

- Heavy duty collapsible portable shower that telescopes to a sturdy full size shower when deployed
- 30.5"x30.5"x89"



Portable 2-Stage Hydro Filtration Unit

SH2002

- High quality water filtration unit for commercial and industrial use
- ACSI HF2 Hydro Filter is enclosed in a heavy-duty aluminum cabinet 0.080 thick that is rustproof and lightweight
- All electrical components are internally enclosed in their own enclosure preventing dirt and water from getting in



Drain Sock For Aluminum Shower

SH2110

- 25 Micron Filter
- Custom sizes available
- Drawstring



Water Filters For 2-Stage Pump

SH2101 5 Micron

SH2106 25 Micron

SH2101



SH2106

Body Shampoo

SH3001 1 Gal. Shampoo

SH3003 Pump Dispenser

SH3002 Body & Hair Shampoo
(8 oz - 24/case)

- Rinses clean without leaving a residue

SH3001



SH3003



SH3002



Sentinel 626 Carpet Adhesive Or Glue Remover

CH1005

NO ODOR

- Quickly remove latex, acrylic, and pressure-sensitive adhesives from concrete, terrazzo, ceramic, and vinyl tile or wood substrates
- Use 626 to remove tan or beige colored glues, linoleum backing and vinyl sheet goods adhesives
- 626 cleans up with water, is non-hazardous, and requires no dilution, so it's ready to use
- 5 Gallons



COVERAGE:
25-75 ft²/gal

Sentinel 170 Low Odor Mastic Remover

CH1006

LOW ODOR

- Mastic remover made specifically for the removal of black mastic found during the abatement of asbestos containing VAT and VCT tile
- 5 Gallons



COVERAGE:
80-150 ft²/gal

Sentinel 200 No Odor Mastic Remover

CH1012

NO ODOR

- Mastic remover made specifically for the removal of black mastic found during the abatement of asbestos containing VAT and VCT tile
- 5 Gallons



COVERAGE:
70-120 ft²/gal

Sentinel 909 Soybean Degreaser & Mastic Remover

CH1017

SOY BASED

- Biodegradable, soybean based solvent cleaner, degreaser and mastic remover
- Ideal for the removal of asphalt-based mastics, adhesives, grease, lubricants, inks and other petroleum based residues
- 5 Gallons



COVERAGE:
70-120 ft²/gal

Rochester Midland Neugenic 4175 CA Mastic Remover AMW-98

CH1008

LOW ODOR

- Biodegradable, non-terpene semi-aqueous cleaner recommended for removing mastic, solidified oil, grease, tar, adhesives and asphalt
- Used as a coarse spray, or in a hot or cold dip tank
- Apply as a concentrate for a rapid removal of heavy soil, or diluted with up to 30 parts water for light soil removal
- 5 Gallons



COVERAGE:
100 ft²/gal

CH1016

NO ODOR

- No Odor Mastic & Adhesive Remover
- 100% Organic Industrial Degreaser
- Removes cut back adhesives with no odor
- No Hazardous solvents, No acids
- High Flash Point over 200° F Closed Cup
- Non-caustic, pH Neutral
- 5 Gallons



COVERAGE:
100 ft²/gal

*V.O.C. Compliant

This Floor or Wall Covering Adhesive Remover contains less than 5% V.O.C. content by weight, in accordance with the requirements set forth by the California Air Resource Board (CARB) and Ozone Transport Commission (OTC), effective 1-1-2009



Pipe Wrap & Lockdown

ABATEMENT

Foster 32-61 Lockdown

EN2004

CLEAR

- Asbestos Removal Encapsulant
- Polymeric, water-based coating that “wets-out” all types of asbestos quickly and thoroughly (including AMOSITE and CROCIDOLITE) to lock individual fibers together
- Applications: All types of asbestos; Ideal for post-removal to prevent individual fibers from releasing
- 5 Gallons

COVERAGE:
>500 ft²/gal
(smooth surface)
350-500 ft²/gal
(porous surfaces)



Fiberlock Fiberset PM Lockdown

EN4004 Clear

EN4005 White

- Pre-mixed “lockdown” sealing treatment for microscopic residual asbestos fibers present after the removal of Asbestos Containing Material (ACM)
- Applications: Ideal for newly exposed beam or deck assembly; Locks down residual asbestos fibers to help ensure final air clearance
- 5 gallons

COVERAGE:
>500 ft²/gal
(smooth surface)
350-500 ft²/gal
(porous surfaces)



Sentinel 811LE Lockdown

EN2101

CLEAR

- Sentinel 811LE Lockdown Encapsulant is a post removal lockdown encapsulant solution
- Premixed and requires no dilution
- Essential for use during the mandatory sealing of asbestos fibers and dust subsequent to removal or building demolition
- Low Odor
- Fast Drying
- Locks Fibers Down
- 5 Gallons

COVERAGE:
>500 ft²/gal
(smooth surface)
350-500 ft²/gal
(porous surfaces)



22-P Penetrating & Lock-Down Encapsulant

EN3001

WHITE

- UL Classified
- Meets all EPA and Industry Standards
- ‘A’ Flame Spread: ASTM E-84 and ASTM E-162
- Versatility allows for use as Lock-Down or Penetrant
- Maintains its flexibility...Does NOT become brittle
- 5 Gallon

COVERAGE:
Lockdown:
Up to 1500 ft²/gal
Encapsulation:
Up to 40 ft²/gal
Soil: 25 to 100 ft²/gal



5' X 150' Lag Cloth

EN1026

- For wrapping boilers and other large projects



PIPE WRAP

EN1001 4" x 15' - 72/Case

EN1002 6" x 15' - 48/Case

EN1001-RL 4" x 15' - Roll Only

EN1002-RL 6" x 15' - Roll Only

- Insulation encasement system that permanently repairs pipes, breaching, valves, duct work and other fittings
- Simply wet and wrap
- Dries in 15 minutes/cures hard in 24 hours
- Free from fumes and odors
- Withstands temperatures up to 900°F
- Available by the case or roll



ABATEMENT

Encapsulants

Fosters 32-80 Bridging Mastic

EN2005

OFF WHITE

- Bridging encapsulant that forms a tough, light colored, washable, abrasion resistant, elastomeric coating that economically abates the release of asbestos fibers
- **Applications:** Ideal for use over interior pipe covering and boiler lagging insulations
- 5 Gallons

COVERAGE:
400 ft²/gal



Fosters 32-32 Bridging Encapsulant

EN2002

WHITE

- Water based elastomeric product for use over interior fibrous and cementitious types of asbestos containing materials (ACM)
- **Applications:** It can be used over the hard, non-absorptive types of asbestos insulation that will not "accept" a penetrating-type encapsulant
- 5 Gallons

COVERAGE:
150 ft²/gal
(smooth surfaces)



Fiberlock Asbestos Binding Compound (ABC)

EN4006 Off White

EN4007 Clear

- High solids asbestos encapsulant/sealant, designed to encapsulate friable Asbestos Containing Material (ACM)
- **Applications:** Ideal for use on fireproofing and insulation material *Effective for controlling asbestos fibers in soil
- 5 Gallons

COVERAGE:
50-100 ft²/gal
(smooth surfaces)
50-75 ft²/gal
(porous surfaces)

EN4006



EN4007

Childers CP-9

EN2020

WHITE

- Weatherproofing coating/mastic that is tough, durable, fire-resistive
- Used as mechanical protection and weatherproofing
- **Applications:** Thermal insulations, indoors and outdoors, for piping, tanks, fittings, vessels, equipment, and other irregularly shaped objects
- 1 Gallon

COVERAGE:
100 ft²/gal



Fiberlock Lag-Kote II

EN4009

WHITE

- Bright white bridging encapsulant that is high in solids which provides maximum protection over asbestos containing material (ACM)
- Ideally interior pipe lagging, boiler jackets, breaching and other components of heating and ventilation systems that are not exposed to rust or sunlight
- 5 Gallons

COVERAGE
125-175 ft²/gal
(smooth surfaces)
75-100 ft²/gal
(porous surfaces)



Fiberlock Transite Barrier Compound

EN4020

WHITE

- TBC is a high solid, non-toxic blend of resins that forms a hard yet flexible finish which is ultraviolet resistant and mildew resistant
- Environmentally friendly, complies with all federal and state VOC
- **Applications:** Elastomeric thermoplastic water based copolymer blended to seal exterior asbestos containing Industrial Fiber Cement Board (Transite®) requirements
- 5 Gallons

COVERAGE:
50-100 ft²/gal





Lead Based Paint: Chemical Removers, Encapsulants, & Cleaners

ABATEMENT

Peel Away® I

CH2003 5 Gal. - Peel Away® I

- VOC = 0, Complete paint removal system: environmentally safe, non-toxic, biodegradable, nonflammable
- Comes with Peel Away® Paper, and Citri-Lize™ neutralizer
- **Recommended Use:** Lead-based paint in historical buildings.
- Intricate, carved, or molded surfaces.



COVERAGE:
15-20 ft²/gal, 32 layers
12-24 hr dwell

Peel Away® Paper

CH2005 Peel Away® Paper

- VOC = 0, Complete paint removal system: environmentally safe, non-toxic, biodegradable, nonflammable
- Comes with Peel Away® Paper, and Citri-Lize™ neutralizer
- **Recommended Use:** Lead-based paint in historical buildings.
- Intricate, carved, or molded surfaces.



Peel Away® ST-1

CH2004

- Peel Away® ST-1 is similar to Peel Away® I however it's self-sealing characteristic allows it to continue working in a moist environment without requiring any Peel Away® cover
- VOC compliant
- **Recommended Use:** Heavy duty removal of lead-based paint from steel structures such as tanks, bridges and structural members.
- 5 Gallons



COVERAGE:
20-25 ft²/gal, Multiple layers
12-24 hr dwell

Smart Strip™ Pro

CH2012

- Professional strength non-toxic paint removal system is formulated without methylene chloride, is non-carcinogenic, non-caustic, and non-flammable
- It is low VOC, low odor, biodegradable and user friendly
- **Recommended Use:** Effectively removes multiple coats of varnish, oil-based, water-based, acrylic, urethane, epoxy, elastomeric and lead paints from any interior or exterior surfaces.
- 5 Gallons



COVERAGE:
45-50 ft²/gal, 20 layers
3-12 hr dwell

Smart Strip™

CH2010

- Paint remover that is 100% biodegradable, does not contain methylene chloride, any caustics, or toxic chemicals
- It is odor-free and safe for the environment
- **Recommended Use:** Effective for architectural/industrial coatings from virtually all interior/exterior surfaces. Excellent for intricate, carved, or molded surfaces and marine paints.
- 5 Gallons



COVERAGE:
45-50 ft²/gal, 15 layers
4-24 hr dwell

Fiberlock Piranha Nexstrip Pro

CH2018

- Professional paint remover in a paste formulation that clings to and attacks nearly any type of coating
- Does not contain dangerous chlorinated solvents, caustics or methylene chloride
- This formula is low odor
- **Recommended Use:** To be used on interior and exterior surfaces including concrete, brick, stone, aluminum, wood, fiberglass, plastic and other surfaces.
- 5 Gallons



COVERAGE:
40-60 ft²/gal
2-24 hr dwell

Fiberlock Lead Barrier Compound (LBC)

EN4001

- LBC forms a barrier between lead-based paint and the environment
- LBC complies with all EPA and HUD requirements for lead-based paint encapsulants and is recognized as a permanent method for abatement of lead-based paint
- 5 Gallons



COVERAGE:
120 ft²/gal
(Smooth Surfaces)
80-120 ft²/gal
(Porous Surfaces)

Ledizolv®

CH4006

- Used to remove hazardous lead dust to make surfaces safe for occupancy
- Concentrated cleaning solution (1:50) used to clean up and control LCD hazards in homes, schools and other buildings
- 1 Gallon



Why Use Ledizolv® Lead-Specific Detergent?

- Safe for the user
- Safe for interior areas
- Safe for the environment


ABATEMENT

Signage & Barrier

Asbestos Paper Signs

- SI1001** English Version
- SI1004** Spanish Version


- Meets OSHA CFR 1910.1001 Asbestos in Construction Standards
- Available in English and Spanish
- 11" x 17"



Lead Hazard Paper Sign

SI2001

- Meets OSHA CFR 1926.62 Lead in Construction Standards
- 11" x 17"



Asbestos Labels

- SI1102** 3" x 5" Asbestos Danger
- SI1103** 3" x 5" Asbestos Free
- SI1105** 4" x 6" Asbestos Danger Class 9 DOT

- These labels quickly alert the public to the presence of hazardous contaminants
- Printed on pressure-sensitive paper for easy application
- Comes packaged with 500 labels per roll



Lead Labels

SI2102 3" x 5"

- These labels quickly alert the public to the presence of hazardous contaminants
- Printed on pressure-sensitive paper for easy application
- Comes packaged with 500 labels per roll



Asbestos Barrier Tape

- SI1201** Red Asbestos Hazard \$18.00
- SI1202** Asbestos Warning \$18.00

- Tape is a lightweight, economical, reusable polyethylene, with a continuous repeat of message or warning
- Can be tied, stapled or nailed in place
- Meets OSHA 1910.144 for marking physical hazards
- 3" x 1000'



Lead Barrier Tape

- SI2201** Red Lead Hazard
- SI2202** Yellow Caution Lead


- Tape is a lightweight, economical, reusable polyethylene, with a continuous repeat of message or warning
- Can be tied, stapled or nailed in place
- Meets OSHA 1910.144 for marking physical hazards
- 3" x 1000'



Federal/State Labor Law Posters

- SI5005** Combined State/Federal 24" x 40"
- SI5006** Federal Labor Law 18" x 24"

- Contains most up-to-date Federal laws to be displayed at the workplace
- Available for all U.S. states



ACM Printed Waste Bags

SIZE	DESCRIPTION	ITEM #
30" x 40"	Black Bags 100/roll	BA1001
33" x 50"	Black Bags 75/roll	BA2001
33" x 50"	Clear Bags 75/roll	BA2002
33" x 50"	Clear Full Weight 75/roll	BA2009
36" x 60"	Black Bags 50/roll	BA3001
36" x 60"	Clear Bags 50/roll	BA3002
36" x 60"	Clear 6 mil ACM 50/roll	BA3003
36" x 60"	Black 6 mil 50/roll	BA3006
60" x 72"	Clear Bags 50/roll	BA5201



Unprinted Contractor Bags

SIZE	DESCRIPTION	ITEM #
33" x 50"	Black Bags 75/roll	BA2004
33" x 50"	Clear Bags 75/roll	BA2005
36" x 60"	Black Bags 50/roll	BA3004
36" x 60"	Clear Bags 50/roll	BA3005
38" x 60"	Black Full Weight 50/roll	BA4053
38" x 60"	Clear Full Weight 50/roll	BA4051
38" x 63"	Black Bags 50/roll	BA5002



Poly Woven Bags

BA7003

- Light and strong
- Puncture resistant
- Great for bulky items (Asbestos Floor Tile)
- 30" x 40"
- 1000/bail



55 Gallon Drum Barrels

SR1101 Fiber
SR1103 Steel



Plastic/Foam Squeegee

- JS7004 22"
- JS7007 30"
- JS1009 Threaded Handle



Steel/Foam Squeegee

- JS7004S 22"
- JS7002 Tapered Handle



Economy Corn Broom

- JS1003



Counter Broom "Foxtail"

- JS1004



Cotton Mophead

- JS3001 Mophead
- JS3025 Mop Handle



Heavy Duty Mop Bucket (Wringer Assembled)

- JS6001
- 35 Qt.



Pump Sprayers

- SE2000 1 Gal. Poly
- SE2001 2 Gal. Poly
- SE2002 3 Gal. Steel



Angle Broom

- JS1001



Plastic Dust Pan

- JS1026




Towels & Rags

- TW1001 Airlay Towels
- TW2001 Reinforced Blue Towels
- TW3001 40 lb. Cotton Tee Rags



TW1001



TW2001



TW3001



Job Supplies

ABATEMENT

T 50 Staple Gun

- TL3001** Gun
TL3002 3/8" Staples
(5000/box)



P-22 Stitcher Stapler

- TL3101** Stapler
TL3102 5/16" Staples
(5000/Box)



Retractable Utility Knife

- TL4101** Knife
TL4102 Blades 100/Box



4" Floor Razor Scraper

- TL2001** 12" Handle
TL2002 48" Handle




Floor Razor Scraper

- TL2003** 4 - 8"
Heavy Duty; Expandable



Razor Scraper Blades

- TL2050** 4" Heavy Duty
TL2054 8" Heavy Duty
(10 Packs)



3" Long Handle Scraper

- TL2305** Scraper



6 In 1 Scraper

- TL2901** Scraper



Milwaukee Aviation Snips

- TL4003** Snips



Wire Brushes

- TL1001** 12" Handle
TL1002 Toothbrush Style



Scrub Pads

- PD2005** 6"X9" Green 60/Cs
PD2006 6"X9" Black 20/Cs
PD2004 4.5"X10" Black 20/Cs



Scrub Pad Holder

- PD2000** 4"X10"
JS1009 Threaded Handle





ASBESTOS

INITIAL & REFRESHER COURSES

Our asbestos courses are accredited for licensing in Illinois and Indiana and accepting reciprocal states. Select courses are accredited for Tennessee, Wisconsin, Louisiana, and Missouri. Dates and specifics for these courses can be found on the online training calendar schedule. Please register for courses through from the training calendar at www.otssafety.com

INITIAL TRAINING:

- Asbestos Awareness
- Asbestos Class II Operations
- Asbestos Abatement Worker Initial
- Asbestos Abatement Supervisor/Contractor Initial
- Asbestos Inspector Initial
- Asbestos Operations & Maintenance (O & M) Initial
- Asbestos Designated Person (For LEA's)
- Resilient Floor Covering Removal Training
- Asbestos General Industry
- Asbestos Project Designer Initial

REFRESHERS:

- Asbestos Abatement Worker Refresher
- Asbestos Abatement Supervisor Refresher
- Asbestos Inspector Refresher
- Asbestos Management Planner Refresher
- 8 Hour Combo With BIR Course
- Asbestos Project Designer Refresher
- Asbestos Operations & Maintenance Refresher

HAZWOPER

INITIAL & REFRESHER COURSES

INITIAL TRAINING:

- Hazardous Waste Site Worker
- Industrial Emergency Response
- Hazardous Waste Site Supervisor
- Incident Command Management
- Hazardous Materials For Transportation

REFRESHERS:

- Hazardous Materials Refresher

LEAD

INITIAL & REFRESHER COURSES

INITIAL TRAINING:

- EPA Lead Certification (RRP Certification): Lead Safety For Renovation, Repair And Painting
- Lead-Based Paint Abatement Worker Initial
- Lead-Based Paint Abatement Supervisor Initial
- Lead Inspector Initial
- Lead Risk Assessor Initial
- OSHA Lead Awareness Training For Construction

REFRESHERS:

- EPA Lead Certification/RRP Certification
- Lead Safety For Renovation, Repair And Painting Refresher
- Lead Worker Refresher
- Lead Supervisor Refresher
- Lead Inspector Refresher
- Lead Risk Assessor Refresher



SAFETY COURSES

Many OSHA standards require employers to annually train employees in the safety and health aspects of their jobs. Here are some of the safety training classes we offer for groups. Training is available at our facility or yours. Please call or submit a request for a quote for more details about setting up a training class for your company.

- | | |
|---------------------------------|---------------------------------|
| Active Intruder Violence Safety | GHS OSHA HAZCOM Training |
| Advanced Bleed Control | Lockout Tagout Training |
| Aerial Lift | Mold Remediation Certification |
| Bloodborne Pathogens | OSHA Training |
| Confined Space Entry | Respiratory Protection Training |
| Fall Protection | Scaffolding |
| First Aid, CPR, & AED Training | Sexual Harassment Training |
| Fit Testing | Silica Awareness |
| OSHA Forklift Training | |



WHY CHOOSE US

- Customizable classes
- Group training at your jobsite, warehouse, office
- Willowbrook, IL state of the art Training Facility hosts up to 30 people
- Professional and knowledgeable instructors with decades of industry experience

Midwest
Leader for
'Hands-On'
Environmental
and Safety
Training

CONTACT
MATT YOUNG

Training Director
(630) 655-3900
matt@otssafety.com

Office Location
7233 Adams Street
Willowbrook, IL 60527



OTS is a Certified Woman Business Enterprise (WBE) through the City of Chicago and State of IL.

OCCUPATIONAL TRAINING & SUPPLY



www.otssupply.com



630-655-3900



sales@otssafety.com



7233 Adams Street
Willowbrook, IL 60527

