



# SAFETY & INDUSTRIAL

# BUYER'S GUIDE

## OCCUPATIONAL TRAINING & SUPPLY



[www.otssupply.com](http://www.otssupply.com)



630-655-3900



[sales@otssafety.com](mailto:sales@otssafety.com)



7233 Adams Street  
Willowbrook, IL 60527




















Women's Business Enterprise

- PPE
- FALL PROTECTION & CONFINED SPACE
- RESPIRATORY PROTECTION
- DUST CONTROL
- TAPES & ADHESIVES
- CONSTRUCTION SIGNAGE
- NEGATIVE AIR
- HEPA VACUUMS
- TOOLS
- ELECTRICAL & JOBSITE LIGHTING
- LADDERS
- SPRAY FOAM INSULATION
- WASTE HANDLING
- FLOORING
- INDOOR AIR QUALITY
- ABATEMENT
- TRAINING INFORMATION



# TABLE OF CONTENTS

# ABOUT US

	<b>PERSONAL PROTECTIVE EQUIPMENT</b>	<b>3 - 20</b>
	HAND PROTECTION	3 - 8
	EYE PROTECTION	9 - 14
	HEAD PROTECTION	15
	HEARING PROTECTION	16
	PROTECTIVE CLOTHING	17 - 19
	FOOT PROTECTION	20
	<b>FALL PROTECTION &amp; CONFINED SPACE</b>	<b>21 - 24</b>
	<b>RESPIRATORY PROTECTION</b>	<b>25 - 28</b>
	<b>DUST CONTROL</b>	<b>29 - 31</b>
	<b>TAPES &amp; ADHESIVES</b>	<b>32</b>
	<b>CONSTRUCTION SIGNAGE</b>	<b>33</b>
	<b>NEGATIVE AIR MACHINES</b>	<b>34 - 35</b>
	<b>HEPA VACUUMS</b>	<b>36 - 37</b>
	<b>TOOLS</b>	<b>38 - 39</b>
	<b>ELECTRICAL &amp; JOBSITE LIGHTING</b>	<b>40</b>
	<b>LADDERS</b>	<b>41</b>
	<b>SPRAY FOAM INSULATION</b>	<b>42</b>
	<b>WASTE HANDLING</b>	<b>43</b>
	<b>FLOORING</b>	<b>44 - 50</b>
	ONFLOOR - REMOVAL & SURFACE PREP	44 - 45
	STI - REMOVAL & SURFACE PREP	46 - 47
	EDCO - REMOVAL & SURFACE PREP	48
	BUFFERS & TILE HEATERS	49
	RIDE ON EQUIPMENT - FLOORING REMOVAL	50
	<b>INDOOR AIR QUALITY</b>	<b>51 - 55</b>
	<b>ABATEMENT</b>	<b>56 - 66</b>
	AIR & SURFACE SAMPLING	56
	GLOVE BAGS	57
	SHOWERS	58
	MASTIC REMOVERS	59
	PIPE WRAP & LOCKDOWNS	60
	ENCAPSULANTS	61
	LEAD BASED PAINT	62
	SIGNAGE	63
	ASBESTOS BAGS	64
	JOB SUPPLIES	65 - 66
	<b>TRAINING INFORMATION</b>	<b>67</b>

Occupational Training and Supply (OTS) is an established training company. We provide the technical training necessary to comply with current environmental, health, and safety regulations. Founded in 1990, we saw the need to provide a more hands-on type of training than was offered by other providers. As our reputation has grown, so have our facilities, scope of training and services.

In 1996, OTS further expanded its services to the industry by initiating a supply division. We offer a complete line of environmental, health and safety supplies and equipment. OTS can help you with all aspects of safety in your operations. Look to us as your complete safety resource.

We can provide you with all the tools you need to do the job right — from the proper training to the proper equipment and supplies! We offer a complete line of training, equipment and supplies in the fields of asbestos, lead, mold, hazardous materials, construction, restoration, confined space and OSHA safety compliance.


OTS is a Woman Business Enterprise (WBE), certified in the City of Chicago and State of Illinois.

## WE DELIVER ANYWHERE IN THE USA

We ship directly from our warehouse to your jobsite

## SAME DAY - LOCAL DELIVERY!

Use the map below to approximate shipping time from our headquarters in Willowbrook, IL to your location!



Shipping times are approximate. Map data provided by FedEx. Check [www.fedex.com](http://www.fedex.com) for updated shipping times.

We accept the following major credit cards:



*Prices and product availability are subject to change without notice and are not guaranteed. OTS reserves the right to refuse orders or limit shipping quantities. OTS is not responsible for typographical errors and we make every effort to ensure the accuracy of the information published in our catalog and websites.*



## CUT RESISTANT GLOVES

**Cotton/Polyester  
with Latex Dip**GL0105  
S - 2XL

ABRASION RESISTANCE	2
PUNCTURE RESISTANCE	1
CUT LEVEL	-
SHELL	Cotton/ Polyester
COATING	Natural Rubber Latex

- Cost and comfort combine to make this glove the economical palm coated glove choice
- Excellent grip in wet/dry conditions and offers abrasion resistance
- Comfortable and flexible
- Knit Wrist helps prevent dirt and debris from entering the glove
- Breathable back for comfort

**PosiGrip®**GL0110  
S - 2XL

ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	-
SHELL	Nylon
COATING	Polyurethane

- 13 Gauge Nylon Shell Knit
- Polyurethane coatings take on the surface properties of the glove liner providing a tactile grip in dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Knit Wrist
- Washable, resistant to chemicals, water, and ultraviolet light

**G-Tek®**GL0115  
S - 2XL

ABRASION RESISTANCE	2
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Polyester
COATING	Latex

- Latex crinkle coatings feature creases or wrinkles on the surface of the coating that are designed to channel fluids away allowing better contact on dry or wet surfaces - a natural rubber that is flexible, tough and durable due to its high degree of resistance to snagging, puncture, and abrasion

**G-Tek®**GL0120  
S - 2XL

ABRASION RESISTANCE	2
PUNCTURE RESISTANCE	2
CUT LEVEL	1
SHELL	Polyester
COATING	Latex

- Seamless polyester knit shell is comfortable and flexible
- Breathable glove shell
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Ergonomic shaped curved finger pattern

**NXG®**GL0125  
S - 2XL

ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	4
CUT LEVEL	2
SHELL	Cotton/ Polyester
COATING	Latex

- 10 Gauge gray cotton and polyester shell
- Excellent comfort and fit
- Gray latex dip on the palm and fingertips
- High quality work gloves
- Improves grip

**PosiGrip®**GL0130  
S - 2XL

ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon
COATING	PVC

- Air-infused PVC palm coat for excellent wet and dry grip
- Economical alternative to nitrile palm coats for general light duty applications, ideal for work with adhesives
- Liner provides tactile sensitivity
- Knit Wrist helps prevent dirt/debris from entering the glove

COW  
HIDECUT  
RESIST.DEER  
HIDEFLAME  
RESIST.GOAT  
HIDEHEAT  
RESIST.

INSULATED



KEVLAR

OIL  
RESIST.PIG  
HIDEWATER  
RESIST.



## CUT RESISTANT GLOVES



### Ninja® BNF

GL0140  
S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	2
CUT LEVEL	1
SHELL	Nylon/ Spandex
COATING	BNF w/ NFT® Coating

- 15 gauge nylon and spandex shell
- Coating on palm and fingertips (Breathable Nitrile Foam)
- Ergonomic design for minimum hand fatigue
- Excellent wet or dry grip
- Great dexterity, flexibility, and movement
- Treated with Actifresh®



### Ninja® BNF Evolution

GL0145  
S - 2XL



ABRASION RESISTANCE	-
PUNCTURE RESISTANCE	2
CUT LEVEL	-
SHELL	Ingenia™
COATING	NFT® Palm/ Fingertip

- Breathable and easy to wear; Great moisture wicking properties
- Coating significantly increases gripping power
- Reduces CO2 emission by 63% over the production of an equal amount of nylon
- Touchscreen friendly
- Treated with ActiFresh®
- For applications less than 284 degrees Fahrenheit. Contact Heat Only, Not Direct Flame.



### Ninja® BNF

GL0150  
S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon/ Spandex
COATING	BNF w/ NFT® Coating

- 18 gauge nylon and spandex shell, Black Nitrile Foam Palm and Fingers
- Ergonomic design for minimum hand fatigue
- Excellent wet or dry gripping power
- Great dexterity, flexibility, and sense of touch
- Treated with Actifresh®
- For applications less than 284 degrees Fahrenheit. Contact Heat Only, Not Direct Flame.
- Touchscreen friendly



### MaxiFlex® Ultimate™

GL0155  
S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon/ Elastane
COATING	Nitrile

- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves
- Form, Fit and Feel - Mimics the "hand at rest", reducing hand fatigue and increasing comfort
- Complies with FDA food handling requirements 21 CFR, Part 177



### Ninja®

GL0133  
S - 2XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon
COATING	Polyurethane

- 18 Gauge Athletic Grade Nylon Shell
- 30% Lighter for Greater Tactile Sensitivity
- Excellent dexterity
- Feather-light second skin feeling
- Latex Free
- PU Coated Palm and Fingertips



### Ninja®

GL0135  
S - 2XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	1
CUT LEVEL	1
SHELL	Nylon
COATING	Latex

- 15 Gauge red nylon shell
- Component materials comply with all relevant federal regulations for food contact
- Gray latex coated palm and fingertips
- Great comfort, fit and feel
- Latex coating provides outstanding gripping power





## CUT RESISTANT GLOVES

**MCR Safety Cut Pro®**GL0220  
S - 2XL

ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	4
CUT LEVEL	A2
SHELL	13 Gauge HyperMax™
COATING	Polyurethane

- 13 Gauge HPPE (High Performance Polyethylene Fiber) / Synthetic Salt and Pepper Shell
- Black palm hides soiling
- Black Polyurethane (PU) coated Palm & Fingertips
- Good abrasion, cut, and puncture resistance
- Seamless shell is comfortable, cool, and easy to wear

**Barracuda®**GL0225  
S - 2XL

ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	2
CUT LEVEL	A2
SHELL	HPPE
COATING	Polyurethane

- Tactile grip in dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Washable, resistant to chemicals, water, and ultraviolet light

**MaxiFlex® Cut™**GL0229  
S - 2XL

ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	1
CUT LEVEL	A2
SHELL	MicroFoam
COATING	Nitrile

- Touchscreen compatible
- Form, fit and feel - mimics the "hand at rest", reducing hand fatigue and increasing comfort.
- Latest knitting technology - utilized to produce smooth and rounded fingertips, improving fingertip sensitivity.
- Complies with FDA food handling requirements 21 CFR, Part 177

**MCR Safety Cut Pro® - 13 G**GL0230  
S - 2XL

ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	4
CUT LEVEL	A3
SHELL	13 Gauge HyperMax™
COATING	Polyurethane

- HyperMax™ engineered to protect against cuts and lacerations ranging from ANSI Cut Level A2 up to A9
- Excellent abrasion properties
- Outstanding grip & flexibility which limits hand fatigue on long, hardworking days
- Seamless gray HPPE / Synthetic shell that supplies cut, tear, and abrasion resistance

**MCR Safety Cut Pro® - 15 G**GL0235  
S - 2XL

ABRASION RESISTANCE	5
PUNCTURE RESISTANCE	4
CUT LEVEL	A3
SHELL	15 Gauge HyperMax™
COATING	Polyurethane

- 15 gauge blue Hypermax™ shell
- Black PU coated palm and fingertips
- Dark color hides dirt and grime
- Excellent cut, abrasion and puncture resistance
- Touch screen friendly

**MCR Safety Cut Pro® - 10 G**GL0239  
S - 2XL

ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	5
CUT LEVEL	A3
SHELL	Kevlar
COATING	Latex

- Coated with blue crinkle latex on palm and fingers
- Cut resistant, puncture resistant, and abrasion resistant gloves
- Excellent gripping power
- High comfort level
- Made with durable DuPont™ Kevlar®





## CUT RESISTANT GLOVES



### MCR Safety Cut Pro® - 13 G

GL0240  
S - 2XL



ABRASION RESISTANCE	4
PUNCTURE RESISTANCE	5
CUT LEVEL	A4
SHELL	Hypermax™ Cut Resistant
COATING	Nitrile

- 13 gauge salt and pepper Hypermax™ shell
- 1st coating features a full gray flat nitrile dip
- 2nd coating features a black foam nitrile on the palm and fingers
- Cut, abrasion and puncture resistant
- Foam nitrile offers great wet and dry gripping power



### MCR Safety Cut Pro® - 13 G

GL0260  
S - 2XL



ABRASION RESISTANCE	5
PUNCTURE RESISTANCE	4
CUT LEVEL	A6
SHELL	HyperMax™
COATING	Polyurethane

- 13 gauge seamless Gray Hypermax™ shell
- Excellent cut and abrasion resistance
- Good dexterity and puncture resistance
- Gray Polyurethane (PU) coated Palm and Fingertips
- Seamless shell is comfortable, cool, and easy to wear



### MCR Safety Cut Pro® - 13 G

GL0270  
S - 2XL



ABRASION RESISTANCE	6
PUNCTURE RESISTANCE	5
CUT LEVEL	A7
SHELL	HyperMax™
COATING	Bi-Polymer Palm

- 13 gauge seamless Salt & Pepper Hypermax™ shell
- Black bi-polymer palm and fingers
- Comfortable and easy to wear
- Good dexterity
- Outstanding cut, puncture, and abrasion protection
- Touchscreen friendly glove



### Boss® Xtreme With Arc Flash

GL1535  
S - 3XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	2
CUT LEVEL	A4
SHELL	Para-Aramid Lining
COATING	Cowhide Leather

- ARC Rating: ATPV 43 cal/cm2; PPE 4 (HRC 4)
- Para-Aramid liner is inherently cut and heat resistant; Stitched with Kevlar®, adding strength and burn resistance
- Ideal for use in oil and gas applications and offers protection from arc flash
- Top Grain Cowhide leather provides durability, abrasion resistance, breathability

## WELDING GLOVES



### Ironcat® Metal Tamer™

GL1343  
S - 2XL



ABRASION RESISTANCE	3
PUNCTURE RESISTANCE	2
CUT LEVEL	A3
SHELL	Modacrylic FR blended
COATING	FR silicone dotted

- ARC Rating: ATPV 6.9 cal/cm2; PPE 1 (HRC 1)
- Modacrylic FR blended fiber shell provides heat resistance and cut protection
- FR Silicone dotted coating provides great dexterity, comfort and heat protection
- Knit Wrist helps prevent dirt and debris from entering the glove
- Reinforcement between thumb/forefinger, improves cut resistance, extends glove life.



### Single-Ply Kevlar® Sleeve with Thumb Hole

GL3050  
12 - 18



ABRASION RESISTANCE	2
PUNCTURE RESISTANCE	2
CUT LEVEL	A3
SHELL	Kevlar
COATING	Seamless Knit

- Kevlar provides excellent cut protection and heat resistance for the wrists and arms
- Seamless knit for comfort and flexibility
- Integrated thumb hole allows protection all the way to the knuckle without sacrificing dexterity





## LEATHER, COWHIDE, PIGSKIN, &amp; DEERSKIN GLOVES

**Keystone Thumb Select  
Grain Cowhide Driver**GL1543  
XS - 2X

- Hi-vis orange at the fingertips. Keystone allows for the best flexibility. Shirred elastic wrist
- Gunn cut, cotton hem color coded for size
- General purpose for medium to heavy duty applications

**Premium Heavy-Duty  
Grain Cowhide Palm**PIP-86350  
S - 3XL

*Back is constructed of stretch fabric to provide snug fit for increased grip & finger control*

- Hook & loop closure for easy on/off & secure fit
- Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Ideal for heavy/light construction, manufacturing, fabrication, landscaping
- Reinforced split leather palm increase durability and provides added protection at common wear points

**Heavy-Duty Grain  
Deerskin Gloves**GL1545  
M - 2X

- Form fitting, comfortable, high dexterity
- Cut and abrasion resistant

**Premium Pigskin  
Driver's Gloves**GL1557  
S - 3XL

- Durable protection for general work applications
- Select grain pigskin leather driver gloves, straight thumb, gunn cut, shirred elastic wrist, cotton hem size color coded

## WELDING GLOVES



*Ideal for welding and hot, heavy material handling.*

**Ironcat® Premium Split  
Cowhide Leather Welder's**GL1321  
M - 2XL

- Split Cowhide leather provides durability, abrasion resistance, breathability
- Stitched with Kevlar® adding strength and burn resistance
- Reinforced thumb crotch for extended glove life, enhanced comfort, increased abrasion resistance and added durability in a high-wear area
- Cotton lining gives welders additional heat protection but still absorbs moisture

**Ironcat® Premium Top Grain  
Kidskin Leather Tig Glove**GL1345  
S - 3XL

*Ideal for Tig welding and automotive assembly.*

- Top Grain Kidskin leather construction is lightweight and more supple compared to Goatskin
- Stitched with Kevlar® adding strength and burn resistance
- Split leather gauntlet cuff for added forearm protection and allows for easy on/off
- Straight thumb increases comfort in closed-fisted work
- Unlined palm for dexterity

COW  
HIDECUT  
RESIST.DEER  
HIDEFLAME  
RESIST.GOAT  
HIDEHEAT  
RESIST.

INSULATED



KEVLAR

OIL  
RESIST.PIG  
HIDEWATER  
RESIST.

7



## INSULATED GLOVES & COLD WEATHER PROTECTION



### Ninja® Ice Insulated Work Gloves

CW1003  
M - 2X

- CE score 3232; CE/EN 511 cold hazard 02X
- Fully Coated 15-Gauge Orange Nylon with Acrylic Terry Inner liner for warmth
- Orange HPT repels liquids while providing strong wet or dry grip
- Fully coated for maximum protection coating remains soft in temperatures as low as -58°F



### Northflex™ Cold Grip

CW1001  
M - XL

- Foam PVC provides excellent grip on wet or dry objects, remains flexible in cold
- Coating extends over knuckles to provide added liquid penetration protection
- Thin nylon outer layer over soft thermal liner
- Gloves are washable to help prevent dirt and bacteria build up
- Recommended for temperatures down to -15°F



### Insulated Hi-Vis Cowhide Driver

CW1110  
S - 2XL

- Hi-vis orange fingertips
- "Watch Your Hands" reminder in orange
- Select and standard grain options
- Positherm® lining



### Hard Hat Tube Liners

PPE2907

### Face Warmer

PPE2906

- Available in: Navy, Hi-Vis Orange, Red
- Fits snugly over most regular brim hard hats
- Keeps air from blowing up and under hat



### Classic Mid-Length Fleece

PPE2904

- Polar fleece, full neck flap winter liner that provides a snug fit to keep head and ears warm
- Inner pockets over the ears accommodate Hot Rods Warming Packs
- Charcoal Gray



### Premium Shoulder Length Two-Way Hard Hat Liner

PPE2901

- Double button neck closure with a zip on/off bottom. Insulated ear barrier: DuPont™ Tyvek® lined warming pockets; no reflective strip or elastic at forehead.
- Fleece lined; 100% cotton twill top, 100% spun polyester bottom; No metal parts!



### Heat Pax™ Hand Warmers

CW3001

- Warms up in 5 minutes
- Hand Warmers lasts 7-11 hours
- Safe, non-toxic, odorless
- 5 pairs/pack



### Heat Pax™ Toes Warmers

CW3002

- Warms up in 5 minutes
- Toe warmers last 5 hours
- Safe, non-toxic, odorless
- 5 pairs/pack

## RADIANS SAFETY GLASSES



**Rad-Apocalypse™**  
PPE3036

**LENS SHADES:****FRAME COLORS:**

Sold by the each

- Radians Rad-Apocalypse™ safety glasses have a sleek, sporty, lightweight style. Comes with safety neck cord. New, improved soft rubber temples with flared ends
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Safety glasses meet ANSI Z87.1+ standards



**Thraxus™**  
TXC1-201D

**LENS SHADES:****FRAME COLORS:**

Sold by the each

- THRAXUS™ is the next generation of highly protective, ultra-comfortable and super stylish safety eyewear.
- Meets ANSI Z87.1 Standards
- Provides 99.9% UVA/UVB Protection



**Rock™**  
RK6-70

**LENS SHADES:****FRAME COLORS:**

Sold by the each

- Rubber temples wrap around for non-slip comfort
- Adjustable rubber nosepiece provides all day comfort
- Polycarbonate lens provides impact resistance
- Meets ANSI Z87.1 standards
- Provides 99.9% protection against harmful UV rays



**C2™ Bifocal**  
PPE3140+1.0

**LENS SHADES:****FRAME COLORS:**

Sold by the each

- Magnification diopter
- Stylish Translucent Frame
- Soft, rubber nosepiece
- Cushioned, non-slip rubber temple pads provide superior comfort
- Polycarbonate protective safety lens provides impact resistance
- Available in clear & smoke lens colors



## RADIANS SAFETY GLASSES

### Optima™ IQ

PPE3020

#### LENS SHADES:



#### FRAME COLORS:



Sold by the each

- IQuity™ Intelligent semi-permanent anti-fog and anti-scratch hydrophilic coating
- Dual Mold Rubber Temples provide a comfortable fit
- Adjustable Rubber Nosepiece has a customized, no-slip fit
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB Protection



### Women's Crossfire Infinity Pink

22528

#### LENS SHADES:



#### FRAME COLORS:



Sold by the each

- Vented Rubber Nosepiece for breathability
- Dual Mold, Rubber Temple Grips for better stability
- Hard coat polycarbonate lens protects against scratches
- Provides 99.9% UVA and UVB protection
- Complies with ANSI Z87.1 standards



### Crossfire Diamond Back Foam Lined

PPE3027-GAF

#### LENS SHADES:



#### FRAME COLORS:



Sold by the each

- EVA Foam-Lined Frame protects against dust and debris
- Soft Rubber Nosepiece for added comfort
- Hard coat polycarbonate lens protects against scratches
- Provides 99.9% UVA and UVB protection
- Complies with ANSI Z87.1 standards



### Crossfire Infinity Premium

PPE3015

#### LENS SHADES:



#### FRAME COLORS:



Sold by the each


- Vented Rubber Nosepiece for breathability
- Dual Mold, Rubber Temple Grips for better stability
- Hard coat polycarbonate lens protects against scratches
- Provides 99.9% UVA and UVB protection
- Complies with ANSI Z87.1 standards



## MCR SAFETY GLASSES

**BearKat® BK1****Series**

PPE3049

**LENS SHADES:**

Sold by the each

- Integral side shields for unobstructed view
- Non-Slip soft temple material
- Duramass® scratch resistant coating
- Polycarbonate lens filters 99.9% of harmful UV rays
- ANSI Z87+ standards

**Checklite® CL1****Series**

CL110

**LENS SHADES:****FRAME COLORS:**

Sold by the each

- Good for everyday use or a new visitor spec
- Smaller frame sized to fit smaller faces
- Duramass® scratch resistant coating
- Polycarbonate lens filters 99.9% of harmful UV rays
- Excellent Orbital Seal and Fit

**CK1 Series**

CK114

**LENS SHADES:****FRAME COLORS:**

Sold by the each

- Flexible Bayonet Temples
- Lightweight and flexible for fit and comfort
- Rugged polycarbonate lens filters 99.9% of harmful UV rays
- Flexible bayonet temples
- Lightweight frames (23.8 grams) are comfortable and easy to wear
- Polycarbonate lens provides near total orbital seal

**Hulk® HK1 Series**

HK112

**LENS SHADES:****FRAME COLORS:**

Sold by the each

- Soft, Secure TPR Nose Piece
- Non-Slip Soft Temple Inserts
- Generous lens provides excellent coverage for eye safety
- Excellent orbital seal for eye protection
- Meets ANSI Z87+
- Soft, secure TPR nose pad



## MCR SAFETY GLASSES



### Law® LW2 Series

LW218

#### LENS SHADES:



#### FRAME COLORS:

Sold by the each

- Dielectric, no metal parts
- Single lens design with integral side shields
- Thermal Plastic Rubber (TPR) temple inserts and nose pads enhance grip and comfort
- Polycarbonate lens filters 99.9% of harmful UV rays



### Klondike® KD1 Series

KD112

#### LENS SHADES:



#### FRAME COLORS:



Sold by the each

- Full orbital seal with dual lens design
- Matte blue or black frame finish
- Soft secure TPR nose pad
- Extendable spatula temples



### Swagger® UD1 Series

UD128B

#### LENS SHADES:



#### FRAME COLORS:



Sold by the each

- Entire Series Meets Military Ballistic High Velocity Standard
- Fixed closed cell foam lined options available
- MAX3® or MAX6® lens coating options available
- Modern stylish design
- Sleek Co-Injected TPR over polycarbonate temples
- Available in several frame colors



### Dominator™ DM3 Series

DM1334PF

#### LENS SHADES:



#### FRAME COLORS:



Sold by the each

- Co-injected wire core independently adjustable nose pads
- Italian fashion, sport focused design
- MAX3®, MAX6®, MAX36™ and mirrored lens options available
- Meets or Exceeds Z87+ and Military High Velocity
- Passes ANSI Z87.1 anti-fog test
- Premium MAX6® anti-fog lens coating

## HONEYWELL SAFETY GLASSES



Economy Safety Glasses

## Uvex® XV100

## Series

PPE3041

## LENS SHADES:



## FRAME COLORS:



*Practical protection and simple styling that is perfect for your basic eyewear safety needs*

Sold by the each

- Molded, universal nosepiece for easy fit
- Lightweight design and thin, shaped temples for all-day comfort
- Anti-scratch Hardcoat lenses for maximum durability
- Meets ANSI Z87.1-2015 standards



## Uvex® SVP 200

## Series

SVP20\_

## LENS SHADES:



## FRAME COLORS:



Sold by the each

- Stylish, VERY lightweight, 10-base wraparound frame
- Flexible tips
- Molded Nosepiece
- ANSI & CSA Z94.3 2015 certified



## Uvex Hypershock™

S2961HS

## LENS SHADES:



## FRAME COLORS:



\*Priced as each, Sold 10/box

- PC lens: Photochromic: Hydrosshield AF: Uvextreme Plus AF
- Soft: molded nosepiece. Temple inserts
- Ideal for indoor/outdoor use: 100% dielectric
- ANSI Z87.1+2015



## Uvex® Protégé

PPE3117

## LENS SHADES:



## FRAME COLORS:



\*Priced as each, Sold 10/box

- Soft temple tips and nose "fingers" reduce slippage
- Secure wraparound brow - Lifetime frame guarantee
- Meets military ballistic test for impact
- ANSI Z87.1+ 2015 standards CSA Z94.3 2015 certified



## HONEYWELL SAFETY GLASSES

### Uvex Genesis®

PPE3108

#### LENS SHADES:



#### FRAME COLORS:



Sold by the each

- Uvex Genesis is engineered to deliver on the best all-day comfort, protection and style
- Has Hydroshield anti-fog technology built into the lens
- Frames have a lifetime guarantee
- ANSI Z87.1+ - 2015 standards, CSA Z94.3 2015 Certified



### Uvex Avatar™ OTG

PPE3104

#### LENS SHADES:



#### FRAME COLORS:



\*Priced as each, Sold 10/box

- Stylish ultra-light design; incorporates a unique Weight Distribution Technology, making it comfortable and stylish
- Adjustable temples, flexible/adjustable nose
- ANSI Z87.1-2015 & Z94.3 - 2015 standards



### Uvex Stealth® OTG

S3970HS

#### LENS SHADES:



#### FRAME COLORS:



\*Priced as each, Sold 10/box

- Fits comfortably over most prescription eyewear
- Has Dura-streme AF/HC, MMT elastomer body, and an easy and economical lens replacement system
- Quick-adjust, latex-free headband, in Neoprene
- ANSI Z87.1+ 2015 standards, CSA Z94.3 2015 Certified



### Uvex Livewire®

S2602HS

#### LENS SHADES:



#### FRAME COLORS:



\*Priced as each, Sold 10/box

- Sealed eyewear engineered to offer extreme protection in extreme conditions
- Uvex Livewire has Hydroshield AF, top and side ventilation channels, and flexible design
- Foam subframe, padded temple, ratcheting temples, adjustable headband
- ANSI Z87.1+ 2015 standards



## HARD HATS &amp; ACCESSORIES

## Radians Hard Hat With Ratchet Suspension

**PPE2363** Cap Style  
**PPE2363FB** Full Brim Style

- 4 Point Pinlock Suspension
- Pillowed Brow Pad
- Vertical Height Adjustment
- High Density Polyethylene Construction
- Universal Accessory Slots
- Meet ANSI Z89.1-2014 Type 1- Class G & E Standards



## MSA V-Guard Hard Hat With Ratchet Suspension

**PPE2003** Slotted Cap  
**PPE2020** Full Brim Style

- The V-Guard hard hats by MSA are protective head gear that meets and/or exceeds all of the applicable requirements for a Type I helmet for top impact. There is a four point webbed suspension that is used for comfort along with a large knob for easy adjustment.



## PIP Dynamic Rocky™

**PPE2110** Cap Style

- Ultra lightweight shell made with Polycarbonate/ABS material provides superior protection
- 4-point nylon webbing suspension
- Universal accessory slots accept virtually any competitors' accessories
- Meets CSA Z94.1-15 & ANSI Z89.1-2014 Type II, Class E requirements



## Fibre-Metal Hard Hat With Ratchet Suspension

**PPE2030** Slotted Cap

- Thermoplastic hard hat that combines exceptional protective performance with extraordinary comfort to reduce risk and improve productivity. Features eight load bearing points that balance weight and impact energy over a wide area for added comfort and safety. Meets ANSI standards.



## High-Performance Face Shield

**PPE3311-R** Clear  
**PPE3311-RS** Smoke (Outdoor Sun Use)  
**PPE3314** Shade 3  
**PPE3312** Shade 5\*  
**PPE3313** Shade 8\*

- Plastic and metal, cap and hat models, can be used with slotted or non-slotted helmets. Clear meets both ANSI and CSA standards. Shade models only meet ANSI standards.



\*Shade 5 - Torching/Cutting  
 \*Shade 8 - Plasma Cutting

## Aluminum Visor Suspension

**PPE3306** Cap Style  
**PPE3309** Full Brim

- Bracket is used to attach a face shield to a hard hat



## Illumagear Halo™ SL Lighting System

**PPE2210** Halo SL

- NEW 50-foot spotlight and powerful flood task lighting
- Lightweight and cord-free, water resistant
- 360° visibility for a quarter-mile
- Compatible with any standard hard hat
- NEW Battery life indicator
- Charger included



## USB Rechargeable Hard Hat Headlamp

**2111-21** Clear

- 475 Lumens of TRUEVIEW™ High Definition Output
- IP54 Rated: Water and Dust Resistant
- Flood, Spot and Spot/Flood Beam Pattern Options
- Get 50% of a Charge in Under 30 Minutes, 80% in Under 1 Hour, and a Full Charge of the REDLITHIUM® USB Battery in 2 Hours



HARD HAT CLIPS INCLUDED



## EARPLUGS & EARMUFFS

### Verishield™ 100

Noise reduction rating 27

- 1035110-VS** Over-The-Head Hi-Vis
- 1035121-VS** Hard Hat
- PPE4058** Neckband

- **Over-the-Head:** Traditional-style earmuffs with an adjustable cushioned headband. Available in Low, Mid and High attenuation (NRR) levels and folding and high visibility options
- **Hard Hat:** Designed to be worn when also wearing a hard hat. Can be attached to a Honeywell hard hat in just 7 minutes. Available in Low, Mid and High attenuation (NRR) levels and a high visibility version
- **Neckband:** Fitting around the neck from behind. Available in Low, Mid and High attenuation (NRR) levels

#### Over-The-Head

#### Hard Hat

#### Neckband



*\*All above items sold in increments of 10 only*

### Howard Leight Laser Lite® Earplugs

- PPE4001** Cordless 200/Box
- PPE4002** Corded 100/Box

- Extremely soft foam seals without pressure. Smooth surface repels dirt.
- Meets ANSI S3.19 requirements
- Noise reduction rating 32



### Howard Leight Airsoft®

- PPE4011** Cordless 200/Box
- PPE4011C** Corded 100/Box

- Noise reduction rating 27
- Less pressure with a better seal



### Radians Resistor® 32 Disposable Foam Earplug

- PPE4002RC** Cordless 200/Box
- PPE4002R** Corded 100/Box

- Tested according to ANSI specs S3.19-1974, feature soft, slow-recovery foam for extreme comfort. They expand slowly for a low-pressure fit in virtually any size ear canal.
- Noise reduction rating 32 dB



### Radians Deviator® 33 Disposable Foam Earplugs

- PPE4013** Cordless 200/Box
- PPE4014** Corded 100/Box


- Noise reduction rating 33



### Radians Radband 2 Banded Earplugs

- PPE4007** Earplugs
- PPE4008** Replacement Pods

- Noise reduction rating 25
- Reusable
- Dielectric



### Radians Cap Mount 26 Earmuff

#### PPE4026

- Noise reduction rating 26



## HI-VIS WORKWEAR

## Economy Type R Class 2 Mesh Safety Vest

**SV2GM** S-5X  
**SV2OM** S-5X

- Offers compliant protection at an economical price
- Closure: Hook & loop
- 2" silver tape reflective material. 1 horizontal stripe
- Pockets: 1 upper chest and 1 lower inside
- 3rd Party Certified
- Meets ANSI/ISEA 107-2015 Standards



## Surveyor Type R Class 2 Safety Vest

**PPE6021-G** S/M-4/5X  
**PPE6021-O** S/M-4/5X

- Zipper closure with 2" silver reflective tape
- 7 pockets, 4 outside & 3 inside
- Meets ANSI/ISEA 107-2015 Standards



## Standard Type R Class 2 Mesh Safety Vest

**SV8GM** M-5X  
**SV8OM** M-5X

- Two horizontal stripes for enhanced night time visibility.
- 2" silver tape reflective material. 2 horizontal stripes.
- 6 Pockets: 2 each upper outside and 4 inside
- Zipper closure
- Meets ANSI/ISEA 107-2015 Standards



## Premium Mesh Modacrylic FR Class 2 Vest

**SV97-2VGMFR** M-5X

- These offer the flame resistant properties required by ANSI 107-2015, but also certified reflective material
- Hook & Loop Closure w/ 2 pockets
- Meets ASTM F1506
- ARC Rating 5.1 Cal/CM2



## Type R Class 3 Multipurpose Surveyor Vest

**SV272-3ZGM** M-5X  
**SV272-3ZOM** M-5X

- Zipper Closure
- 2" Silver Reflective Tape
- Pockets: 3 outside, 1 inside tablet pocket
- Materials: 100% polyester mesh
- Meets ANSI/ISEA 107-2015 Standards



## Two Tone Surveyor Type R Class 2 Solid/Mesh Vest

**SV6G** S - 5X  
**SV6O** S - 5X

- Available in all mesh, solid front and mesh back
- Closure: Zipper
- 2" silver tape reflective material
- Pockets: 4 outside & 2 deep inside
- Meets ANSI/ISEA 107-2015 Standards



## Surveyor Type R Class 2 Safety Vest

**SV7B-2ZGM** S/M-4X/5X  
**SV7B-2ZOM** S/M-4X/5X

- Zipper front closure
- 2" silver tape reflective material
- Pockets: 4 front & 1 back plan pocket
- Materials: 100% polyester mesh with solid pockets
- Meets ANSI/ISEA 107-2015 Standards



## Class 3 Hi-Vis Weatherproof Bomber Jacket

**SJ11QB-3ZGS** S-5X  
**SJ11QB-3ZOS** S-5X

- Class 3 weather proof with a quilted liner
- Color blocked bottom
- PU coated weather proof 300D oxford polyester shell
- Concealed attached hood
- 3D flap covered cell phone / radio chest pocket
- Two lower zipper closure lined pockets





## DISPOSABLE CLOTHING

### Polypropylene Suit

**DC100\_** White 25/Case

**DC160\_** Blue 25/Case

*SIZES: XL-5X*

- Spunbond polypropylene offers minimal protection but is a cost-effective dry particulate barrier.
- Also available in 2 oz. (DC130\_)



### SafeGard® SMMS Global Pattern Coveralls

**DC2102** 25/Case

*SIZES: XL-5X*

- Respirator fit hood, Protective storm flap over zipper, Elastic wrist, Elastic back, Non-skid boots
- Comfortable, highly breathable fabric
- Excellent particle filtration efficiency
- Anti-Stat (EN1149-1)



### Lakeland Micromax® NS Coverall

**DC250\_** 25/Case

*SIZES: L-5X*

- Lakeland MicroMAX® NS coverall, zipper, attached boots, elastic wrists. This line of general-purpose protective clothing can be used in any non-hazardous environment where dirt, grime, splashes and spills are present.
- Also available in Flame Retardant Pyrolon (DC530\_)



### Tyvek® Coverall

**DC310\_** 25/Case

*SIZES: XL-5X*

- Tyvek® coverall, zipper, attached hood, attached boots, elastic wrist, set-in sleeve. This coverall meets or exceeds ANSI 101-1996 sizing requirements and are required to pass dynamic fit tests to minimize rips and tears.



### Lakeland Chemmax™ 1 Yellow Coverall

**DC370\_** 25/Case

*SIZES: XL-5X*

- ChemMAX™1 is useful in protecting against hazardous chemicals and contaminants found in the workplace. Made with a polyethylene film and continuous filament polypropylene nonwoven.



### Tychem® SL Coverall

**DC490\_** 12/Case

*SIZES: XL-5X*

- Tychem® SL offers effective protection against a broad range of chemicals. This fabric is lightweight and offers economical protection against a broad range of chemicals. These garments feature bound seam construction and storm flaps over zippers.
- Coverall, zipper with storm flap, attached hood, boots, elastic wrists. Bound seam construction.



## FLAME RESISTANT


**MCR Safety Flame Resistant Coveralls - 7 Oz**
**CCMG** Gray

*SIZES: S - 5X*
*Available in Tan, Navy, and Gray*

- NFPA 2112 UL Certified; ASTM 1930 Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard/Risk Cat HRC2 / 8.7 cal/cm2
- Max Comfort™ 7 oz. 100% Cotton FR twill fabric
- Triple needle reinforced stitched with Nomex® thread on major seams for durability


**MCR Safety Summit Breeze Coverall - 7 Oz Cotton Material**
**SBC2011** 36 - 66 Regular  
**SBC2011T** 36 - 66 Tall

*SIZES: XL - 5X*
*Available in Gray, Navy, Tan, Red, and Royal Blue*

- NFPA 2112 UL Certified, NFPA 70E; ASTM 1930 Tested, Certified
- ASTM F1506 Electric Arc Protection, ATPV 8.7 cal/cm2, CAT2
- Triple needle stitched in high wear areas
- 1 Inch FR silver reflective stripes on arms and legs


**MCR Safety Summit Breeze Flame Resistant Shirt - 7 Oz**
**SBS2003** Regular  
**SBS2003T** Tall

*SIZES: S - 5X*
*Available in Gray, Navy, Medium Blue and Tan*

- NFPA 2112 UL Certified, NFPA 70E
- ASTM F1506 Electric Arc Protection, ATPV 8.7 cal/cm2, CAT2
- ASTM 1930 Tested, Certified
- Double needle reinforced with Nomex® thread throughout the garment for durability


**3-Piece Rain Suit**
**CL300\_** Yellow

*SIZES: S - 6X*

- This 3-piece rain suit is constructed from .35 mm PVC on polyester
- For light to medium applications
- Vented cape back
- Adjustable snap closures on wrist and ankles allows for a great fit and wide range of motion


**3-Piece Rain Suit**
**CL302\_** Yellow

*SIZES: S - 5X*

- Yellow Webtex PVC .65, heavy-duty use
- Includes: jacket, bib overall, and hood
- Snap closure with storm flap
- Elastic cuffs, sealed seams


**Radians Class 3 Hi-Vis Rain Gear**
**CL3519** Jacket  
**CL3520** Pants

*SIZES: M - 5X*

- General purpose rain jacket with Reflectivz® weatherproof and high visibility technology
- The 300 Denier PU coated, high visibility oxford material provides excellent protection
- The vented back cape will keep you cool and comfortable, while the D-Ring pass through will keep you protected in tough environments

## COVERS & BOOTS

### Poly Shoe Cover

**CL1305** White Covers  
**CL1307** Blue Non-Skid

- Standard weight Spunbond Polypropylene shoe covers offer lightweight protection against dry particulates
- Used to keep dirt off from tracking on the shoe
- 100 pairs/Case



### Blue Plastic Shoe Cover

**CL1311**

- Protect your shoes and floors from damage with slip-on plastic shoe covers
- Easy to use, lightweight, and waterproof
- 100 pairs/Case



### Micromax Shoe Covers With Elastic Ankles

**CL1314** White Covers  
**CL1316** Gray Non-Skid

- MicroMax NS provides the protection you need from dirt, grease, grime, and light chemical splash
- 200 pairs/Case



### Micromax 17" Boot Covers With Elastic Tops

**CL1318** White Covers  
**CL1319** Gray Non-Skid

- MicroMax NS provides the protection you need from dirt, grease, grime, and light chemical splash
- 200 pairs/Case



### Latex Nuke Boot

**CL1302** XL  
**CL1303** 2XL

- The Nuke boot is 100% waterproof cost-effective liquid and chemical barrier
- Designed to wear over shoes or boots protecting your investment



### Yellow Slush Boot

**CL100\_** 9 - 18

- The slush boot provides 100% waterproof protection designed to fit easily over shoes or boots
- Light to heavy-duty applications



### PVC Steel Toe Boot

**CL120\_** 4 - 14

- Reinforced steel toe and steel shank from arch to heel, this heavy duty 16" PVC Boot provides excellent barrier
- protection from liquids and chemicals. Known as "Cement" boots worn over sock.



### Honeywell Work Boot

**CL1284** 6 - 15  
*(Women select one size below)*

- Slip-resistant to help prevent worker slips and falls and heat-resistant to temperatures up to 572° F
- Meets ASTM F2413-11 M I/75 C/75 SD
- Men's full sizes: 6-15/half sizes 7.5-11.5



## COLD/HEAT STRESS & FIRST AID

### First Aid Kit

**PPE1001** 25 Person

- First Aid Kit for 25 people with essential first aid items per ANSI 2009 specifications
- Contents are organized for fast access and labeled with clear directions by injury type



20

### Phase Change Vest

**PPE6509** Navy

- Embroidered Arc Rating
- Adjustable with hook & loop strap
- Thinsulate™ Insulation
- One size fits all



### Miracool® Cooling Bandanas

**PPE2710** Navy

- Just soak in cold water; 100% cotton; Reusable



### Single & Double Bottle Eye Wash Station

**PPE3403** 32 oz Single

**PPE3404** 32 oz Double

**PPE3410** 32 oz Refill Bottles

- Provides immediate flushing until the injured person can get to a primary emergency eyewash device
- Highly visible and readily available for emergency flushing and decontamination





## HARNESS/LANYARD COMBO

### Frenchcreek 631-KIT Full Body Harness

**FP5002** M - XL

- Lightweight full body harness with mating buckles
- 6' shock absorbing web lanyard with pack made of heavy duty 1 3/4" synthetic webbing, with #74N locking snaps on each end
- Drawstring bag



### Frenchcreek 631 Full Body Harness

**FP1132** M - XL

- Great all-around, lightweight series
- Sliding back D-ring (keeps fallen worker vertical in suspension)
- 3-point adjustment (chest and leg straps)
- Pass-through leg and chest buckles
- Lightweight, high strength synthetic webbing
- Model 631B also includes hip-positioning D-rings



### 550 Full Body Harness

**FP1103** Large  
*\*Available in XS-3X*

- 6-Point adjustment full body harness with permanently attached waist belt
- EZ-Slide back D-ring provides easy, safe connection and keeps fallen worker vertical after any fall
- Perfect-fit chest strap with easy to use pass-through buckle, sewn in place to prevent user maladjustment
- Additional rear lumbar straps provide security against rear worker release
- Spring-loaded friction buckles on shoulder straps for quick and easy adjustment that stays in place
- Tongue buckle leg straps for fast and easy donning, brass grommets that won't rust



### 850AB Full Body Harness

**FP1156** Large  
*\*Available in XS-3X*

- Extremely durable and comfortable. With an extensive range and a suitable model for nearly every job application, it is a long-time favorite in the construction industry.
- Adjustable shoulder, chest, waist, and leg straps
- Sliding back D-ring
- 6" wide comfort waist pad/removable heavy-duty tool belt
- Lightweight, high strength synthetic webbing
- One of the most popular models, provides all day comfort in the harshest environments



SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

## LANYARDS

### 6' Shock Absorbing Lanyard 450A

**FP2225**

- 6' shock absorbing web lanyard with pack
- Constructed of rugged, durable, high quality 1" synthetic webbing
- Shock absorbing device comes in the form of a pack
- #74 Locking snaps on each end



### 6' Shock Absorbing Lanyard 450AS

**450AS**

- This tubular-elastic web lanyard with shock absorbing pack limits fall arrest forces to 900 lbs. when tested to OSHA and ANSI standards.
- 1-3/16" synthetic webbing with shock pack
- Stretches to minimize tripping and snagging hazards
- Standard 6' length relaxes to approximately 4.5' when not stretched
- Additional snaphook options available



### 6' Shock Absorbing Lanyard 490A

**FP2230**

- This web lanyard with pack style shock absorber limits fall arrest forces to 900 lbs. when tested to OSHA and ANSI standards.
- 1-3/4" synthetic webbing with shock pack
- Standard length 6', additional lengths available
- Additional snaphook options available



### Shock Absorbing Web Pack Lanyard 454AS

**454AS**

- 1-3/16" synthetic webbing with shock pack
- Stretches to minimize tripping and snagging hazards
- Standard length 6', additional lengths available
- Standard 6' length relaxes to approximately 4.5' when not stretched
- Additional snaphook options available



### 446AW Shock Absorbing Lanyard

**446AW**

- This synthetic web lanyard with shock absorbing pack can be used as a "tie-back" anchor, and limits fall arrest forces to 900 lbs. when tested to OSHA and ANSI standards
- 1-3/8" tubular synthetic webbing
- Standard length 6', additional lengths available
- Color coded wear indicator
- Additional snaphook options available



### Dual Leg Shock Absorbing 100% Tie Off Lanyard 444A

**444A**

- Dual leg web pack style, 100% tie off
- 1" synthetic webbing with shock pack
- 6' length
- Locking snap hooks one end, 2 1/2" gate hooks on the other ends



### 6' Dual Leg Shock Absorbing Lanyard 440AS

**FP2248**

- Shock absorbing pack limits fall arrest forces to 900 lbs. when tested to OSHA and ANSI standards.
- 1-3/16" synthetic webbing with shock pack
- Stretches to minimize tripping and snagging hazards
- Standard length 6', additional lengths available
- Standard 6' length relaxes to 4.5' when not stretched



### Dual Leg Shock Absorbing 100% Tie Off Lanyard 444AS

**FP2250**

- Dual leg elastic pack style, 100% tie off
- 13/16" synthetic webbing
- Stretches to minimize tripping and snagging
- 6' length, 4 1/2' when relaxed
- Locking snap hooks one end, 2 1/2" gate hooks on the other ends





## ANCHORS/LANYARDS

### Double D Ring

- FP4003** 2' Tie Off Strap Anchor
- FP4004** 3' Tie Off Strap Anchor
- FP4005** 4' Tie Off Strap Anchor
- FP4007** 6' Tie Off Strap Anchor

- FCP Tie-off strap anchors wrap around I-beams and other structures to form a secure attachment point for lanyards or other connecting devices
- Double D-ring tie-off strap

**FP4003**



**FP4004**



**FP4005**



**FP4007**



### 1769 Steel Anchor

#### FC1769


- FCP's steel anchorage connectors are removable/reusable
- Made to be mounted on solid steel structures and/or steel I-beams
- Spring action Girder Anchor offers one-handed operation for a variety of applications
- Fits 3/4" - 1" hole diameter, maximum 1" thick material



### 1770 Concrete Anchor

#### FP5116


- Portable and reusable concrete hole anchor
- Rated to 5,000 lbs.
- Can be used for vertical and overhead concrete applications
- Fits 3/4" hole



### 1785 Door Jamb Anchor

#### FP4090

- The FCP Door Jamb Anchor is designed to be used as a temporary anchor that mounts in door or window openings from 24" to 43" wide
- Applications include construction, roof tops with door entrances, elevator shafts, wall openings, emergency and rescue situations, and more
- Features one fixed leg and one adjustable leg (with multiple pin sets & adjustable mounting pad), the unit can be sized and secured without the use of tools
- The FCP Door Jamb Anchor meets or exceeds all OSHA requirements





## SELF RETRACTING LIFELINES/TRIPODS

### 8' Rogue Lightweight SRL

**FP3024**

- The swiveling attachment eliminates twisting lines
- Extremely lightweight, weighing in at just under 2 lbs.
- The impact indicator allows for easier visual inspections
- Will stop a fall within inches
- Can accommodate up to 400 lbs. total weight capacity (Worker and tools)



### 8' Web Self-Retracting Lifeline

**FP3025**

- This 8 ft. self-retracting lifeline is engineered to provide extreme durability, reliability, and performance
- Features extended range of movement and zero slack
- Centrifugal braking system that will engage at even the slightest of falls
- Features a work load capacity of 310 lbs.



### 13' Renegade SRL

**FP3046**

- 13 ft working capacity
- Arrests falls in inches
- 400 lbs. Capacity
- No annual recertification
- Visual impact indicator



### 8' Dual Rogue Lightweight SRL

**M2RG-6Z**

- 100% tie-off allowing a worker to move freely and transition from anchor point to anchor point safely
  - Perfect for all day use, and the 8' length gives your workers the freedom of movement.
- Standard features include:**
- 8' working length
  - Capacity of 400 lbs.
  - Sub -compact design
  - Short fall arrest Class "A" SRL



### 25' Self Retracting Lifeline

**FP3101**

- Features cast aluminum housing, so it is strong and dependable
- Provides up to 25 ft. of extended movement and zero slack
- Dual internal braking system designed to lock up within 24"
- Each lifeline has a work load capacity of 310 lbs.
- Galvanized steel wire cable



### 50' Self-Retracting Lifeline

**FP3105**

- Provides up to 50 ft. of extended movement and zero slack
- Dual internal braking system designed to lock up within 24"
- Internal deceleration braking system
- Each lifeline has a work load capacity of 310 lbs.
- Galvanized steel wire cable



### 50' SRL 3-Way Retrieval Unit

**FP5103**

- Raise and lower a worker for rescue or retrieval
- Friction brake prevents crank handle from free-wheeling while under load
- Split pulley and carabiner for attaching the lifeline
- Meets or exceeds OSHA requirements for confined space rescue
- 50' galvanized steel cable



### Confined Space Tripod

**FP5101-KIT**

- Designed to withstand 5,000 lbs. of vertical load
- Features include adjustable/locking aluminum legs, safety chain, non-slip rubber safety shoes, and two attachment points on the steel head
- 7' length aluminum confined space tripod
- Hard bottom winch carry bag



**G7: The only gas detector that works as hard as you do.**



**blacklinesafety**

#### INCLUDES:

- Connected, full-feature gas detector that sets up in minutes
- SOS latch notifies any email or phone number
- Over-the-air configurations and device updates
- Real-time gas detection compliance
- Powerful analytics and reporting interface
- Cloud-hosted platform with 99.9% uptime
- Quad-gas sensor configuration: LEL-MPS, H2S, CO, O2
- Two-year warranty on hardware and sensors
- Extended warranty available

PUSH TO TALK AND BLACKLINE 24/7 MONITORING UPGRADES AVAILABLE.

ITEM #: CS4111

#### Standard Sensors:

- CO
- CO-H
- H2S
- High-range H2S
- LEL-IR
- LEL-MPS
- O2
- SO2

To learn more about the hardest working gas detector on the market, contact us today.

# RESPIRATORY EQUIPMENT

**Honeywell**  
**NORTH®**

RESPIRATORY  
PROTECTION



## HONEYWELL MASKS & FILTERS

### Honeywell North® HM500 Series Half Mask

RE3011/12 S-L

- Lightweight, durable with easy operation features
- Filters and cartridges are quick and easy to attach
- Lighter than other masks on the market
- Soft material – better touch and seal
- Easy assembly and disassembly
- Effective seal all shift long



**RE3001-3** Industry standard for comfort, fit & reliability

### Honeywell North® 7700 Series

RE3001-3 S-L

- Industry standard for comfort, fit & reliability
- Low “dead air” space
- Variable thickness in sealing area
- Wide, contoured sealing area
- Head straps have dual elasticity
- ‘Parking’ feature
- No chance of latex allergens



### Honeywell North® 5400 Series

RE3102-3 S-M/L

- Best value you can find in a full facepiece
- Economically priced elastomeric mask with many standard features
- Can be adapted to PAPR or Supplied Air
- Latex Free
- All parts replaceable (many interchangeable with 7600)
- Polycarbonate lens meets ANSI high impact requirements



### Honeywell North® 7600 Series

RE3100-1 S-M/L

- The 7600 series silicone full facepiece features the same craftsmanship and design details that make the 7700 half mask with a wide 200° field of vision. Latex Free!
- Can be adapted to PAPR or Supplied Air
- Five strap head harness
- All parts replaceable
- Polycarbonate lens meets ANSI high impact requirements



### Honeywell North® Ru6500

RE3120-2 S-L

- Silicone seal provides excellent seal/barrier against contaminants
- Silicone nose cup is soft and comfortable for all day wear
- Polycarbonate lens meets ANSI Z 87 for high impact
- Wide viewing area provides distortion free visibility
- 5-point strap option
- Can be adapted to side mount CF-SAR, front mount



### P100 Particulate Filter

RF3001 2/pack

- Model # 7580P100
- 99.97% minimum filter efficiency for all particles



### Organic Vapor Cartridge

RF3003 2/pack

- Model # N75001L
- Organic vapors only



### Defender™ Multi-Purpose Cartridge With P100 Filter

RF3009 2/pack

- Model # 75SCP100L
- Covers: organic vapor, ammonia, methylamine, formaldehyde, and acid gas (chlorine, hydrogen, chloride, sulfur dioxide, hydrogen sulfide, chlorine dioxide) with a P100 particulate filter (99.97% minimum filter efficiency) for all particles





## HONEYWELL MASKS & FILTERS

### Honeywell North® Face-Mounted PAPR

**RE5008-10** S-L

- Front mount capability provides an alternate option for users who may prefer the comfort of not having the PAPR blower on their belt
- Allows users the flexibility of converting from APR to PAPR in three different mask sizes
- Ideal for users who need only High Efficiency Particulate (HEPA) protection
- Lightweight unit will not slow worker efficiency
- Water-resistant battery pack is contoured for better fit
- Assembly includes: RU6500 Facepiece with 5-point head strap, battery, blower, battery charge



### Honeywell North® Primair® 700 Series PAPR

**RE3150** PAPR With Belt

- Includes: Blower, Battery, Charger, Comfort Pad, Nylon Belt, and Bonus Starter Kit (PA100 filter and optional filter cover)
- Mask Size: Universal
- Headgear Included: No
- PAPR Mount: Belt-Mounted
- For Use With: 700 Series Powered Air Purifying Respirator
- Cartridges Included: P100
- Intrinsically Safe: No
- Item: PAPR System
- Battery Type: Lithium Ion



### PAPR P100 Filter

**RF5008** 1/pack

- Model # 108044
- High efficiency (HE) filter



### P100 HEPA Cartridge

**RF3150** 1/pack

- For PA700 Series PAPR
- \*Minimum order quantity = 4 boxes of 5 filters



### OV/HEPA Cartridge

**RF3151** 1/pack

- For PA700 Series PAPR
- \*Minimum order quantity = 4 boxes of 5 filters





## 3M MASKS & FILTERS

### 3M™ 6000 Series Elastomer Half Mask

RE1101-3 S-L

- The 3M™ 6000 series offers reliable and convenient respiratory protection and is suitable for many situations. Featuring a low-profile design for better visibility, this facepiece allows the user to also wear safety glasses.
- Compatible and convenient respiratory protection
- Half facepiece reusable respirator
- Made with thermoplastic elastomer (TPE)



### 3M™ 6800/6900 Series Full Facepiece

RE1301-3 S-L

- Large lens for wide field of view and excellent visibility
- Silicone face seal for greater comfort and durability
- Unique center adapter to direct exhaled breath and moisture downward, helps reduce debris from depositing in the valve, and allows for quick and easy cleaning
- 3M™ Cool Flow™ Valve for cooler, drier comfort



### 3M™ 7500 Series Silicone Half Mask

RE1204-6 S-L

- Half facepiece ultimate reusable respirator
- Advanced silicone material for increased comfort and durability
- 3M™ Cool Flow Valve for cool, dry comfort
- Dual-mode head harness for standard or drop-down mode



### P100 Filter

RF1202 2/pack

- Model # 3M 7093
- NIOSH approved for particulates



### P100 Filter

RF1001 2/pack

- Model # 3M 2091
- NIOSH approved for particulates



### P100 Filter With Nuisance Level Organic Vapor Relief

RF1003 2/pack

- Model # 3M 2097
- NIOSH approved for nuisance level organic vapor and particulates



### OV/AG/P100 Filter

RF1228 2/pack

- Model # 3M 60923
- Organic vapor/acid gas/P100
- Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide, hydrogen sulfide or hydrogen fluoride and particulates



# RESPIRATORY EQUIPMENT

## DISPOSABLE MASKS

### Honeywell North® N95 Dust Mask With/Without Exhalation Valve

<b>RE6150</b>	Without Valve	20/Box
<b>RE6151</b>	With Valve	10/Box

- The ONE-Fit Molded Cup disposable N95 respirators are universal, one size respirators designed to fit most face sizes and shapes
- Molded Cup N95 Particulate Respirator with Exhalation Valve

WITHOUT VALVE



WITH VALVE



### 3M N95 Dust Mask With/Without Exhalation Valve

<b>RE1002</b>	Without Valve #8210	20/Box
<b>RE1003</b>	With Valve #8511	10/Box

- NIOSH approved for at least 95% filtration efficiency against certain non-oil based particles
- Two-strap design with welded dual point attachment helps provide a secure seal
- Adjustable nose clip helps provide a custom fit and secure seal
- 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator

WITHOUT VALVE



WITH VALVE



### Tub Of Respirator Wipes

<b>RE8003</b>	220/tub
---------------	---------

- Easy to use 6" x 7 1/2" wipes for respirator and other personal safety equipment



### Respirator Wipes In Dispenser Boxes

- |               |                   |
|---------------|-------------------|
| <b>RE8001</b> | 100-Alcohol Free  |
| <b>RE8002</b> | 100-Alcohol Based |
- Wipes to clean respirator and other personal protective equipment
  - 100 towelettes per dispenser, 10 dispensers per case



\*Wearing a respirator requires annual fit testing  
Register for a fit test at:  
[www.otssafety.com/respirator-fit-test](http://www.otssafety.com/respirator-fit-test)

### Airflow Test Kit

<b>RE8103</b>
---------------

- Non-corrosive smoke is safe for use in isolation room testing, ventilation ducts, and other environments
- Ready to use, no mixing or equipment required
- 6 non-corrosive smoke tubes included



### Replacement Smoke Tubes

<b>RE8101</b>	6/box
---------------	-------

- Smoke tubes for qualitative fit tests



### VeriFit® Qualitative Fit Test Kit

<b>RE8100</b>	6/pack
---------------	--------

- Ready to use, irritant smoke for qualitative fit test





# DUST CONTROL



**TOUGHER  
THAN THE  
JOBSITE.™**

DUST CONTROL




## SURFACE SHIELDS

### Protection Film

**JS7052** 24" x 200'  
**JS7058** 36" x 200'

- Self-adhering protective film
- Special blend of polyethylene is highly resistant to tears or punctures
- Reverse wound for easy application
- Protection during remodeling, painting, moving, model home tours and parties



### Builder Board™

**JS7090** 38" x 100'

- The most durable paper board on the market!
- Builder Board replaces the need for large, bulky sheets of masonite and it rolls out fast and flat
- With the new Liquid Shield™ technology, Builder Board is now spill proof



### Step N Peel™ Clean Mat

**JS7025** 24" x 36" White (Case of 4)  
**JS7023** 36" x 36" White (Case of 4)

#### With Optional Platform:

**JS7029** 25.5" x 31.5" (w/ 30 sheets)  
**JS7033** 25.5" x 31.5" Refills (Case of 4)

- Polyethylene film mat with a tacky surface that removes dirt and dust from footwear
- Contains 30 tabbed layers of film on a reusable base
- Available in white; logo imprint for an additional charge


**JS7029**



### Dust Containment Kit

**P09041-KIT** 12'

- Makes constructing temporary poly walls quick, simple, and affordable
- Great for contractors, remodelers, painters, window installers, masons, abatement crews, etc.
- Kit contains:
  - Four 12' Dust Shield Pro Adjustable Poles
  - Two 1.5" x 7' Zip n Close Zippers
  - One Heavy Duty Canvas Bag\*
- \*Custom printed bags available with minimum order





## ZIPWALL

### Zipwall 4-Pack Plus Kit

**P09009** 12' 4-Pack Plus Kit  
**P09010-KIT** 10' Pole Kit

- Create a dust barrier up to 30' long in minutes. Poles extend from 4' 7" to 12'.
- The perfect starter barrier kit includes: Four 12' aluminum spring loaded poles, 4 heads, 4 plates, 4 tethers, 4 Grip Disks™, 2 ZipWall standard zippers and 1 heavy-duty carry bag



### Zipwall® SLP 2-Pack Poles

**P09008** 12' Poles

- Two 12' spring-loaded poles. Includes two sets of parts (head, plate, tether, and GripDisk™)



### Zipwall® SLP 6-Pack Poles

**P09008-6** 12' Poles

- Six spring-loaded poles and six individual bags of parts (head, plate, tether and GripDisk™). Can be snapped onto poles for individual display.



### Kit 20 2-Pack Poles

**P09011** 20' Poles

- Two poles that extend from 6'9" to approximately 20'. Includes two jacks and two sets of parts (head, plate, tether, GripDisk™).



### Zipwall® Heavy Duty Zippers

**P09007** 2 Pack  
**P09007-12** 12 Pack

- Includes two self-adhesive zippers, two cords for tying up a plastic flap, and the innovative ZipWall® Zipper Knife®.



### Replacement Parts

**P09006** Standard Zippers (2 Pack)  
**P09012** Foam Rails (2 Pack)  
**P09017** Head & Plate Pack





## PLASTIC SHEETING

### Clear Poly Sheeting

**P01009** 20' x 200' 1.5 mil  
**P01013** 12' x 200' 2 mil  
**P02999** 4' x 100' 4 mil  
**P03006** 10' x 100' 4 mil  
**P03003** 12' x 100' 4 mil  
**P03011** 20' x 100' 4 mil  
**P04001** 10' x 100' 6 mil  
**P04003** 12' x 100' 6 mil  
**P04011** 20' x 100' 6 mil

- Protection from dust, dirt, moisture and contaminants
- Ideal for covering equipment, floor protection, and construction area enclosures
- Great for use as a leak diverter and splash guard



### Black Poly Sheeting

**P03002** 12' x 100' 4 mil  
**P03010** 20' x 100' 4 mil  
**P04002** 12' x 100' 6 mil  
**P04010** 20' x 100' 6 mil

- Ideal for equipment cover, vapor barrier, insulation, paint protection or moisture barrier



### White Poly Sheeting

**P03007W** 10' x 100' 4 mil  
**P03008W** 14' x 100' 4 mil  
**P03011W** 20' x 100' 4 mil

- Generally used for exterior removal projects. White poly sheeting reflects the sun away from landscaping underneath, providing better protection of plants, shrubs, and turf.



#### POLYETHYLENE (POLY) SHEETING

- Folded for fast mobilization
- Accurate mil thickness and size
- Lubricated properly for maximum tape adhesion

### Flame Retardant

**P04005** 12' x 100' 6 mil  
**P04013** 20' x 100' 6 mil

- Meets requirements for fire rated plastic. Flame retardant means it will not spread a flame if it were to catch fire.



#### POLY HANGERS

- Save labor, Faster installation
- No glue or tape damage
- Poly won't fall down
- Professional look

### Reinforced

**P04012** 20' x 100' 6 mil

- Superior Heavy-Duty, Tear resistant



### Woven

**P04018** 20' x 100' 6 mil

- Puncture and Tear Resistant



### Anti-Static/Flame Retardant

**P04015** 20' x 100' 6 mil


- Keeps dust out! Printed with Anti-Static/Fire Retardant. Fire retardant passes NFPA 701-2015 Test 1. Great for hospitals and schools. Reinforced also available P04017



### Griffolyn®

**P04040** 20' x 100'


- Type-55 ASFR is a 3-ply laminate combining two layers of antistatic fire retardant, linear low-density polyethylene film and a high strength cord grid



### Polyhanger #1

**P09001**

- Hanger slips behind wall moulding



### Polyhanger #2

**P09002**

- Hanger clips over horizontal leg of ceiling wall moulding



### Polyhanger #3

**P09003**

- Hanger supports poly from ceiling grid



### Polyhanger #4

**P09004**

- Hanger includes 10" cable tie to support poly from different components





# TAPES & ADHESIVES

## Red Poly Tape

**TA3102** 2" - 24/case  
**TA3103** 3" - 16/case

- Polyethylene film, low-residue aggressive adhesive
- Bonds well to most surfaces over a wide temperature range
- Excellent for hanging poly sheeting

*\*Sold by case or roll  
\*That's only \$6.03/roll*



## 14 Day Blue Masking Tape

**TA5002S** 2" - 24/case  
**TA5005** 3" - 16/case

- Ideal for long term masking projects on painted surfaces
- Removes clean and easy for up to 14 days
- Can be used in direct sunlight

*\*Sold by the case  
\*That's only \$5.32/roll*




## 14 Day Blue Masking Tape With Paint Block Technology

**TA5001** 2" - 24/case

- Blue fine crepe paper masking tape with a specially formulated pressure-sensitive synthetic rubber adhesive designed for exposure to sunlight up to fourteen days
- Protective, compatible on lacquer or polyurethane-coated surfaces, unfinished wood, wallpaper, or new, unpainted, or freshly painted wallboard.

*\*Sold by the case  
\*That's only \$7.91/roll*



## Masking Tape

**TA4103** 3" - 16/case

- Designed for paint masking, splicing, bundling and packaging
- Ideal for masking projects on glass, metal, vinyl and wood surfaces
- Removes clean and easy for up to 7 days

*\*Sold by the case  
\*That's only \$9.36/roll*



## White Poly Tape

**TA3102-W** 2" - 24/case  
**TA3103-W** 3" - 16/case

- Polyethylene film, low-residue aggressive adhesive
- Bonds well to most surfaces over a wide temperature range
- Excellent for hanging poly sheeting

*\*Sold by case or roll  
\*That's only \$6.03/roll*



## Economy Grade Duct Tape

**TA3075** 2" - 24/case

- An economical solution for general repair needs
- Good adhesion for basic jobs
- Ideal for everyday repairs, wrapping, sealing and general use

*\*Sold by the case  
\*That's only \$4.99/roll*




## Industrial Grade Duct Tape (Nashua 398)

**TA3003** 3" - 16/case

- High quality, premium maintenance tape for a variety of environments
- Sealing insulation, bundling, patching, mending, etc.
- HVAC industry for duct and equipment applications; asbestos removal and manufacturing industry

*\*Sold by the case  
\*That's only \$14.37/roll*



## Spray Adhesive

**CH3001** 12/case

- Fast tacking aerosol adhesive spray, excellent for hanging poly sheeting
- Designed to bond urethane foams, foam rubber, leather, paper, cardboard, cloth, masonry, and certain plastics

*\*Sold by the case*





## Work Zone Barriers

### Barricade Tape

- SI4011** 3" x 1000' Red Danger
- SI4001** 3" x 1000' Yellow Caution
- SI4013** 3" x 500' Reinforced Red Danger
- SI4014** 3" x 500' Reinforced Yellow Caution

- Tape is a lightweight, economical, reusable polyethylene, with a continuous repeat of message or warning. Can be tied, stapled or nailed in place.
- Meets OSHA 1910.144 for marking physical hazards.



### Safety Cones

#### SI9917

- 28" Orange Traffic Cones
- Reflective collars
- 4" & 6" collars
- Heavy-duty for high traffic areas
- Built for extreme temperatures



### OSHA Safety Pennant Flags

#### SI9911

- 12" x 18" pennants made of 4-mil polyethylene plastic
- Mounted and double-stitched on durable plastic-covered ropes
- Choice of colors
- 100' length contains 20 flags




Available in any combination of:  
Black, Blue, Green, Orange, Red, White, Yellow

### Retractable Cone Bar

#### SI9925

- Retracts from 5' to 9'
- Use with any and all PVC Traffic Cones
- Extremely versatile for road and utility work sites
- Perfect for parking lots and pedestrian crossways
- Convenient and fast unique barrier system





# NEGATIVE AIR

## Husqvarna A600/1000

### NA4050

- Individually tested and certified hospital HEPA filter: 99.99% at 0.3 microns
- 8" Air exhaust
- Collapsible handle: to accommodate stacking
- Disposable 12"x12"x1" Pleated polyester pre-filter
- 2-Speed, 25HP motor: 300/600 CFM
- Double warning lights: Yellow for clogged filter, red for filter leaks
- Daisy chaining feature



## Aerospace 9145

### NA4100-AS

- Air Capacity 675 CFM High Speed
- Air Capacity 450 CFM Low Speed
- Motor: 1.0 H.P. (two speed switch)
- 26" Length x 18" Width x 18" Height
- Slide Down Door for easy accessibility
- Four (4) Casters for easy mobility
- 12" Exhaust



## Novair 1000 Portable Air Filtration

### NA4120

- For use in abatement, hospitals, air scrubbing, or anywhere dust is a concern
- True 1000 cubic feet per minute air movement with all filters in place
- Powerful 1.00 Hp motor; 2 speed motor; 110v 60Hz or 220v 50/60Hz
- Utilizes standard 16 x 16 x 11.5 HEPA filters or nuisance dust filters
- Polyethylene shell is seamless and dent proof
- "Hand truck" configuration featuring no marring skids and wheels
- Small footprint-perfect for tighter areas
- Lightweight and virtually indestructible



## Accessories

- NA4051** 12" x 12" HEPA Filter
- NA2070** 12" x 12" x 1" Pleated Filter
- NA1089** 12" x 12" Carbon Pleated
- NA6000** 8" x 25' Flex Duct

NA4051



## Accessories

- NA1022** 16" x 16" x 6" HEPA Filter
- NA2011** 16" x 16" Pre-Filter
- NA3013** 16" x 16" Ring Panel Filter
- NA1079** 16" x 16" x 2" Carbon Pleat
- NA6002** 12" x 25' Flex Duct

NA1079



## Accessories

- NA2011** 16" x 16" Pre-Filter
- NA3013** 16" x 16" Ring Panel
- NA2055** 16" x 16" x 2" Pleated Filter
- NA1079** 16" x 16" x 2" Carbon Pleat
- NA1021** 16" x 16" x 11.5" HEPA Filter
- NA6001** 10" x 25' Flex Duct



NA2055



NA6001

# NEGATIVE AIR



## Novair 2000 1000 CFM Negative Air

### NA5001-NOV

- The Novair 2000 Portable Air Filtration for use in abatement, hospitals, air scrubbing, or anywhere dust is a concern. Available in a variety of power sources (110v-220v 50/60Hz) and filter configurations.
- Dent proof, leak proof polyethylene; Light weight and virtually indestructible
- Longer filter life; Motor pulls more particulate deeper in the filter
- True 2000 cubic feet per minute with filters in place
- Powerful 2 HP motor, (the most powerful in its class)
- Light and compact; Fits through standard doorways
- Utilizes HEPA filters or Nuisance dust filters
- Polyethylene shell is seamless and dent proof
- Filters for hazardous material or nuisance dust
- Move the same air with fewer machines
- Replacement filters readily available
- Integrated molded carrying handles; Integrated rib for strapping; Caster nest for stacking
- Easy to decontaminate or clean
- 2 speed configuration



### Accessories

<b>NA2040</b>	24" x 24" Pad Pre-Filter
<b>NA3030</b>	24" x 24" Ring Panel Filter
<b>NA2050</b>	24" x 24" x 2" Pleated Filter
<b>NA1082</b>	24" x 24" x 2" Carbon Pleat Filter
<b>NA1063</b>	24" x 24" x 12" HEPA 2000 CFM

## Aerospace 2000 1950/1300 CFM Negative Air

### NA5001-AS

- Options: Intake Manifold, Carbon Filter, Hour Meter, No Casters, HEPA Switch
- Slim unit for those hard to squeeze areas!
- Made from aircraft grade aluminum for reduced weight
- Air Capacity 1950 CFM High Speed
- Air Capacity 1300 CFM Low Speed
- Motor: 1.0 H.P. (two speed switch)
- Slide Down Door for easy accessibility
- Four (4) Casters for easy mobility; Four (4) Handles 1
- 12" Exhaust



### Accessories

<b>NA2040</b>	24" x 24" Pad Pre-Filter
<b>NA3030</b>	24" x 24" Ring Panel Filter
<b>NA2050</b>	24" x 24" x 2" Pleated Filter
<b>NA1082</b>	24" x 24" x 2" Carbon Pleat Filter
<b>NA1063</b>	24" x 24" x 12" HEPA 2000 CFM

## Flex Duct

<b>NA6000</b>	8" x 25' Flex Duct
<b>NA6001</b>	10" x 25' Flex Duct
<b>NA6002</b>	12" x 25' Flex Duct

- Flex source reusable duct
- Heavy duty
- For use with negative air machines



## Lay Flat Duct

<b>NA6009</b>	12" x 500' Clear Tubing
---------------	-------------------------

- Disposable ducting
- Customize your own length up to 500'





# HEPA VACUUMS

## Euroclean/Nilfisk GD930 Canister HEPA Vacuum

### VA7001 GD930 Vacuum

- The Euroclean/Nilfisk GD 930 is a canister vacuum cleaner designed for solid performance for demanding applications, such as mold or asbestos remediation.
- A multi-stage filtration system features a paper bag, foam filter and an upstream HEPA filter, helping to ensure indoor air quality. The HEPA filter is capable of filtering 99.97% of particles, down to and including 0.3 microns
- Quiet operation
- Large wheels, caster, low profile and convenient carrying handle make it exceptionally easy to use
- Rugged construction enables it to withstand heavy duty use
- Sturdy steel container, 4 gallon capacity
- Quick and simple access to internal parts for easy servicing



### Accessories

#### VA7003 10/pack Collection Bags



## Husqvarna S11 Wet/Dry HEPA Vacuum With Power Tool Outlet

### VA6400 S11 Wet/Dry HEPA

- Husqvarna S 11 is a compact and portable H-classified wet and dry industrial vacuum cleaner for general cleaning and handheld tools. It is equipped with HEPA-filters and offers automatic filter cleaning by shaking the filter during operation for a continuous air-flow. This vacuum unit is very easy to transport and handle thanks to its compact design, low weight and convenient carry handle.


*\*Does NOT include tool kit*



### Accessories

#### VA6403 Collection Bags

#### VA6401 S11 Tool Kit



## Husqvarna DE 120

### VA6701 DE 120 HEPA Vacuum

- This versatile h-class dust extractor is compact and easy to transport, yet powerful. It is designed for use with larger hand-held power-tools, floor and hand grinders, shotblasters, scarifiers and more. Its performance and sturdiness make the de 120 ideal for demanding, heavy-duty applications. It features a user-friendly hmi and an e-flow function that automatically adjusts air flow while securing high runtime from the batteries. Its high water protection enables fast and efficient decontamination. It also features embedded connectivity allowing you to swiftly monitor location, service and filter status along with other valuable usage data.
- Continuous high performance
- High safety standards
- Easy to transport
- Operate more sustainably with e-flow
- Easy to clean and maintain
- Improved longopac® attachment system
- Optimized accessory range



### Accessories

#### VA6506 Longopac Bags 4-70'



# HEPA VACUUMS

## Husqvarna DE 110

**VA6601** DE 110 HEPA Vacuum  
**VA6506** Longopac Bags 4-70'

- This versatile H-class dust extractor is compact and easy to transport, yet powerful. It is equipped with a user friendly HMI that monitors performance and an e-flow function that automatically adjusts the air flow, enabling stable air flow and extending intervals between filter-cleanings. Its high water protection allows fast and efficient decontamination. It also features embedded connectivity allowing you to swiftly monitor location, run-time, service and filter status along with other valuable usage data.
- Continuous high performance
- High safety standards
- Operate more sustainably with e-flow
- Easy to clean and maintain
- Improved longopac® attachment system
- Optimized accessory range



VA6506



## Prep/Master 3003AR Dust Collector

**VAST001**

- The Prep/Master® 3003AR is a particularly strong filtering unit with fully automatic cleaning of the filter cartridges. Three turbines, each generating 1,000 Watts of drive power, provide the basis for the 3003AR exceptional performance. Suitable to small to mid-sized machines.
- Uses Longopac disposal system for safe collection of toxic waste and dust
- Fully automatic self-cleaning filter cartridges
- 300 CFM (510 m3/h)
- HEPA filter, OSHA-compliant



## Prep/Master 3003GP Dust Collector

**VAST100**

- The Prep/Master® 3003GP is an industrial-sized vacuum for collecting large amounts of fine and toxic silica dust. There are no impossible applications for the 3003GP—from the laboratory to the workshop, from mechanical engineering to the cement industry.
- Uses the Longopac disposal system
- Distribution box contains two 230V power outlets—32A & 62A — uses one power supply to run both the vac and a grinder or shot blaster!
- 317 CFM (540 m3/h)
- HEPA-filter, OSHA-compliant
- Continuous pneumatic cleaning
- Filter efficiency gauge
- Safe collection of fine toxic waste and dust
- 120 volts

FRONT



BACK



## Demo Tools

### 15 Amp Super Sawzall® Reciprocating Saw

PTM6538-21

- 15.0 Amp Motor - highest overload protection in the industry; prevents motor burn up/failure
- Patented Gear Protecting Clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Constant Power Technology™ - maintains constant speed under load for unmatched cutting performance



### M18 Fuel™ Super Sawzall® Reciprocating Saw

PTM2722-20

- Superior performance: Delivers the fastest cutting speed in its class, increased power and the durability of corded saws
- POWERSTATE™ Brushless Motor: constant power for faster cuts
- REDLINK PLUS™ Intelligence: optimized performance and overload protection
- REDLITHIUM™ XC 12.0 Battery Pack: Provides superior pack construction, more work per charge and more work over the life of the pack than competitive batteries



#### THE AX™

PTM48-01-7021 6"  
PTM48-01-7026 9"  
PTI108-C 12"

- The Ax™ Sawzall® blades with NAIL GUARD™ and FANG TIP™ have been engineered to deliver the fastest cuts, longest life, greatest tooth durability and quickest plunge cuts of any wood demolition blade on the market.

#### THE WRECKER™

PTM48-00-5701 6"  
PTI132 9"

- The Wrecker™ Sawzall® blades are ideal for general purpose demolition cutting. It will deliver exceptional durability in a wide range of materials, including ferrous and non-ferrous metals, plastics, and nail-embedded wood.

#### THE TORCH™

PTM48-01-7782 6"  
PTM48-01-7787 9"  
PTM48-01-7789 12"

- The Torch™ Sawzall® blades deliver exceptional durability and straighter cuts in pipe, conduit, strut and other metal materials.

#### THE ICE HARDENED™

PTM48-00-4182 6"  
PTM48-01-9787 9"

- Ice Hardened™ Sawzall® blades are cryogenically treated to minimize soft metal (austenite) and create more hard metal (martensite). The result is a metal cutting blade that is more consistently hard throughout, for up to 50% longer life than standard blades.





## Grinders & Dust Shrouds

### Ermator Dust Bug 90/180

**PT1790** 0-3" - 90  
**PT1791** 3-6" - 180

- For all types of drills
- Suction holds in place, NO clamps needed!
- For dry or wet applications
- Universal fit for all vacuums



DUST BUG 180



### Ermator Dust Hood

**PT1536** 4-5"  
**PT1535** 7-9"

- For cutting with an angle grinder
- Aerodynamic, ergonomic shape allows full visibility when cutting
- Easy to remove cover to change blades
- Brush end to control "blow by"
- Made for tuck pointing, crack chasing and joint cutting



### Ermator Dust Boot

**PT1799**

- For drills and hammers
- Flexible tip allows you to get close to work area
- Universal fit for all vacuums



### Sawbuddie™

**PT1011** 18" Hose

- Clear flexible rubber shroud
- Velcro strap installation
- Fits with a variety of reciprocating saws
- 2 1/2" long bristles with line-of-site gap



### Universal Surface Grinding Dust Shroud

**PTM49-40-6100** 4-5"  
**PT1530-C** 7"  
**PTM49-40-6190** 18"

- 18" Hose Adapter
- Quick attachment from shroud to most industrial type vacuums
- Dual swivel ends: allows for fluid movement and helps prevent hose bind up



### 11 Amp Corded 4 1/2" Small Angle Grinder With Lock-On Paddle Switch

**PTM6142-30**

- Compact, lightweight design
- Multi-port exhaust reduces motor burn-up
- Tool free, burst resistant guard



### 15 Amp 7"/9" Large Angle Grinder (Lock-On)

**PTM6088-30**

- Delivers performance and durability for most difficult grinding jobs
- 4.2 HP motor; 6,000 RPM
- Soft grip main handle
- Tool free, burst resistant guard
- 7" and 9" Type 27 guard included



### Bitbuddie™

**PT1796** 3/8"  
**PT1797** 1" - 4"  
**PT1798** 4" to 8"

- 3 sizes for a variety of applications
- Suction holds it in place-no clamps
- Captures dust and slurry
- Save time and money on clean up





# ELECTRICAL & LIGHTING

## Extension Cords

**EL1002** GFCI

**EL1220** 50'

**EL1207** 100'

- Hospital grade
- Both ends of cords have indicator lights



## Tbox Temporary Power Box U-Ground T-Slot

**EL1026**

- (ALL OUTLET PROTECTION)
- 6- 20 Amp outlets Circuit Breaker protected
- 30 Amp 250V receptacle Circuit Breaker protected
- 50 Amp inlet and outlet - Recessed for safety
- Circuit breaker protection on all outlets
- Weatherproof covers on all outlets, inlets, circuit breaker panel



## 10,000 Lumen Ratcheting LED Work Light

**EL3205** 10 Watt - LED

- Multi-Position Ratcheting Floor Stand
- 360 Degree Rotating Head
- On/Off Switch
- 18/3 SJTW Cord
- 5000K Color Temperature
- 10,000 Lumens



## M18 Rover Flood Light

**PTM2361-20** 18V

- Lumens = 1500/780
- Low and high settings
- 3.1 lbs, 8.8" long
- Battery and charger sold separately
- Light Only



## LED String Lights

**EL1301** 100' Plastic

**EL1303** 100' Metal

- Heavy duty for extreme conditions
- 100' cords with lights
- Available in metal or plastic
- 10 lights per 100'



## M18 Radius Compact Site Light

**PTM2145-20** 18V

- 4400, 2100, 1000 Lumens
- Low, medium, and high
- Powered by battery or cord
- 10.6 lbs
- Daisy chain compatible
- Light Only



## Wobblelight 36" 400W Metal Halide Work

**EL3175** 400W Wobblelight

- Self-righting design
- Floating shock system and strong lens
- Convection/fan vented - exterior cool to touch
- Polycarbonate dome resists impact
- 360° of lighting
- No set up required - just plug in



## M18 Radius Site Light With One-Key™

**PTM2150-20** 18V

- 9000, 4800, 2500 Lumens
- Low, medium, and high settings
- Stands 29.5" high
- 27.1 lbs
- Battery and charger sold separately
- Light Only





# LADDERS



**METALTECH**



## 6' Louisville Fiberglass Step Ladder

**EQ5006**  
**EQ5008**

- Molded top with handyman's tool slots
- Slip-resistant boot
- Inside spreader braces
- Heavy-duty gusset bracing
- Wide back braces
- ANSI Type 1A - 300 lbs.

*OTHER AVAILABLE SIZES: 4', 8', 10', AND 12'*



## 6' Louisville Fiberglass Step Ladder

**FS1506**

- Raptor boot with slip-resistant non-marring bonded tread
- Multifunctional raptor top with multiple tool slots and magnet
- Shox Impact Absorption System
- Inside spreader braces
- Double-rivet step construction
- Wide back braces
- ANSI Type 1A - 300 lbs.

*OTHER AVAILABLE SIZES: 2', 3', 4', 5', 7', 8', 10', AND 12'*



## 17' Louisville Aluminum Multipurpose Ladder

**L-2098-17**

- Changes into 4 different positions
- Easy operation with lightweight aluminum design
- Advanced heavy-duty polymer spring loaded l-locks
- Easy-to-use flip and lock hinges
- Slip-resistant rubber feet
- ANSI Type 1A - 300 lbs.


*OTHER AVAILABLE SIZES: 13' AND 22'*



## 6' Metaltech Baker™ Utility Scaffold

**I-CISCDW**

- Quick and easy height adjustment from 27" to 73"
- Reach: 12 ft/stackable up to 3 units high for 24 ft reach
- Meets: ANSI, CSA AND OSHA standards
- 6" Heavy-duty casters
- Thermoplastic rubber (TPR) rolling surface
- Shock-absorbing and superior impact resistance
- Non-marking smooth and quiet rolling operation
- Big 6" wheel easy rolls over debris and uneven surfaces
- Load capacity: 1,250 lb. Combined weight of user + materials
- Designed for use in the most demanding environments
- Resistant to chemicals, acids, bases, alcohols, salts and steam





# SPRAY FOAM INSULATION

## System 15 Closed Cell

**WZ1202**  
**WZ1202- FR**

- This two-part system produces 198 square feet of cured foam at a 1" thickness, or 16.5 cubic feet.
- Versi-Foam® Standard Density (1.75 pcf) Systems are the most commonly utilized in the Versi-Foam® product line. All are available in a standard formula and Class I\* flame-retardant formula. System 15: Yields 200 ft<sup>2</sup> at 1" or 16.5 ft<sup>3</sup>
- 198 sq ft 1.75 lbs/cubic ft



## System 50 Closed Cell

**WZ1301**  
**WZ1301-FR**

- This two-part system produces 600 square feet of cured foam at a 1" thickness, or 50 cubic feet.
- Versi-Foam® Standard Density (1.75 pcf) Systems are the most commonly utilized in the Versi-Foam® product line. All are available in a standard formula and Class I\* flame-retardant formula. System 15: Yields 600 ft<sup>2</sup> at 1" or 50 ft<sup>3</sup>
- 600 sq ft 1.75 lbs/cubic ft



## System 100 Open Cell

**WZ1303**

- Portable, disposable, open-cell spray foam kit. It offers a cost-effective means to insulate, control air movement and reduce sound transmission between rooms within the building. This system yields 1200 square feet of cured foam at a 1" thickness, or 100 cubic feet.
- 1200 sq ft - 0.75 lbs/cubic ft



## Versi-Foam® One Component Sealant

**WZ1003** 24 oz Window & Door  
**WZ1005** Metal Dispensing Gun  
**WZ1006** 16 oz Cleaning Solvent  
**WZ1004** 16 lbs. Cylinder Versi-Tite®

- Versi-Tite® is a one component polyurethane foam used to seal small gaps and crevices. It dispenses from the can in a 3/8" caulking bead for easy use in sealing around doors, windows, pipes, outlets or any other penetrations.
- \*Hose & Applicator Not Included



WZ1003

WZ1005

WZ1006

WZ1004

# WASTE HANDLING



## Unprinted Contractor Bags

<b>BA2004</b>	33" x 50" Black Bags 75/roll
<b>BA2005</b>	33" x 50" Clear Bags 75/roll
<b>BA3004</b>	36" x 60" Black Bags 50/roll
<b>BA3005</b>	36" x 60" Clear Bags 50/roll
<b>BA4053</b>	38" x 60" Black Full Weight 50/roll
<b>BA4051</b>	38" x 60" Clear Full Weight 50/roll
<b>BA5002</b>	38" x 63" Black Bags 50/roll



## Contractor Bags

### BA6003

- Black poly
- 3 mil thick
- Heavy duty 42 gallon size
- 20/box, easy pullout roll



## Industrial Push Broom Unassembled

<b>JS1005</b>	Multi-purpose Head Only
<b>JS1006</b>	Rough Surface Head Only
<b>JS1007</b>	Broom Handle Brace
<b>JS1009</b>	Plastic Coated Steel Handle
<b>JS1008</b>	Fiberglass Broom Handle

- Heavy duty



## 1/2 Cubic Yard Tilt Truck

### JS6016

- 27.76" W x 59.2" L x 34.86" H
- 90 lbs
- 800 lbs capacity
- 10" Wheels
- Industrial strength casters with integrated brakes
- Hooks for holding utility bin underneath handle
- Durable MDPE construction
- Steel frame
- \*Lids available upon request



## Poly Woven Bags

### BA7003

- Light and strong
- Puncture resistant
- Great for bulky items
- 30" x 40" Bags



## Plastic Grain Shovel

### TL9004

- Versatile, general purpose, year round tool
- Well suited for a variety of lawn and garden uses as well as farm and agricultural ones
- It is primarily used to lift and transfer a variety of materials, including stone, soil, and grain



## Industrial Push Broom Assembled

### JS1012

- Heavy duty
- Fully assembled
- Multi-Surface



## 1 Cubic Yard Tilt Truck

### JS6021

- 33.87" W x 70" L x 43.84" H
- 140 lbs
- 1,300 lbs capacity
- 12" Wheels
- Industrial strength casters with integrated brakes
- Hooks for holding utility bin underneath handle
- Durable MDPE construction
- Steel Frame
- \*Lids available upon request





## On Floor Multi-Surface 16" Machine

**SP0102** Multi-Surface

**Optional:**

**SP0105** 20 lb. Weights

**SP0110** 7" Quicktool Receiver Plate

The Onfloor OF16S-H is a multi-surface planetary concrete floor grinder, concrete floor polisher equipped with Onfloor's patented triple-belt planetary technology. The OF16S-H operates on 110-120V and is powerful enough for professional users yet simple enough for almost anyone to operate and maintain. The high tool speed (1000 rpm) of the OF16S-H makes it an ideal concrete floor grinder capable of achieving production rates as high as 300 square feet per hour. The OF16S-H also incorporates Onfloor's patented tool attachment system known for being the fastest tool change in the industry.

- 16" Cutting Path: More production in less time
- High-Speed Grinding: Grind Concrete, Stone, Terrazzo and more
- Lightweight High Speed: Faster operation and easy mobilization
- Up To 180 lbs. Grinding Pressure: Increases productivity with more grinding pressure
- Patented Triple Belt Planetary: Creates more torque with less power
- Patented Flexible Tool Plates: Follows the contour of the floor for faster production
- Removable Handle: Reduces overall height for mobilization
- Self-Maintenance Platform: Replace belts and bearings in minutes not hours
- Wet/Dry Operation: The machine operates dry with a dust collector or wets with water



### OPTIONAL ACCESSORIES

SP0105



SP0110



**TOOLING PACKAGES ARE AVAILABLE FOR A MULTITUDE OF APPLICATIONS, INCLUDING:**

Concrete Surface Preparation  
Epoxy Removal  
Mastic/Glue Removal




## Onfloor - Removal & Surface Prep

### Carbide Cutter Replacement Blade

#### SP0116

- Scrapes mastic, glues, thin sets, and coatings
- Best on Medium / Hard concrete
- Approx. 10,000 Life/Square Feet




*For Mastic & Carpet Glue Removal*




### 8-Way Carbide Blade & Holder

#### SP0115




*For Mastic & Carpet Glue Removal*



### 25 Grit Riptip 2 Diamond Blade

#### SP0121

- For mastic and glues removal
- Best used on Hard concrete
- Approx. 4000 Life/Square Feet




*For Mastic & Carpet Glue Removal*




### 16 Grit Single Segment Diamond Blade

#### SP0131

- Use for removing light coatings
- Use as a concrete prep for coatings
- Best on Medium/Hard concrete
- Approx. 5000 Life/Square Feet



*For Thinsets, Fillers, & Epoxy Coatings*




### 25 Grit Single Round Diamond Blade

#### SP0126

- For Thin Sets and thicker mastic removal
- Grinds high spots on concrete
- Best on Medium/Hard concrete
- Approx. 5000 Life/Square Feet

*For Epoxy & Other Thicker Coatings*



### 30 Grit XT5-Seg Blade

#### SP0141

- Use as a concrete prep for coatings
- Best on soft concrete
- Approx. 12,000 Life/Square Feet



*For Thin Coatings, Grinds, & Preps*



## STI - Removal & Surface Prep

### Prep/Master® 2420 Floor Grinding Machine

#### SPS105

- Ideal for polishing projects up to 5,000 SF (500 M2); 978 lbs.
- Motor: 20 HP- 3 phase
- Working width: 24"
- 20 HP (14.7kW)
- 1 or 3 phase; Available in 230V or 480V
- 4 tool plates (included); Uses 12 tools

#### PRODUCTION RATES

**Mastic Removal:**  
475 SF (45 m2) per hour

**Thin Set Removal:**  
525 SF (50 m2) per hour

**+/-25 Mil Coatings:**  
325 SF (30 m2) per hour

**Concrete Polishing:**  
925 SF (90 m2) per hour



### Prep/Master® 3030 Floor Grinding Machine

#### SPS104

- Ideal for polishing projects up to 10,000 SF (1,000 M2); 1,338 lbs.
- Motor: 30 HP - 3 phase (22kW)
- Working width: 30"
- 30 HP (22kW)
- 1 or 3 phase; Available in 230V or 480V
- 4 tool plates (included); Uses 12 tools
- Power source: 220/230 VAC 1 or 3 Phase, 60Hz or 380/480 VAC 3 Phase, 50-60Hz

#### PRODUCTION RATES

**Mastic Removal:**  
600 SF (60 m2) per hour

**Thin Set Removal:**  
600 SF (60 m2) per hour

**+/-25 Mil Coatings:**  
425 SF (40 m2) per hour

**Concrete Polishing:**  
1,200 SF (120 m2) per hour



### Prep/Master® Jr. Floor Grinding Machine

#### SPS102

- 7.5 HP, 220/240 Volt, Single Phase, 40 AMP
- Heavy head pressure for a better grind and polish - 60% of its weight is on the head!
- Magnetic LED Light to illuminate front of machine or behind machine on the cutting path
- Easy disassembly of machine into two sections for easier transportation
- (Grinding head = 260 lbs. / Handle = 130 lbs. / Two Pocket Weights = 30 lbs. each)
- Screw-in Carrying Poles for two-three person lifting
- 8-gallon (30 liters) water tank

#### PRODUCTION RATES

**Mastic Removal:**  
200 SF (20 m2) per hour

**Thin Set Removal:**  
200 SF (20 m2) per hour

**+/-25 Mil Coatings:**  
200 SF (20 m2) per hour

**Concrete Polishing:**  
300 SF (30 m2) per hour



## STI - Removal & Surface Prep

### 18 Grit Prep Tool

#### SPS135

- 18 Grit, medium bond. Aggressive, fast cutting 2 segment metal bond tooling used to remove black mastic, epoxy, adhesives, and thin-set.



### 25 Grit Prep Tool

#### SPS136-M

- 25 Grit, medium bond. Aggressive, fast cutting 2 segment metal bond tooling used to remove black mastic, epoxy, adhesives, and thin-set.



### 25 Grit Prep Tool Black

#### SPS136

- 25 Grit, hard bond. Aggressive, fast cutting 2 segment metal bond tooling used to remove black mastic, epoxy, adhesives, and thin-set.



### 16 Grit/10 Segment Diamond

#### SPS130-S

- A little thinner than the SPS130, but gives up none of the performance making this tooling a great economical choice.



### 16 Grit/10 Segment Diamond

#### SPS130

- Recommended for light or medium coating removals and/or prepping concrete for new coatings



### #0 Prep Tool 3"

#### SPS134

- The #0's are a triple segment, high productive metal bond tooling used to remove black mastic, epoxy, adhesives, and thin-set. Leaves a smooth profile



### #00 Double PCD/Diamond Sweep

#### SPS132

#### SPS133

- The #00's are fast cutting, aggressive metal bond tooling. Leaves a rough profile. 2 PCDs for very aggressive removal with a single segment sweep behind it. Excellent tool for removal of adhesives, thin-sets, surface inequalities of +/-4mm and epoxy coatings with thickness of less than 4mm




### 000 Syntec (PCD/3 Segment)

#### SPS129-LS

#### SPS129-RS

- Syntec provides you an economical solution without giving up performance on their #000 tooling. When faced with hard to remove surfaces. The #000 is the blade for the job. Will leave a very rough profile.



### 000 STI (PCD/3 Segment)

#### SPS129L

#### SPS129R

- The #000's are the most aggressive removal tooling on the market today. When faced with hard to remove surfaces. The #000 is the blade for the job. Will leave a very rough profile.



SPS129R



SPS129L



## Edco Magna-Trap® Dual-Disc Floor Grinder

**SPE001** Magna-Trap®

**Optional:**

**SPE005** 40 lb. Weights

- 22" working width
- 400-500 sq. ft per hour
- 2" Vacuum port and water port
- Counter-rotating discs prevent machine from pulling side to side and give operator greater control
- Gas, Electric, and Propane power options

Ideal for: Production grinding and floor cleaning on large or small surface areas such as airports, warehouses, parking decks, manufacturing plants, malls and sports arenas; Light grinding or cleaning of concrete surfaces; Leveling uneven joints; Removing mastics, thin-set, high spots, epoxies and urethanes; Lightly texturing slippery concrete surfaces.



## Edco Magna-Trap® Blades

### Strip Sert Toolbox

**SPE003-KIT**

- For Mastic & Carpet Glue Removal
- Includes: 3 right hand and 3 left hand blade holders with blades, tools, and toolbox



### 18 Grit Dyma Segs

**SPE050**

- For Thin Coatings, Grinds, & Preps



### Replacement Blades

**SPE004**


- For Mastic & Carpet Glue Removal
- 6 Pack



### Double PCD with Pad Segment

**SPE041**

- For Aggressive Coatings Removal



# FLOORING

## Buffers & Tile Heaters

### 17" Hawk HD Floor Machine

#### FLH101

- Power: 1.5 HP, 66 frame, dual capacitor AC motor, 115V, 60 Hz Power., 50 ft. (14-3) STO industrial power cord with molded plug
- Drive System: Triple-planetary HD 10:1 helical-cut industrial gears drive brushes and pads at 175 RPM
- Variable position positive handle lock
- 1" x 5" non-marking ball bearing wheels



## Accessories

### Black Buffer Pads

- PD1004** 17"  
**PD1003** 18"  
**PD1001** 20"

PD1004



FL3095



### Scrape Away Wheel

- FL3095** 15"

### Novatek NovaStrip N1026 Vat Stripper

#### FL4001

- NovaStrip N1026 VAT strippers utilize "Infrared radiant heat" to safely heat tiles, thus breaking the adhesive bond. This allows you to lift "Intact" tiles in a dustless environment. These machines also cut labor costs by requiring only one operator.



## Accessories

### Tile Lifter Bar And Blades

- FL2001** 63" Tile Lifter Bar  
**FL2026** 3" Tile Bar Blade  
**FL2027** 6" Tile Bar Blade

- Used with our extra sharp, heat treated steel blades, the TILE POPPER provides fast and easy removal of a variety of materials
- Including: Vinyl & Asphalt Tile, Linoleum, Concrete Spurs, Adhesives & Mastics, Roofing Materials, Glued Down Carpeting, Sheet Goods, Parquet Flooring, Plant Roots

FL2001



FL2026



FL2027



### 17" Hawk Brute Deluxe Severe Duty Floor Machine

#### FLH201

- Power: 1.5 HP, 180 frame, TEFC dual capacitor AC motor
- 50 ft. 12-3 SJTOW industrial power cord with molded plug
- Drive System: Triple-planetary XHD 11:1 helical-cut industrial gears, casehardened with steel coupler
- All steel construction with welded, powder-coated frame
- One-piece chrome, heavy-duty steel handle with variable position handle lock and vinyl grips
- 1" x 5" non-marking ball bearing wheels
- Safety Features: Quiet 66 dB operation. Meets GS42 standard



## Accessories

### Wire Stripping Brush

- FL3124** 15"  
**FL3125** 16"  
**FL3127** 17"  
**FL3128** 18"

FL3124



### Novatek EcoStrip N100

#### FL4320

- Lightweight, portable infrared heat tile machine. Weighing only 18 lbs and utilizing a 15 AMP, 100-volt grounded outlet.
- Perfect for steps, closets and compact areas
- Twenty-minute motion switch automatically shuts down power if the machine is left unattended
- Adjustable/removable handle eliminates bending and operator fatigue



## Accessories

### Air Spade

- FL1000** 5' Air Spade  
**FL1001** Air Spade Blade Holder  
**FL1012** 4" Tile Blade  
**FL1004** 8" Tile Blade  
**FL1002** 4" Chisel Blade

- Air powered tile removal system is a lightweight, efficient alternative to hand-held scrapers and electric chippers. Its 4", 8" or 12" wide blade and 5 ft reach effectively clears large areas quickly and easily. It is capable of stripping even the most unyielding floor tiles. Its low air requirements, 3-4 CFM allow it to function with a standard 110-volt electric compressor.

FL1001



FL1000



FL1012



FL1002



FL1004





## Ride On Equipment - Flooring Removal

### Workhorse 1000

#### FL5300

- Rotating blade holder maintains better floor contact
- Blade holder rotates 180° to eliminate the need to sharpen blade
- 24 HP Honda engine with catalytic exhaust converter
- 30 inches wide, 49 inches long, and 1000 lbs. (weights & blade holder removed)
- Will travel through standard doorways and fit in small elevators
- Propane fuel tanks use standard gas grill tank for easy refills
- Comes with 720 lbs. of removable weights
- 480 lbs. of additional weights can be added for those tough projects
- Non-marking traction tires



### Bronco Floor Stripper

#### FL5002 Hybrid Optimum

#### FL5001 Propane Power

- No emissions
- Full work day battery service
- Charges 50% Faster
- Twice the battery life
- Easy to operate
- Removes VAT Tile, Ceramic Tile and Carpet
- 300-400 surface ft/min.
- \*Propane power options also available



### Carpet Removal Blades

**FL4936** 12"x3" Double Edge

**FL4937** 6"x4" Side Cut



### Ceramic Tile Removal Blades

**FL4941** 4"x4"x0.125 Thick

**FL4946** 1"x4"x0.250 Thick



### Heavy Duty Tile Removal Blades 0.125 Thick

**FL4922** 8"x4" Heavy Duty

**FL4923** 10"x4" Heavy Duty


**FL4924** 12"x4" Heavy Duty

**FL4920** 4"x4" Dynalloy

**FL4922-T** 8"x4" Dynalloy

**FL4923-T** 10"x4" Dynalloy

**FL4924-T** 12"x4" Dynalloy





### Benefect Botanical Decon 30

**M01402** 1 Gal.

- Light Scent
- Kills over 99.99% of bacteria in 30 seconds!
- Pleasant Aromatherapeutic Vapors
- No Synthetic Fragrances, Dyes or Bleach
- Uses the same Botanical Active Ingredient Benefect is known for, Thymol



### Benefect Disinfectant Wipes

**M01401**

- Decontaminate & Disinfect in One Easy Step
- Simple & Convenient
- Kills Over 99.99% of Germs
- 250/tub Wipes



### Fiberlock® Shockwave™

**M01005** 1 Gal.

- All-in-one disinfectant, sanitizer, fungicide, virucide, bactericide and cleaner
- Also effective in hard water
- Makes up to 60 gallons of product
- \* Also comes in Ready to Use 1 gallon or 5 gallon



### Enviro Care® Neutral Disinfectant

**M01310** 1 Gal.

- Non-toxic, biodegradable, neutral PH and hospital type disinfectant
- EPA registered
- Highly concentrated
- Low end use cost, broad efficacy
- Effective against E. Coli, CA-MRSA, VRE and many other pathogens



### Fiberlock® Instant Mold Stain Remover

**M01015** 1 Gal.

- Aggressive stain remover cleans stains within minutes of application
- Targets deeply embedded mold stains, saving time and money
- Works on wood and concrete substrates
- Ready to Use



### Fiberlock® Advanced Peroxide Cleaner (APC)

**M01001** 2.5 Gal.

- High active foaming cleaner that aggressively removes stains and odors caused by mold, mildew, bacteria and other microbial growth
- Ready to Use



### PRS Preclean

**M01301** 1 Gal.

- Water Damage
- Non-toxic biological based initial treatment for digesting of soils and odors from category 2/3 water damage scenarios including fecal matter and urine
- Apply as soon as possible
- Xactimate code: WTR GRMBIO



### PRS Post Clean

**M01303** 1 Gal.

- Non-toxic biological based preventative product to minimize potential of future growth or odors after the fact
- Continues to penetrate porous materials throughout the wet stages of drying
- Xactimate code: WTR GRMBIO





## Smoke & Odor: Control & Mitigation

# INDOOR AIR QUALITY

### Sentinel Formula 522

**CH4073** 1 Gal.

- Smoke and Odor Cleaner and Destroyer is used to eliminate odors on hard surfaces and soft goods
- Clean fresh scent
- Ready to use or as a concentrate making up to 32 gallons of product



### PRS Odor Control

**M01305** 1 Gal.

- Biologically digest odor from protein fires, post mortem, trauma, skunk, and urine
- Apply with a wet ULV fog (Do Not Thermal Fog) or sprayer application



### Fresh Aire Neutralizer

**CH6002** 1 Gal.

- Liquid neutralizer for chemical and malodors in schools, public buildings, restrooms, hospitals, institutions, nursing homes and more



### Sentinel Formula 505

**CH4071** 1 Gal.

- Smoke and Odor Laundry wash is used to remove strong odors from clothing and other machine washable items
- Clean fresh fragrance
- One gallon does up to 64 loads of laundry
- Use in place of your usual laundry detergent or as a pre-treater for tough odor causing stains



### PRS Ultra HD Fire & Content Cleaner

**M01307** 1 Gal.

- Heavy duty, biobased content cleaner for hard surfaces
- Safer and more effective than many conventional cleaners



### Smoke/Soot Cleaning Sponges

**JS3031** 2.5 Gal.

- Individually wrapped
- 3"x6"x2"
- 48/case



### Sentinel Formula 538/539\*

**EN2106** 538 Ready to Use-White

**EN2107** 538 Ready to Use-Clear

**EN2108** 539 Encapsulant-Clear

**EN2109** 539 Encapsulant-White

- Smoke and Odor Encapsulant used to seal and trap odors commonly found on restoration projects like smoke and other odors
- \*539 has anti-microbial product protection
- 5 Gallons



### Fiberlock Recon Smoke/Odor Sealer

**EN2121** Ready to Use-Clear

**EN2122** Ready to Use-White

- RECON Smoke Odor Sealer is a solvent free, water based, low VOC, low odor and non-flammable smoke odor sealant that encapsulates smoke odors on multiple surfaces
- 5 Gallons



## Cleaners & Degreasers

### Sentinel All-Purpose Cleaner & Degreaser

**CH4070**

- Clean-up oils, tar, grease and other dirt from tools, equipment, grills, cars and more
- Tape/labels, kitchen grease, make-up stains, crayon, gum, scuff marks, upholstery stains, smoke, mildew, carpet stains and more
- Ready to Use



### Sentinel™ 805 Envirowash

**CH4008**

- Concentrated cleaning solution (1:20) used for lead dust and mercury clean-up and for final surface prep of sub floors following mastic removal on asbestos abatement jobs
- 5 Gallon



### Sentinel™ ET-90 TSP Envirotowels

**CH4010**

- Designed for pre-cleaning prior to removal or encasement of lead and for final clean-up following lead abatement
- Towels fit on Swiffer mop
- 90 - 8" x 12"



### Aerosol Citrus Degreaser

**CH4001**

- Pleasant orange scent
- Heavy duty
- 12 cans per case



### Proxi Spray & Walk Away

**M01309**

- For organic stains such as wine, coffee, blood, urine and vomit
- Use on carpets and cloth surfaces
- Simply spray and walkaway! Always test for color fastness



### PRS Fuel Oil Cleaner

**M01306**

- Degrades and removes soils and odors from fuel oil and other mid-weight hydrocarbon stains
- 1 Gallon





## Mold Resistant & Fungicidal Coatings

### Sentinel™ 24-7 CC Mold & Mildew Resistant Construction Coating

**MO1147**

- This economically-priced, high-performance coating inhibits the growth of bacteria, mold and mildew that causes stains and odors on the dried coating surface. A high-quality, acrylic-based product, it can be applied by brush, roller, or sprayer and dries clear. 10 years of testing has been conducted on this product via ASTM D5590 and G21 protocol. It has a 10-year limited warranty. It meets LEED® IEQ Credit 4.2 low-emission materials for paints and coatings.
- 5 Gal. Clear



COVERAGE:  
300 ft²/gal  
(smooth surfaces)  
85-125 ft²/gal  
(porous surfaces)

### Sentinel™ 24-7 Interior Mold & Mildew Resistant Coating

**MO1146**

- Sentinel 24-7 ZERO is a high quality interior grade coating that contains no Volatile Organic Compounds (VOCs), is free of Hazardous Air Pollutants (HAPs), and offers virtually no odor. Sentinel 24-7 ZERO is an environmentally friendly coating that can be used on most interior building materials. Sentinel 24-7 ZERO is a self-priming coating providing a durable, scrubbable surface. Sentinel 24-7 ZERO with antimicrobial product protection is designed to inhibit the growth of stain and odor causing mold, mildew and other microorganisms on cured coating surfaces.
- 5 Gal. White



COVERAGE:  
300 ft²/gal  
(smooth surfaces)  
85-125 ft²/gal  
(porous surfaces)

### Fiberlock® Aftershock™

**MO1030**

- Antimicrobial coating designed to kill residual mold and mildew remaining after pre-cleaning contaminated surfaces
- Used for interior wall surfaces such as plaster, wallboard, drywall, concrete, masonry block, wood, primed metal and galvanized metal
- Not for use in HVAC systems
- 5 Gal. White



COVERAGE:  
250-400 ft²/gal  
(smooth surfaces)  
150-300 ft²/gal  
(porous surfaces)

### Sentinel™ 24-7 Premium Int/Ext Mold & Mildew Resistant Coating

**MO1142**

- 24-7 utilizes the highest quality polymers to provide
- superior bonding and durability. Provides excellent coverage and dries to a hard, long lasting finish. Antimicrobial product protection gives the highest level of protection to inhibit the growth of stain and odor causing microorganisms.
- 5 Gal. White



COVERAGE:  
250-400 ft²/gal  
(smooth surfaces)  
150-300 ft²/gal  
(porous surfaces)

### Fiberlock® IAQ™ 6000 White

**MO1020**

*White is tintable*

- Tested by independent laboratories for mold resistance: ASTM G-21 and ASTM D-3273
- Mold resistant\*
- Tintable formula
- 100% acrylic
- \*Resistant to mold growth on the dry coating surface only
- 5 Gal.



COVERAGE:  
250-400 ft²/gal  
(smooth surfaces)  
150-300 ft²/gal  
(porous surfaces)

### Fiberlock® IAQ™ 6100 Clear

**MO1022**

- Clear mold resistant\* coating for professional use, that contains a fungistatic agent to resist mold growth on the dry coating surface. IAQ 6100 is a durable, flexible, and permeable 100% acrylic water-based coating. IAQ 6100 is recommended for use on wood, plaster, wallboard, sheetrock, concrete, masonry block, primed metal, and galvanized metal. Tested by independent laboratories for mold resistance: ASTM G-21 and ASTM D-3273
- \*Resistant to mold growth on the dry coating surface only



COVERAGE:  
350-600 ft²/gal  
(smooth surfaces)  
250-300 ft²/gal  
(porous surfaces)

## Standard Series

### Allergy Machine™

#### AP802\_

AP8020



AP8024



### Who should consider the Allergy Machine®?

- Those exposed to biologics such as viruses and bacteria
- Individuals living in damp environments
- Asthmatic Children

### Why is the Allergy Machine® the best choice for me?

- Designed for immediate filtration of allergens
- Medical Grade HEPA effectively removes 95% of airborne viruses that are 0.1 microns and larger
- HEGA carbon cloth also removes viruses, bacteria, chemicals and gases from the air
- High capacity filtration for the removal of allergens from the air
- Designed for relief of sneezing, coughing and stuffy noses caused by every day or seasonal allergies.

### HealthMate+™

#### AP804\_

AP8040



AP8044



### Who should consider the HealthMate Plus®?

- Dentists looking to remove aerosolized viruses larger than 0.1 microns, and other contaminants from the environment
- Anyone needing an efficient way of removing wood burning smoke, formaldehyde and other dangerous VOCs
- Individuals suffering from Multiple Chemical Sensitivity (MCS)
- Those with pre-existing health concerns
- Individuals in high particle and gas contaminated areas

### Why is the HealthMate Plus® the best choice for me?

- Medical Grade HEPA effectively removes 99% of airborne viruses that are 0.1 microns and larger
- Designed for highly contaminated indoor air conditions
- Extremely effective at removing particles in the air including formaldehyde, elements of smoke, dust and pollens
- Exceptional capacity for removing Volatile Organic Compounds (VOCs); Filters bacteria

### HealthMate™

#### AP800\_

AP8001



AP8005



### Who should consider the HealthMate®?

- Those looking for protection against contaminants such as viruses and bacteria
- Individuals with indoor air quality concerns
- Those with slight sensitivities to airborne particles, chemicals and gases
- Families looking for protection from every day indoor air pollutants

### Why is the HealthMate® the best choice for me?

- Medical Grade HEPA effectively removes 99% of airborne viruses that are 0.1 microns and larger.
- Efficiently removes a wide range of airborne pollutants and allergens, including dust, pollen, chemicals and gases
- Filters bacteria

### Bedroom Machine™

#### AP806\_

AP8060



AP8064



### Who should consider The Bedroom Machine® by Austin Air?

- Those looking for protection against contaminants such as viruses and bacteria.
- Those who have difficulty sleeping or have poor quality sleep
- Individuals that suffer from COPD, allergy and asthma attacks at night
- Anyone looking to improve their overall health and wellbeing

### Why is The Bedroom Machine® by Austin Air the best choice for me?

- Medical Grade HEPA effectively removes 99% of airborne viruses that are 0.1 microns and larger.
- Our most comprehensive air purifier with a 5th stage of HEGA filtration, for the removal of viruses, bacteria, chemicals and gases
- Carbon blend that filters gases, odors and VOCs
- Developed to improve sleep
- Keeps your bedroom fresh and clean

#### FEATURES OF ALL UNITS:

- Solid Steel Construction
- Powder-coated paint
- Energy saving PSC motor
- Engineered airflow creating the clean air pocket

#### WARRANTY:

- 5-year warranty on all parts and labor\*\*
- 5-year pro-rated filter guarantee\*\*
- \*\*See owners guide

#### HEALTH BENEFITS:

- Reduces the viral load to minimize risk of infection or severity of disease
- Lessens night-time allergies and asthma attacks
- Strengthens the immune system
- Eases coughing, wheezing and sneezing
- Reduces dry mouth and runny nose
- Sounder sleep
- Reduced snoring

\*Covid-19 is a new strain of virus that as yet, remains untested. However, the Medical Grade HEPA technology used in our filters is proven to remove up to 99% of all airborne contaminants as small as 0.1 microns.



# Air & Surface Sampling

# ABATEMENT

## Sensidyne Gilian BDX II Low-Volume Sampling Pump

### AS2001

- Personal sampling pump designed for use with asbestos and lead sampling
- Meets NIOSH 7400, 7082, 7105 and 7300 specifications
- Recommended Cassette/Pump: AS1001, AS1003



## 25mm Asbestos PCM Cassettes

### AS1001

- Pre-loaded, ready to use cassettes with 0.8um MCE Filter
- Meets all applicable NIOSH, OSHA, and EPA standards
- Recommended Cassette/Pump: AS2501 (High), AS2001 (Low)
- 50/Box



## 37mm Lead Cassettes

### AS1003

- 2-piece, pre-loaded, leak-free, ready to use cassettes with 0.8um MCE Filter
- Meets all applicable NIOSH, OSHA, and EPA standards
- Recommended Cassette/Pump: AS2501 (High), AS2001 (Low)
- 50/Box



## Coring Sleeve & Vial

### AS5001

- Refill aluminum cutter sleeves for the Asbestos Bulk Sampling System
- Label and ship asbestos samples in the original cutter container
- Special write-on plastic and tight cap eliminate the need for labels, film canisters, etc.
- 100/box



## 3M Lead Check Swabs

### AS5011 8/Pack

### AS5013 48/Pack

- EPA recognized instant test for lead based paint on most surfaces including drywall and plaster surfaces



**RED MEANS LEAD™**



## Zefon Hi-Volume Diaphragm Sampling Pump

### AS2501 Sampling Pump

### AS2507 Pump Stand

- Area sampling pump complete with locking flow control valve, hose barb, 10' tubing and on/off switch
- Recommended Cassette/Pump: AS1001, AS1002, AS1003, AS1008



## 25mm Asbestos TEM Cassette

### AS1002

- Pre-loaded, ready to use cassettes with 0.45um MCE Filter
- Meets all applicable NIOSH, OSHA, and EPA standards
- Recommended Cassette/Pump: AS2501 (High)
- 50/Box



## Air-O-Cell Mold Sampling Cassettes

### AS1008

- Designed for sampling viable and non-viable airborne aerosols including mold spores, pollen, insect parts, skin cell fragments, fibers (e.g. asbestos, fiberglass, cellulose, clothing fibers, etc.) and inorganic particulate e.g. ceramic, fly ash, copy toner, etc.)
- Recommended Cassette/Pump: AS2501 (High)
- 50/Box



## Whirl Pak Bags

### AS5101 4 oz. - (3" x 7.25")

### AS5102 2 oz. - (3" x 5")

- Nasco Whirl-Pak® sample collection bags provide an easy to use leakproof closure for collection of a wide variety of sample materials
- 2.25 mil
- 500/box



## Lead Wipes

### AS5009

- Lead wipes are used for the collection and sampling of lead in settled dust
- Meets ASTM E1792-96 requirements for lead dust sampling wipes
- The formulation does not contain lanolin, aloe, or other interfering oils which may alter lab test results
- 100/Box






## Glove Bags

### Grayling Avail Glove Bag Systems

- Exclusive, patented features and durable 6 mil poly construction along with a wide variety of sizes and styles make it a favorite for abatement projects
- Avail glove bags feature fitted collars for easy attachment, entry ports, FiberGuard Glove Sleeves, latex work gloves and a handy tool pouch




Hi-temperature and glove bag sheets available on request

SIZE	DESCRIPTION	PIPE DIAMETER	PACKAGED	ITEM #
22" x 60"	M6 Glove Bag	Up to 6"	40/Case	GB7002
44" x 60"	Horizontal Single Glove Bags	Up to 8"	25/Case	GB1001
44" x 60"	Extended-Run Horizontal	Up to 8"	25/Roll	GB1002
54" x 60"	Extended-Run Horizontal	Up to 10"	25/Roll	GB2001
60" x 60"	Horizontal Single Glove Bags	Up to 10"	25/Case	GB3001-G
60" x 72"	Extended-Run Horizontal	Up to 14"	20/Roll	GB4002
66" x 84"	Extended-Run Horizontal	Up to 18"	15/Roll	GB5002
72" x 120"	Extended-Run Horizontal	Up to 30"	10/Roll	GB6001


### Additional Glove Bags

SIZE	DESCRIPTION	PIPE DIAMETER	PACKAGED	ITEM #
42" to 90'	QT-10 Horizontal Glove Bag	Up to 10"	20/Roll	GB8001
48" to 75'	QT-14 Horizontal Glove Bag	Up to 10-14"	15/Roll	GB8002
54" to 55'	QT-18 Horizontal Glove Bag	Up to 14-18"	10/Roll	GB8003

GB7002




GB8002



GB8003



GB1002



GB1001



GB2001



GB3001



GB8001





# Showers & Accessories

# ABATEMENT

## Grayling Disposable D-Con

**SH1001** D-con 3/Box

**SH1002** 12 Pole Set

- Economical 3-room system with clean, shower, and equipment room; poles and shower nozzle sold separately
- 3/box



SH1001

## Portable Pop-Up Aluminum Shower

**SH1020**

- Heavy duty collapsible portable shower that telescopes to a sturdy full size shower when deployed
- 30.5"x30.5"x89"



## Portable 2-Stage Hydro Filtration Unit

**SH2002**

- High quality water filtration unit for commercial and industrial use
- ACSI HF2 Hydro Filter is enclosed in a heavy-duty aluminum cabinet 0.080 thick that is rustproof and lightweight
- All electrical components are internally enclosed in their own enclosure preventing dirt and water from getting in



## Water Filters For 2-Stage Pump

**SH2101** 5 Micron

**SH2106** 25 Micron



## Drain Sock For Aluminum Shower

**SH2110**

- 25 Micron Filter
- Custom sizes available
- Drawstring



## Body Shampoo

**SH3001** 1 Gal. Shampoo

**SH3003** Pump Dispenser

**SH3002** Body & Hair Shampoo  
(8 oz - 24/case)

- Rinses clean without leaving a residue



## Purell Sanitizing Wipes

**PPE1211**

- Great for hand cleaning in waterless conditions
- Easy pull-out style
- 270/tub







## Sentinel 626 Carpet Adhesive Or Glue Remover

CH1005

NO ODOR

- Quickly remove latex, acrylic, and pressure-sensitive adhesives from concrete, terrazzo, ceramic, and vinyl tile or wood substrates
- Use 626 to remove tan or beige colored glues, linoleum backing and vinyl sheet goods adhesives
- 626 cleans up with water, is non-hazardous, and requires no dilution, so it's ready to use
- 5 Gallons



COVERAGE:  
25-75 ft<sup>2</sup>/gal

## Sentinel 170 Low Odor Mastic Remover

CH1006

LOW ODOR

- Mastic remover made specifically for the removal of black mastic found during the abatement of asbestos containing VAT and VCT tile
- 5 Gallons



COVERAGE:  
80-150 ft<sup>2</sup>/gal

## Sentinel 200 No Odor Mastic Remover

CH1012

NO ODOR

- Mastic remover made specifically for the removal of black mastic found during the abatement of asbestos containing VAT and VCT tile
- 5 Gallons



COVERAGE:  
70-120 ft<sup>2</sup>/gal

## Sentinel 909 Soybean Degreaser & Mastic Remover

CH1017

SOY BASED

- Biodegradable, soybean based solvent cleaner, degreaser and mastic remover
- Ideal for the removal of asphalt-based mastics, adhesives, grease, lubricants, inks and other petroleum based residues
- 5 Gallons



COVERAGE:  
70-120 ft<sup>2</sup>/gal

## Rochester Midland Neugenic 4175 CA Mastic Remover AMW-98

CH1008

LOW ODOR

- Biodegradable, non-terpene semi-aqueous cleaner recommended for removing mastic, solidified oil, grease, tar, adhesives and asphalt
- Used as a coarse spray, or in a hot or cold dip tank
- Apply as a concentrate for a rapid removal of heavy soil, or diluted with up to 30 parts water for light soil removal
- 5 Gallons



COVERAGE:  
100 ft<sup>2</sup>/gal

CH1016

NO ODOR

- No Odor Mastic & Adhesive Remover
- 100% Organic Industrial Degreaser
- Removes cut back adhesives with no odor
- No Hazardous solvents, No acids
- High Flash Point over 200° F Closed Cup
- Non-caustic, pH Neutral
- 5 Gallons



COVERAGE:  
100 ft<sup>2</sup>/gal

\*V.O.C. Compliant

This Floor or Wall Covering Adhesive Remover contains less than 5% V.O.C. content by weight, in accordance with the requirements set forth by the California Air Resource Board (CARB) and Ozone Transport Commission (OTC), effective 1-1-2009





# Pipe Wrap & Lockdown

# ABATEMENT

## Foster 32-61 Lockdown

EN2004

CLEAR

- Asbestos Removal Encapsulant
- Polymeric, water-based coating that "wets-out" all types of asbestos quickly and thoroughly (including AMOSITE and CROCIDOLITE) to lock individual fibers together
- Applications: All types of asbestos; Ideal for post-removal to prevent individual fibers from releasing
- 5 Gallons

COVERAGE:  
>500 ft<sup>2</sup>/gal  
(smooth surface)  
350-500 ft<sup>2</sup>/gal  
(porous surfaces)



## Fiberlock Fiberset PM Lockdown

EN4004 Clear

EN4005 White

- Pre-mixed "lockdown" sealing treatment for microscopic residual asbestos fibers present after the removal of Asbestos Containing Material (ACM)
- Applications: Ideal for newly exposed beam or deck
- assembly, Locks down residual asbestos fibers to help ensure final air clearance
- 5 gallons

COVERAGE:  
>500 ft<sup>2</sup>/gal  
(smooth surface)  
350-500 ft<sup>2</sup>/gal  
(porous surfaces)



## Sentinel 811LE Lockdown

EN2101

CLEAR

- Sentinel 811LE Lockdown Encapsulant is a post removal lockdown encapsulant solution
- Premixed and requires no dilution
- Essential for use during the mandatory sealing of asbestos fibers and dust subsequent to removal or building demolition
- Low Odor
- Fast Drying
- Locks Fibers Down
- 5 Gallons

COVERAGE:  
>500 ft<sup>2</sup>/gal  
(smooth surface)  
350-500 ft<sup>2</sup>/gal  
(porous surfaces)



## 22-P Penetrating & Lock-Down Encapsulant

EN3001

WHITE

- UL Classified
- Meets all EPA and Industry Standards
- 'A' Flame Spread: ASTM E-84 and ASTM E-162
- Versatility allows for use as Lock-Down or Penetrant
- Maintains its flexibility...Does NOT become brittle
- 5 Gallon

COVERAGE:  
Lockdown:  
Up to 1500 ft<sup>2</sup>/gal  
Encapsulation:  
Up to 40 ft<sup>2</sup>/gal  
Soil: 25 to 100 ft<sup>2</sup>/gal



## 5' X 150' Lag Cloth

EN1026

- For wrapping boilers and other large projects



## PIPE WRAP

EN1001 4" x 15' - 72/Case

EN1002 6" x 15' - 48/Case

EN1001-RL 4" x 15' - Roll Only

EN1002-RL 6" x 15' - Roll Only

- Insulation encasement system that permanently repairs pipes, breaching, valves, duct work and other fittings
- Simply wet and wrap
- Dries in 15 minutes/cures hard in 24 hours
- Free from fumes and odors
- Withstands temperatures up to 900°F
- Available by the case or roll



# ABATEMENT

# Encapsulants

## Fosters 32-80 Bridging Mastic

EN2005

OFF WHITE

- Bridging encapsulant that forms a tough, light colored, washable, abrasion resistant, elastomeric coating that economically abates the release of asbestos fibers
- **Applications:** Ideal for use over interior pipe covering and boiler lagging insulations
- 5 Gallons

COVERAGE:  
400 ft<sup>2</sup>/gal



## Fosters 32-32 Bridging Encapsulant

EN2002

WHITE

- Water based elastomeric product for use over interior fibrous and cementitious types of asbestos containing materials (ACM)
- **Applications:** It can be used over the hard, non-absorptive types of asbestos insulation that will not "accept" a penetrating-type encapsulant
- 5 Gallons

COVERAGE:  
150 ft<sup>2</sup>/gal  
(smooth surfaces)



## Fiberlock Asbestos Binding Compound (ABC)

EN4006 Off White

EN4007 Clear

- High solids asbestos encapsulant/sealant, designed to encapsulate friable Asbestos Containing Material (ACM)
- **Applications:** Ideal for use on fireproofing and insulation material \*Effective for controlling asbestos fibers in soil
- 5 Gallons

COVERAGE:  
50-100 ft<sup>2</sup>/gal  
(smooth surfaces)  
50-75 ft<sup>2</sup>/gal  
(porous surfaces)

EN4006



EN4007

## Childers CP-9

EN2020

WHITE

- Weatherproofing coating/mastic that is tough, durable, fire-resistive
- Used as mechanical protection and weatherproofing
- **Applications:** Thermal insulations, indoors and outdoors, for piping, tanks, fittings, vessels, equipment, and other irregularly shaped objects
- 1 Gallon

COVERAGE:  
100 ft<sup>2</sup>/gal



## Fiberlock Lag-Kote II

EN4009

WHITE

- Bright white bridging encapsulant that is high in solids which provides maximum protection over asbestos containing material (ACM)
- Ideally interior pipe lagging, boiler jackets, breaching and other components of heating and ventilation systems that are not exposed to rust or sunlight
- 5 Gallons

COVERAGE  
125-175 ft<sup>2</sup>/gal  
(smooth surfaces)  
75-100 ft<sup>2</sup>/gal  
(porous surfaces)



## Fiberlock Transite Barrier Compound

EN4020

WHITE

- TBC is a high solid, non-toxic blend of resins that forms a hard yet flexible finish which is ultraviolet resistant and mildew resistant
- Environmentally friendly, complies with all federal and state VOC
- **Applications:** Elastomeric thermoplastic water based copolymer blended to seal exterior asbestos containing Industrial Fiber Cement Board (Transite®) requirements
- 5 Gallons

COVERAGE:  
50-100 ft<sup>2</sup>/gal





# Lead Based Paint: Chemical Removers, Encapsulants, & Cleaners

# ABATEMENT

## Peel Away® I

**CH2003** 5 Gal. - Peel Away® I

- VOC = 0, Complete paint removal system: environmentally safe, non-toxic, biodegradable, nonflammable
- Comes with Peel Away® Paper, and Citri-Lize™ neutralizer
- **Recommended Use:** Lead-based paint in historical buildings.
- Intricate, carved, or molded surfaces.



**COVERAGE:**  
15-20 ft²/gal, 32 layers  
12-24 hr dwell

## Peel Away® Paper

**CH2005** Peel Away® Paper

- VOC = 0, Complete paint removal system: environmentally safe, non-toxic, biodegradable, nonflammable
- Comes with Peel Away® Paper, and Citri-Lize™ neutralizer
- **Recommended Use:** Lead-based paint in historical buildings.
- Intricate, carved, or molded surfaces.



## Peel Away® ST-1

**CH2004**

- Peel Away® ST-1 is similar to Peel Away® I however it's self-sealing characteristic allows it to continue working in a moist environment without requiring any Peel Away® cover
- VOC compliant
- **Recommended Use:** Heavy duty removal of lead-based paint from steel structures such as tanks, bridges and structural members.
- 5 Gallons



**COVERAGE:**  
20-25 ft²/gal, Multiple layers  
12-24 hr dwell

## Smart Strip™ Pro

**CH2012**

- Professional strength non-toxic paint removal system is formulated without methylene chloride, is non-carcinogenic, non-caustic, and non-flammable
- It is low VOC, low odor, biodegradable and user friendly
- **Recommended Use:** Effectively removes multiple coats of varnish, oil-based, water-based, acrylic, urethane, epoxy, elastomeric and lead paints from any interior or exterior surfaces.
- 5 Gallons



**COVERAGE:**  
45-50 ft²/gal, 20 layers  
3-12 hr dwell

## Smart Strip™

**CH2010**

- Paint remover that is 100% biodegradable, does not contain methylene chloride, any caustics, or toxic chemicals
- It is odor-free and safe for the environment
- **Recommended Use:** Effective for architectural/industrial coatings from virtually all interior/exterior surfaces. Excellent for intricate, carved, or molded surfaces and marine paints.
- 5 Gallons



**COVERAGE:**  
45-50 ft²/gal, 15 layers  
4-24 hr dwell

## Fiberlock Piranha Nexstrip Pro

**CH2018**

- Professional paint remover in a paste formulation that clings to and attacks nearly any type of coating
- Does not contain dangerous chlorinated solvents, caustics or methylene chloride
- This formula is low odor
- **Recommended Use:** To be used on interior and exterior surfaces including concrete, brick, stone, aluminum, wood, fiberglass, plastic and other surfaces.
- 5 Gallons



**COVERAGE:**  
40-60 ft²/gal  
2-24 hr dwell

## Fiberlock Lead Barrier Compound (LBC)

**EN4001**

- LBC forms a barrier between lead-based paint and the environment
- LBC complies with all EPA and HUD requirements for lead-based paint encapsulants and is recognized as a permanent method for abatement of lead-based paint
- 5 Gallons



**COVERAGE:**  
120 ft²/gal  
(Smooth Surfaces)  
80-120 ft²/gal  
(Porous Surfaces)

## Ledizolv®

**CH4006**

- Used to remove hazardous lead dust to make surfaces safe for occupancy
- Concentrated cleaning solution (1:50) used to clean up and control LCD hazards in homes, schools and other buildings
- 1 Gallon



### Why Use Ledizolv® Lead-Specific Detergent?

- Safe for the user
- Safe for interior areas
- Safe for the environment




# ABATEMENT

# Signage & Barrier

## Asbestos Paper Signs

- SI1001** English Version
- SI1004** Spanish Version


- Meets OSHA CFR 1910.1001 Asbestos in Construction Standards
- Available in English and Spanish
- 11" x 17"



## Lead Hazard Paper Sign

**SI2001**

- Meets OSHA CFR 1926.62 Lead in Construction Standards
- 11" x 17"



## Asbestos Labels

- SI1102** 3" x 5" Asbestos Danger
- SI1103** 3" x 5" Asbestos Free
- SI1105** 4" x 6" Asbestos Danger Class 9 DOT

- These labels quickly alert the public to the presence of hazardous contaminants
- Printed on pressure-sensitive paper for easy application
- Comes packaged with 500 labels per roll



## Lead Labels

**SI2102** 3" x 5"

- These labels quickly alert the public to the presence of hazardous contaminants
- Printed on pressure-sensitive paper for easy application
- Comes packaged with 500 labels per roll



## Asbestos Barrier Tape

- SI1201** Red Asbestos Hazard
- SI1202** Asbestos Warning

- Tape is a lightweight, economical, reusable polyethylene, with a continuous repeat of message or warning
- Can be tied, stapled or nailed in place
- Meets OSHA 1910.144 for marking physical hazards
- 3" x 1000'



## Lead Barrier Tape

- SI2201** Red Lead Hazard
- SI2202** Yellow Caution Lead


- Tape is a lightweight, economical, reusable polyethylene, with a continuous repeat of message or warning
- Can be tied, stapled or nailed in place
- Meets OSHA 1910.144 for marking physical hazards
- 3" x 1000'



## Federal/State Labor Law Posters

- SI5005** Combined State/Federal 24" x 40"
- SI5006** Federal Labor Law 18" x 24"

- Contains most up-to-date Federal laws to be displayed at the workplace
- Available for all U.S. states





# Asbestos Bags

# ABATEMENT

## ACM Printed Waste Bags

SIZE	DESCRIPTION	ITEM #
30" x 40"	Black Bags 100/roll	BA1001
33" x 50"	Black Bags 75/roll	BA2001
33" x 50"	Clear Bags 75/roll	BA2002
33" x 50"	Clear Full Weight 75/roll	BA2009
36" x 60"	Black Bags 50/roll	BA3001
36" x 60"	Clear Bags 50/roll	BA3002
36" x 60"	Clear 6 mil ACM 50/roll	BA3003
36" x 60"	Black 6 mil 50/roll	BA3006
60" x 72"	Clear Bags 50/roll	BA5201



## Unprinted Contractor Bags

SIZE	DESCRIPTION	ITEM #
33" x 50"	Black Bags 75/roll	BA2004
33" x 50"	Clear Bags 75/roll	BA2005
36" x 60"	Black Bags 50/roll	BA3004
36" x 60"	Clear Bags 50/roll	BA3005
38" x 60"	Black Full Weight 50/roll	BA4053
38" x 60"	Clear Full Weight 50/roll	BA4051
38" x 63"	Black Bags 50/roll	BA5002



## Poly Woven Bags

**BA7003**

- Light and strong
- Puncture resistant
- Great for bulky items (Asbestos Floor Tile)
- 30" x 40"
- 1000/bail



## 55 Gallon Drum Barrels

**SR1101** Fiber  
**SR1103** Steel





## Plastic/Foam Squeegee

- JS7004** 22"  
**JS7007** 30"  
**JS1009** Threaded Handle



## Steel/Foam Squeegee

- JS7004S** 22"  
**JS7002** Tapered Handle



## Economy Corn Broom

- JS1003**



## Counter Broom "Foxtail"

- JS1004**



## Cotton Mophead

- JS3001** Mophead  
**JS3025** Mop Handle



## Heavy Duty Mop Bucket (Wringer Assembled)

- JS6001**  
 • 35 Qt.



## Pump Sprayers

- SE2000** 1 Gal. Poly  
**SE2001** 2 Gal. Poly  
**SE2002** 3 Gal. Steel



## Angle Broom

- JS1001**




## Plastic Dust Pan

- JS1026**



## Towels & Rags

- TW1001** Airlay Towels  
**TW2001** Reinforced Blue Towels  
**TW3001** 40 lb. Cotton Tee Rags



TW2001

TW3001

TW1001





## Job Supplies

## ABATEMENT

### T 50 Staple Gun

- TL3001** Gun  
**TL3002** 3/8" Staples  
(5000/box)



### P-22 Stitcher Stapler

- TL3101** Stapler  
**TL3102** 5/16" Staples  
(5000/Box)



### Retractable Utility Knife

- TL4101** Knife  
**TL4102** Blades 100/Box



### 4" Floor Razor Scraper

- TL2001** 12" Handle  
**TL2002** 48" Handle




### Floor Razor Scraper

- TL2003** 4 - 8"  
Heavy Duty; Expandable



### Razor Scraper Blades

- TL2050** 4" Heavy Duty  
**TL2054** 8" Heavy Duty  
(10 Packs)



### 3" Long Handle Scraper

- TL2305** Scraper



### 6 In 1 Scraper

- TL2901** Scraper



### Milwaukee Aviation Snips

- TL4003** Snips



### Wire Brushes

- TL1001** 12" Handle  
**TL1002** Toothbrush Style



### Scrub Pads

- PD2005** 6"X9" Green 60/Cs  
**PD2006** 6"X9" Black 20/Cs  
**PD2004** 4.5"X10" Black 20/Cs



### Scrub Pad Holder

- PD2000** 4"X10"  
**JS1009** Threaded Handle



## Environmental, Health & Safety Training



OTS is an established training company which provides the technical training necessary to comply with current health, safety and environmental regulations. Founded in 1990, we saw the need to provide a more "hands-on" type of training. Our 20,000 square foot training facility is fully equipped and specifically designed with large classrooms and hands-on areas. Here we provide practical exercises and demonstrations of the various techniques and equipment used in the industry. All courses include manuals and handouts.

All asbestos courses are accredited through the Illinois Department of Public Health (IDPH) and the Indiana Department of Environmental Management (IDEM). Select asbestos initial and refresher courses are also approved by the Wisconsin Department of Human Services, Tennessee Department of Environment & Conservation and Missouri Department of Natural Resources. Lead courses are approved IDPH and US EPA accredited. We are reciprocal with most other states. We are also certified by the City of Chicago for Scaffold Builder/User Training.

### **Asbestos:**

- Asbestos Abatement Contractor/Supervisor\* (Project Manager)
- Asbestos Abatement Worker\*
- Asbestos Awareness
- Asbestos Building Inspector\*
- Asbestos Management Planner (Refresher only)
- Asbestos Roofer (Group)
- LEA Designated Person
- Operations & Maintenance\*
- Project Designer (Refresher only)
- Resilient Floor Covering Removal (Group)

\*Refreshers are also offered

### **Lead:**

- EPA Lead Safe Renovator\*
- Lead Inspector\*
- Lead Paint Abatement Supervisor\*
- Lead Paint Abatement Worker\*
- Lead Risk Assessor\*
- OSHA Lead Awareness for Construction (Group)

*\*Refreshers are also offered*

### **Hazwoper:**

- Hazardous Materials 24 Hour
- Hazardous Materials Awareness (Group)
- Hazardous Materials Refresher
- Hazardous Materials Transportation (DOT) (Group)
- Hazardous Waste Site Worker
- Incident Command Management (Group)
- Industrial Emergency Response (Group)

### **Group Safety Training:**

- Confined Space Entry
- Excavating & Trenching Competent Person
- Fall Protection
- First Aid/CPR
- Hazard Communication
- Lockout/Tagout (Group)
- OSHA 10 Hour
- OSHA 30 Hour
- Powered Industrial Truck Operator
- Respirator Fit-Testing/Training
- Silica Hazard Awareness
- Supported Scaffold Builder/User

## *Midwest Leader for 'Hands-On' Environmental and Safety Training*

OTS is a Certified Woman Business Enterprise (WBE) through the City of Chicago and State of Illinois.

We can assist you in meeting your minority participation goals.

Contact Matt for all your training needs!



Visit [www.otssafety.com](http://www.otssafety.com) or call our office  
for more information! 630-655-3900



## OCCUPATIONAL TRAINING & SUPPLY



[www.otssupply.com](http://www.otssupply.com)



630-655-3900



[sales@otssafety.com](mailto:sales@otssafety.com)



7233 Adams Street  
Willowbrook, IL 60527